

# LIFEBOAT EQUIPMENT

	Item of Equipment	Motor				BOAT NO.	
		1	2	3	4	5	6
(i)	Oars, rowing (including spares)	10 ✓	10 ✓	10 ✓	10 ✓		
	„ steering	1 ✓	1 ✓	1 ✓	1 ✓		
	Thole pins or crutches	11 ✓	11 ✓	11 ✓	11 ✓		
	Boat hooks	2 ✓	2 ✓	2 ✓	2 ✓		
(ii)	Drain plugs	2 ✓	2 ✓	2 ✓	2 ✓		
	Balers	1 ✓	1 ✓	1 ✓	1 ✓		
	Buckets	2 ✓	2 ✓	2 ✓	2 ✓		
(iii)	Rudder	1 ✓	1 ✓	1 ✓	1 ✓		
	Tiller	1 ✓	1 ✓	1 ✓	1 ✓		
(iv)	Hatchets	2 ✓	2 ✓	2 ✓	2 ✓		
(v)	Lamp, with oil sufficient for 12 hours	1 ✓	1 ✓	1 ✓	1 ✓		
	Boxes of matches in W.T. container	18 ✓	18 ✓	18 ✓	18 ✓		
(vi)	Masts, with galvanised wire stays	1 ✓	1 ✓	1 ✓	1 ✓		
	Sails	1 set	1 set	1 set	1 set		
(vii)	Compass in binnacle	1 ✓	1 ✓	1 ✓	1 ✓		
(viii)	Lifeline becketed around outside of boat	1 ✓	1 ✓	1 ✓	1 ✓		
(ix)	Sea anchor	1 ✓	1 ✓	1 ✓	1 ✓		
(x)	Painters	2 ✓	2 ✓	2 ✓	2 ✓		
(xi)	Oil container, for attachment to sea anchor	1 ✓	1 ✓	1 ✓	1 ✓		
	„ „ quantity of oil supplied	1 gal.	1 gal.	1 gal.	1 gal.		
(xii)	Air tight receptacles for provisions	2 ✓	2 ✓	2 ✓	2 ✓		
	Provisions, quantity supplied per person	1½ Kg.	1½ Kg.	1½ Kg.	1½ Kg.		
(xiii)	Condensed milk, quantity supplied per person	450 gr.	450 gr.	450 gr.	450 gr.		
(xiv)	Fresh water receptacles	1 ✓	1 ✓	1 ✓	1 ✓		
	„ „ „ quantity supplied per person	4 lit.	4 lit.	4 lit.	4 lit.		
(xv)	Dippers	3 ✓	3 ✓	3 ✓	3 ✓		
	Parachute signals, red	6 ✓	6 ✓	6 ✓	6 ✓		
(xvi)	Hand flares, red	12 ✓	12 ✓	12 ✓	12 ✓		
	Buoyant smoke signals, orange	2 ✓	2 ✓	2 ✓	2 ✓		
(xvii)	Bilge keels, or equivalent	Yes ✓	Yes ✓	Yes ✓	Yes ✓		
(xviii)	First-aid outfit, in watertight case	1 ✓	1 ✓	1 ✓	1 ✓		
(xix)	Electric torch for Morse signalling	1 ✓	1 ✓	1 ✓	1 ✓		
	„ „ spare batteries	2 ✓	2 ✓	2 ✓	2 ✓		
	„ „ spare bulbs	2 ✓	2 ✓	2 ✓	2 ✓		
(xx)	Daylight signalling mirror	1 ✓	1 ✓	1 ✓	1 ✓		
(xxi)	Jack-knife fitted with tin opener	1 ✓	1 ✓	1 ✓	1 ✓		
(xxii)	Buoyant heaving lines	2 ✓	2 ✓	2 ✓	2 ✓		
(xxiii)	Manual pump	1 ✓	1 ✓	1 ✓	1 ✓		
(xxiv)	Locker for stowage of equipment	1 ✓	1 ✓	1 ✓	1 ✓		
(xxv)	Motor lifeboat, fuel capacity supplied	Stated sufficient for 12 hrs. cont. running at 4 knots					
	„ „ fire extinguishers, hand	2 ✓		2 ✓			
	„ „ „ „ sand	1 ✓		1 ✓			
	„ „ „ „ scoop	1 ✓		1 ✓			

Particulars of any Special Features. All lifeboats supplied with tool kit, windsail, pistol for flares, fishing kit, hood, 10 sweaters, 8 pairs of socks. Emergency lighting from batteries in wheelhouse. 2 extra working boats - 1 motor, 1 rowing.

Surveyors' Declaration.—The above is a correct description of the Safety Equipment on board at the time of inspection.

The Equipment is in efficient condition.

Date of Inspection 1st October, 1955

*A.B. McQueen*  
Surveyor(s) to Lloyd's Register.

Port VALENCIA

Rpt. S.E. I

INDEX No. ....  
(for London Office only)

## LLOYD'S REGISTER OF SHIPPING

UNITED WITH THE BRITISH CORPORATION REGISTER

### RECORD OF SAFETY EQUIPMENT

UNDER THE PROVISIONS OF THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1948.

(N.B.—This form must be kept on board and be available for inspection by Surveyors to Lloyd's Register at all times).

Ship's Name	Official Number or Signal Letters	Nationality & Port of Registry	Gross Tonnage	Registered Length	Date of Build	Particulars of Classification
"RIO BESAYA"	H P L S	Panamanian Panama	9449	192-3 1928-65	1935	+100A1 Carrying Petroleum in bulk.

Type of Machinery and Brake Horsepower Diesel double acting 2 stroke 4100 Number of persons carried 40 crew 40 passengers

Port of Survey Cartagena Date of Issue 15.3.56

#### STABILITY

Particulars of Stability Data on Board Calibration scale & Trim list (German). Capacity plan. Displacement scale.

#### FIRE APPLIANCES

Type	No.	Description
Pumps Deutsche Werft.	2	steam (1 in E.R., 1 in fwd.P.R.)
Hydrants	4	1 P. & 1 S. in E.R., 1 P. & 1 S. in BR
	16	14 on deck & 2 in crew space aft.
Hoses	2	Canvas (Stowed in boxes)
	4	
Hose Nozzles	2	Ordinary type of brass & 2 - SPRAY.
	4	" " " "
Fixed Installations Serving		Steam in boiler flat.
		Steam to all tanks.
Non-portable extinguishers	2	1-50 lit. foam in E.R., 1-50 lit. foam in B.R. room.
Portable Extinguishers	6	Foam
	6	" (4 aft., 2 amidships)
	1	" (in F'cle)
Fire Buckets	8	On chart room top
Sand Boxes with Sand and Scoops	3	1 on F'cle, 1 V. deck amidships, 1 in B.R. room 12 cu.ft.
Breathing Apparatus	4	Breathing helmets with air pipe & air pump.
Safety Lamps with Batteries	6	Elec. marked 9-5-5293-L Type JR-1
Firemen's Axes	6	Davy Lamps.
Electric Drill	1	Distributed through vessel.
Alternative means of extinguishing a fire in any one compartment which could put all fire pumps out of action.		Diesel driven pump in fwd. pumproom
Items having distant control in case of fire		Oil fuel pumps. OIL FUEL BUNKER VALVES. Steam smothering from deck.
Spare Charges for	15	Extinguishers are provided as follows: One for each.
Audible Warning System in Working Spaces	Yes	Description: Siren
Means provided for stopping all fans and closing all openings which might admit air to spaces provided with a piping system for the discharge of a smothering medium.		Natural ventilation. Funnel annular space and all vents fitted with steel flaps. E.R. casing Top shutters controlled from outside.



LIFE-SAVING APPLIANCES  
BOATS

No. on Sketch	Description	Measurements			Cubic Capacity	No. of Persons	Air Cases		Releasing Gear
		Length	Breadth	Depth			Material	Capacity	
1	Wood motor	25' ✓	8'-3" ✓	3'-3" ✓	380 ✓	36 ✓	Copper	38 ✓	Quick releasing gear fitted ✓
2	"	25'-5" ✓	8'-6" ✓	3'-5" ✓	399 ✓	39 ✓	"	39.9 ✓	
3	Steel motor	24'-0" ✓	7'-9½" ✓	3'-11" ✓	292 ✓	27 ✓	Tinned steel	100.6 ✓	
4	Wood	25'-5" ✓	8'-6" ✓	3'-5" ✓	399 ✓	39 ✓	Copper	39.9 ✓	

  

DAVITS

No. of Sets	Description	Position	Size of Falls	Means of lowering boat	Arrangements to facilitate boat launching against adverse list
4	Radial	Boat deck & Bridge dk.	3 3/4 ✓	Rope Tackle-Gravity ✓	Skates for all boats. ✓

Are the davits of sufficient strength to lower fully laden boats? Yes

OTHER LIFE-SAVING APPLIANCES

	No.	Description	Where placed
Lifejackets	46	Cork	Boat deck Bridge
Lifebuoys			
With self-igniting lights	6	Cork - electric	Amidships
Without self-igniting lights	4	Cork	Poop
Buoyant Apparatus			
Rafts	2	16 persons	Poop & over Pump Room
		16 persons	amidships.

No.	Maker's Name and Description	Number of Lines	Number of Rockets	Date of Rockets
Line Throwing Appliance	1 Kongsberg (gun)	4 ✓	8 ✓	8,55 ✓
Ships' Distress Signals :	12 Spanish			8,55 ✓
Rockets	28			
Parachute Flares	12			
Lifeboat Portable Radio Apparatus	1 Type Mackay Radio Transmitter Type 168B Mfd. Dec. 1942			Serial No. 429525 ✓
Pilot Ladders, with means of illumination	2 ✓			

EMBARKATION ARRANGEMENTS

	Description
Means for illuminating the Launching Gear and Lifeboats	Deck lights.
Means of preventing any discharge of water into the Lifeboats	All discharges covered,
Warning System for Abandoning Ship	Elec. siren & steam whistle.
Embarkation Ladders provided	4

LIFEBOAT EQUIPMENT—See Page 4

LIGHTS AND SOUND SIGNALS  
SIDE AND MASTHEAD LIGHTS

(1) OIL	PORT	STARBOARD	MASTHEAD	
			Fore	Main
Maker's name and/or marks	Lantern A. Tudsen	A. Tudsen	A. Tudsen	A. Tudsen
	Lens	-	-	-
Type of Burner		Circular wick		
(2) ELECTRIC				
Maker's name and/or marks	A. Tudsen	A. Tudsen	A. Tudsen	A. Tudsen
if fitted with dioptric lens state also :—		Altoner		
Maker's name and/or marks	Lens unknown	unknown	unknown	unknown
Number of spare electric lamps	about 50			
Where are the side lights carried ?	Bridge			
Breadth of cheeks athwartships.	Port 15 cm.	Starboard 15 cm.		

ANCHOR LIGHTS

Maker's name and/or marks	A. Tudsen	Number provided	2 ELEC. 2 OIL
If not of an approved type:—			
Height	OIL - 36 cm	Diameter	OIL - 18 cm
Type of Lens	OIL - Dioptric	Type of burner	OIL - 1" CIRCULAR

NOT-UNDER-COMMAND LIGHTS

Maker's name and/or marks	OIL - A. TUDSEN	Number provided	2 ELEC 2 OIL
Type of burner	Elec. 2 sets 1 set with 2 red bulbs.		
	1 set with 3 white bulbs & red glass.		OIL - 1" CIRCULAR

STERN LIGHT

Maker's name and/or marks	Chr. Bye, - ELECTRIC ; A. TUDSEN - OIL
Size of Lantern	Elec - 28 cm. OIL - 36 cm x 22 cm DIA. Oil, type of burner elec. OIL - 1" CIRCULAR

SIGNALLING LAMPS

Maker's name and/or marks	Aldis dayl't sig. lamp	Number provided	1 ✓
Description	powered from main or emergency supply. also masthead signalling light.		

SOUND SIGNALS

Diameter and position of bell	40 cm. on F'cle head	Type of whistle provided	Steam & air ✓
Description of fog horn	Hand-operated portable siren.	Gong fitted aft.	✓

NAVIGATION SHAPES

No.	Description and Diameter
Not-under-command shapes	2 Black 63 cm. ✓
Other shapes	1 Black 63 cm. ✓
Particulars of any additional lanterns that may be carried	Red elec. explosion light.

RIO BESAYA.



© 2021

Lloyd's Register Foundation