

Form No. 1B. WEB FRAMES. FORGINGS OR CASTINGS. BULKHEADS. PLATING. RIVETING. MASTS, SPARS, &c.

EQUIPMENT No. 33252 LETTER Y. ANCHORS. CHAIN CABLES. HAWSERS AND WARPS. Boats. Steering Gear, Steam. Pumps. Windlass. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds. Cargo Hatchways. State size No. 1 Hatch. Number of Web Plates. Bulwarks. Correspondence. Workmanship. Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? Are the rivet holes well and sufficiently countersunk in the plate and punched from the facing surfaces? Are the butts of plating, stringers, &c., properly shifted and strapped? Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)? Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)? General Remarks. The Surveyor should state the Number of Report and Name of any Sister Vessel. The amount of Entry Fee. Special Survey Fee. Travelling Expenses. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. Write for. 2020

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle ☒ ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 1 D^o (STL) + SHELTER D^o (STL)
 Official No. 6955; Signal Letters K.F.B.G. State if Machinery is fitted aft NO
 How are the surfaces preserved from oxidation? Inside PAINT, CEMENT AND BITUMASTIC Outside PAINT

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors			cellular		
Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,	18	58
Double bottom, under Engines and Boilers,			After peak tank,	33	368
Double bottom, if under Engines only,	32	156	Deep tank, aft, (SEMI-DEEP)	102.5	1225
Double bottom, if under Boilers only,	104.5	495	Deep tank, forward, (SEMI-DEEP)	68.4	730
Double bottom, forward,			Other tanks, if fitted,		
Total capacity of double bottom		651	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Order for Special Survey No. ☒

Date ☒

No. 359 in builder's yard.

DATES of Surveys held while building

1921:- 1/6, 2/7, 23/7, 25/7, 27/7, 27/7, 1/8, 2/8, 5/8, 10/8, 16/8, 22/8, 29/8, 3/9, 7/9, 8/9, 9/9, 13/9, 15/9, 17/9, 19/9, 26/9, 27/9, 3/10, 4/10, 5/10, 17/10, 18/10, 28/10, 29/10
 1922:- 4/1, 10/1, 10/1, 12/1, 19/1, 25/1, 27/1, 31/1, 1/2, 2/2, 4/2, 6/2, 14/2, 22/2, 22/2, 10/3, 14/3, 15/3, 23/3, 24/3, 27/3, 27/3, 28/3, 29/3, 29/3, 4/4, 7/4, 10/4, 11/4, 12/4, 19/4, 24/4
 1923:- 2/5, 3/5, 4/5, 12/5, 14/5, 14/5, 17/5, 19/5, 27/5, 27/5, 29/5, 1/6, 10/6, 19/6, 23/6, 29/6, 30/6, 30/6, 2/7, 27/7, 2/8, 4/8, 4/8, 7/8, 15/8, 24/8, 25/8, 2/9, 7/9, 14/9, 20/9, 27/9, 27/9
 1923:- 4/1, 12/1, 9/1, 22/1, 2/2, 6/2, 7/2, 8/2, 10/2, 10/2

Total No. of Visits 127

Surveyor's Signature

V. Paulow

Lloyd's Register Foundation