

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ✓ ft., R.Q.D. 67-2 ft., Bridge ✓ ft., Forecastle 19.5 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 1 DE ✓

Official No. 139933 ; Signal Letters State if Machinery is fitted aft ✓ Yes Outside paint ✓

How are the surfaces preserved from oxidation? Inside paint + cement Outside paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules.

Order for Special Survey No. 2653
Date 18/9/15
No. 352 in builder's yard.
DATES of Surveys held while building
1916: Jan 26, Feb 3, 7, 17, Mar 29, Apr 12, May 4, 12, 22, Jun 6, 23, Jul 14, 20, Aug 25, 31, Sep 13, 27, Oct 10, 19, Nov 3, 7, 17, Dec 8. 1917: Jan 9, 29, Feb 12, 22, Mar 12.

Surveyor's Signature

Surveyor's Signature
© 2021
Lloyd's Register
Foundation