

Lloyd's Register of Shipping.



Port PITTSBURGH, PA.

No. 1709

MAY 24, 1943

NOTE

Under instructions of the
Wartime Merchant Shipping
Limited, this ship is fit-
ted with twelve 15 fathom
chains, or 180 fathoms in
all.

ABLE.

This

in my pres
at SHARON

the Tables

weighed and

180 FATHOMS

SEE NOTE

Total len

Size of

Weight of

Tensile S

scribed herein has been proved
MALLEABLE & STEEL CASTINGS CO.
of the Cable, as set forth in
ained after having been tested,

Joining 3 End Shackles

Breadth of Link 8-5/16"

003344 003356-0026 1/2

Breaking Strain applied to 3 Links cut out of every 15 fathoms

424630 LBS.

NACO 1709 ATG. 5-24-43

Marks 303320 LR 424630

Maker's Name NATIONAL MALLEABLE & STEEL CASTINGS CO.

Vessel intended for _____ Tons.

A. J. Hume

Surveyor to Lloyd's Register of Shipping.

W. H. Smith

Principal Surveyor, Lloyd's Register of Shipping, United States and Canada.

PITTSBURGH, PA.

This Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:—

"While the Committees of the Society use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood that neither the Society nor any member of any of its Committees is under any circumstances whatever to be held responsible for any inaccuracy in any report or certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society, or for any error of judgment, default, or negligence of any of its Committees or any member thereof, or the Surveyors, or other Officers or Agents of the Society."

(SEE OTHER SIDE.)

9-A

003344-003356-0026 1/2

No. 1709

MAY 24,

19 43

CERTIFICATE OF TEST OF CHAIN CABLE.

This is to Certify that the C.S. STUD LINK Chain Cable described herein has been proved in my presence, by the Testing Machine at the Establishment of NATIONAL MALLEABLE & STEEL CASTINGS CO. at SHARON, PA. to the appropriate strains for the size of the Cable, as set forth in the Tables in the Rules of National Malleable, Spec. #10-H and has been examined after having been tested, weighed and marked as under, and that the following particulars are correct:—

180 FATHOMS
SEE NOTE

Total length of Chain 225 FATHOMS Links 19 Joining 3 End Shackles
Size of Chain 2-5/16" DIAMETER No. of Swivels 0
Weight of Chain 69412 LBS. Length of Link 13-7/8" Breadth of Link 8-5/16"
Tensile Strain applied 303320 LBS.
Breaking Strain applied to 3 Links cut out of every 15 fathoms 424630 LBS.
Marks 303320 LR 424630 Maker's Name NATIONAL MALLEABLE & STEEL CASTINGS CO.
Vessel intended for _____ Tons.

A. J. G. Hume
Surveyor to Lloyd's Register of Shipping.

W. H. Hume
Principal Surveyor, Lloyd's Register of Shipping, United States and Canada.

PITTSBURGH, PA.

This Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:—

"While the Committees of the Society use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood that neither the Society nor any member of any of its Committees is under any circumstances whatever to be held responsible for any inaccuracy in any report or certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society, or for any error of judgment, default, or negligence of any of its Committees or any member thereof, or the Surveyors, or other Officers or Agents of the Society." -

(SEE OTHER SIDE.)

9-A

003349-003556 006 1/2

"Fort Rouille"

Now "Wor Rita"



© 2020

Lloyd's Register
Foundation