

COPY.

Rpt. 12.

FREEBOARD VERIFICATION FORM FOR STEAMERS.

When received in London Office.

Port BARROWVessel's Name "STRATHNAVER"

Official No. _____

No. in Reg. Book _____

Port of Registry (For Foreign Vessels) _____

Iron or Steel STEEL

State whether Classed by Lloyd's Register _____

100A1. With

Freeboard

Contemplated.

Name of Owners P & O. S.N.CO.Date of Verification 20.8.31.

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line 8 ft. 8 ins.From centre of disc to top of statutory deck line }
at awning or part-awning deck . . . } ft. --- ins.Fresh Water line above centre of disc . . . 7 $\frac{1}{4}$ ins.Indian Summer line above centre of disc . . . --- ins.Winter line below centre of disc . . . 7 ins.Winter North Atlantic line below centre of disc --- ins.Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of } at main, spar or upper dk. Nil. ins.wood or steel deck with the vessel's side } at awning or pt.-awning dk. --- ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or steel deck.

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:— 29' 2"

J. Hodgson

Surveyor.

(To be filled up in London Office.)

Statement No. _____ Date of Committee's Minute _____

Particulars for Record in Register Book.	{	Moulded Depth . . .	<u>37</u>	ft.	<u>6</u>	ins.
		Freeboard	<u>8</u>	ft.	<u>8</u>	ins.
		Corresponding Draught	<u>29</u>	ft.	<u>2</u>	ins.

Freeboards compared and found correct by _____ Date _____

Is fee paid? _____ Form for Certificate _____

Instructions _____ Date _____

Certificate ~~written~~ issued by B.T. _____ Noted for posting _____

The loadline in accordance with the subdivision regulations for passenger vessels and below which the vessel cannot be submerged when carrying more than 12 passengers is also cut in on sides of vessel and is 8 $\frac{1}{2}$ " below centre of disc.

Condition of Class.

© 2020

Lloyd's Register
Foundation