

Lloyd's Register of Shipping.

SURVEYS FOR FREEBOARD.

(COMPUTATION FOR STEAMER, SAILING SHIP, TANKER.)

Ship's Name EMPIRE TWEED GAMBIAN	Official Number 157532	Nationality and Port of Registry British Freetown	Gross Tonnage 5452	Date of Build 1937	Port of Survey
Moulded Dimensions: Length 415.85 Breadth 56.5 Depth 38.17					Date of Survey 11.8.43
Moulded displacement at moulded draught = 85 per cent. of moulded depth					Surveyor's Signature
Coefficient of fineness for use with Tables .774 (Estimated)					Particulars of Classification

Depth for Freeboard (D).	Depth correction.	Round of Beam correction.
Moulded depth ... 38.17	(a) Where D is greater than Table depth (D - Table depth) R = (38.22 - 27.72) 3 = +31.50"	Moulded Breadth (B) 56.5
Stringer plate6505	(b) Where D is less than Table depth (if allowed) (Table depth - D) R = ✓	Standard Round of Beam = $\frac{B \times 12}{50} = \mathbf{13.56}$
Sheathing on exposed deck $T \left(\frac{L-S}{L} \right) =$	If restricted by superstructures ✓	Ship's Round of Beam = 13.40
Depth for Freeboard (D) = 38.22		Difference .16
		Restricted to ✓
		Correction = $\frac{\text{Diff}^*}{4} \times \left(1 - \frac{S_1}{L} \right) = \frac{.16}{4} \times .905 = \mathbf{+.04}$

DEDUCTION FOR SUPERSTRUCTURES.

	Mean Covered Length (S)	Equivalent Enclosed Length (S ₁)	Height	Height Correction	Effective Length (E)
Poop enclosed ...					
„ overhang ...					
R.Q.D. enclosed ...					
„ overhang ...					
Bridge enclosed ...					
„ overhang aft ...					
„ overhang forward					
Fore enclosed ...	39.5	39.5	7.5	✓	39.5
„ overhang ...					
Trunk aft ...					
„ forward ...					
Tonnage opening aft ...					
„ „ forward					
Total ...	39.5	39.5			39.5

Standard Height of Superstructure	7.5
„ „ R.Q.D.	✓
Deduction for complete superstructure	42.00"
Percentage covered $\frac{S}{L} =$	9.50
„ „ $\frac{S_1}{L} =$	
„ „ $\frac{E}{L} =$	
Percentage from Table, Line A.	4.75
(corrected for absence of forecastle (if required))	✓
Percentage from Table, Line B.	✓
(corrected for absence of forecastle (if required))	✓
Interpolation for bridge less than 2L (if required)	✓
Deduction = $42.00 \times .0475 =$	-1.99"

SHEER CORRECTION.

Station	Standard Ordinate	S	M	Product	Actual Ordinate	Effective Ordinate	S	M	Product
A.P. ...	51.59	1		51.59	59	59	1		59
$\frac{1}{4}$ L from A.P. ...	22.955	4		91.82	27	27	4		108
$\frac{2}{4}$ L „ ...	5.67	2		11.34	8	8	2		16
Amidships ...	-	4		-	-	-	4		-
$\frac{3}{4}$ L from F.P. ...	11.35	2		22.70	14	14	2		28
$\frac{1}{4}$ L „ ...	45.91	4		183.64	53	53	4		212
F.P. ...	103.17	1		103.17	119	119	1		119
Total ...				464.26					542

Mean actual sheer aft =
Mean standard sheer aft = } **Excess**

Mean actual sheer forward =
Mean standard sheer forward = } **Excess**

Length of enclosed superstructure forward of amidships =
L

„ „ aft of „ = } **Nil**

Correction = $\frac{\text{Difference between sums of products}}{18} \left(.75 - \frac{S}{2L} \right) = \frac{77.74}{18} (.75 - .0475) = \mathbf{-3.03}$
If limited on account of midship superstructure. **Yes. Nil.** If limited to maximum allowance of $1\frac{1}{2}$ ins. per 100 ft. **✓**

Deduction for Tropical Freeboard.	Deduction for Fresh Water.	TABULAR FREEBOARD corrected for Flush Deck (if required) 76.47 + .31	76.78
Addition for Winter and Winter North Atlantic Freeboard.	Displacement in salt water at summer load water line	Correction for coefficient $\frac{774 + .68}{1.36} = \mathbf{1.454/1.36}$	82.08
Depth to Freeboard Deck = 38.22	$\Delta =$	Depth Correction ... 31.50	
Summer freeboard = 13.35	Tons per inch immersion at summer load water line	Deduction for superstructures ... 1.99	
Moulded draught (d) = 24.87	T =	Sheer correction ... -	
Deduction for Tropical freeboard and addition for Winter freeboard = $\frac{d}{4}$ inches = 6.22 = 6 1/4	Deduction = $\frac{\Delta}{40T}$ inches = 6 1/2	Round of Beam correction04	
Addition for Winter North Atlantic Freeboard (if required) = ✓		Correction for Thickness of Deck amidships ... -	
		Other corrections, scantlings, etc. to correspond to a summer moulded draught of 24'-10 3/8	
		80.16 1.99 + 78.17	
		Summer Freeboard = 160.25	

SUMMER FREEBOARD amidships from Centre of Disc to top of Deck Line, Wood, Steel, Deck:—

Tropical Fresh Water Line above Centre of Disc ... 12 3/4	Tropical Fresh Water Freeboard ... 12'-3 1/2
Fresh Water Line „ „ ... 6 1/2	Fresh Water „ „ ... 12'-9 3/4
Tropical Line „ „ ... 6 1/4	Tropical „ „ ... 12'-10
Winter Line below „ „ ... 6 1/4	Winter „ „ ... 13'-10 1/2
Winter North Atlantic Line „ „ ... ✓	Winter North Atlantic „ „ ... 159/16