

SUPERHEATER HEADERS.

S.S. Brumnes

MDB. RPT. No. 15050 Certificate No. C.3255.

Lloyd's Register of Shipping.

Port MANCHESTER.

1st November, 1933.

This is to Certify that

the undersigned Surveyor to this Society did at the request of

Messrs. The Superheater Co., Ltd., Trafford Park, Manchester.

attend their works on the 31st October, 1933, for the purpose of

inspecting 4 Steam Superheater Headers designated

Test No.s D.P. 2 - 3. D.O. 9 - 10.

made to the order of Messrs. Smith's Dock Co., Ltd. South Bank on Tees.

and intended for their Contract No. 428. Boiler No. D.228.

~~The cast steel headers in question were mechanically tested in accordance with the Rules of this Society. A copy of the results of these tests is appended.~~

The headers were, in the presence of the undersigned, tested by hydraulic pressure to 675 pounds per square inch and found satisfactory.

The headers are, so far as can be seen, sound and free from defects, and are suitable for a working pressure of 225 pounds per square inch.

Identification Mark:—

No. 8 as above A

LLOYD'S TEST.

675 lbs.

Working Pressure 225 lbs.

G.A. 31.10.33.

George Anderson.
Engineer Surveyor to Lloyd's Register.

W. Manchester

This Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:—

While the Committee use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood that the Committee nor the Society are under any circumstances whatever to be held responsible for any inaccuracy in any report or certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society, or for any error, omission, default, or negligence of the Surveyors, or other Officers or Agents of the Society.

S.S.H.) 1m.1.28. T.

Working pressure by Rules 225 lbs.

Screw stays: Material

Tensile strength

At turned off part, or

No. of threads per inch

Area supported by each

003679-003686-0057

© 2020