

BUILT. 1920-2

EL'S NAME CASSARD

Report

No.

THICKNESSES OF PLATING ascertained by drilling, and comparison of same with the original thicknesses.

The thicknesses are in DEC. of an inch.

STRAKE.	AMIDSHIP.				FORWARD.				AFT.				REMARKS.
	Original Thick-ness.	Thickness by drilling.		Diminution if any.	Original Thick-ness.	Thickness by drilling.		Diminution if any.	Original Thick-ness.	Thickness by drilling.		Diminution if any.	
		Port.	Std.			Port.	Std.			Port.	Std.		
DECK STRAKE.....													
Below.....													
STRAKE H. .70					.40				.40				
Below G. .58					.42				.46				
F. .56					.40				.56				
E. .56					.40				.56				
D. .58					.40				.54				
C. .48					.48				.48				
B. .48					.48				.48				
A. .48					.44				.54				
KEEL .72					.56				.56				
BRIDGE SIDES .38					-				-				
POOP " -					-				.32				
FOCLE " -					.34				-				

THIS thickness maintained 16 Coll BH.

RETAINED IN OFFICE.

2020

Lloyd's Regi

If thickness  
 maintained  
 16 Coll BH.

RETAINED IN OFFICE.

© 2020

Lloyd's Register Foundation

Drillings at ends to be made in the vicinity of the peak bulkheads.

003698-003705-0241

J. H. L.  
 16-7-116