



Lloyd's Register of Shipping,

Collingwood Buildings, Newcastle-on-Tyne, I.

2nd January, 1945.

The Secretary,
WOKINGHAM.

Dear Sir,

m.v. "NAVICELLA".

We beg to acknowledge receipt of your letter of the 29th ultimo regarding our First Entry Report on this vessel and in reply to the enquiries contained in your second paragraph, to state as follows:-

Thickness of sheerstrake plating at ends of vessel is .50". ✓

All butts of the upper deck plating are electrically welded. ✓

Lengths for record in Register Book in accordance with plans and Circular 1551 :-

Bridge 52.6 ft. ✓
Forecastle 51.0 ft.

The clerical errors in the Report are regretted.

We are, Dear Sir,
Yours faithfully,
per THE SURVEYORS,

© 2020

Lloyd's Register
Foundation

003750-003762-0105

plans and Circular 1551 should be 47 and 51 respectively and not 44.5' and 40.4' as reported, but they should state if this is so

1.C.D

DO
R 8

4 JAN 1945

Ben. Mrs. Elizabeth
Xenia, 1911-1912
we are, dear Sir,

Enclosed are 25.00
25.00

with 25.00 in 1911-1912
25.00 in 1911-1912

with 25.00 in 1911-1912
25.00 in 1911-1912

with 25.00 in 1911-1912
25.00 in 1911-1912

with 25.00 in 1911-1912
25.00 in 1911-1912

with 25.00 in 1911-1912
25.00 in 1911-1912

W.A. BENTON

and finally, 1912

Copyrighted by Mrs. W.A. Benton

Copyrighted by Mrs. W.A. Benton



© 2020

Lloyd's Register
Foundation

the pla
48.01