

DIMS:- 465" O.B.P. - 64" O"MLD. 35" G"MLD TO UPPER DK.

TO CLASS B.S. * BULK OIL CARRIER

LONGITUDINAL FRAMING AT BOTTOM & AT DECK

EQUIPMENT

2 BOWER ANCHORS 8 1/4 CWTs EACH STOCKLESS.
1 STREAM ANCHOR 23 1/2 " EX STOCK.
300 FATHOMS 2 3/16" TAYCO CABLE
120 " 4 3/4" FLEXIBLE STEEL WIRE G. 24
130 " 5 1/2" " " G. 24
2 HAWSEYS 100 FATHOMS 2 3/4" STEEL WIRE G. 12
2 WARPS 100 " 2 1/4 " " G. 12

~~Anchorage~~
Shell. Deck
"Plover"
Loch Aline

Scott.
+ 900 d. 1/2 in. 15705.
Shell 15705.
N121

004076-004083-0059



© 2020

Lloyd's Register
Foundation

216
25

Midship Section (AS BUILT).

Harland & Wolff Ltd

No 12225.

Reference

WAVE KING. ✱

fast tanker

DEPT.
LONDON.

7

RETAIN

Section
Wave King

004076-004083-0059



© 2020

Lloyd's Register
Foundation