

WRECK SECTION
No. **With or Without**
Disconnected Erections.

STEEL STEAMER.

WRECK SECTION
No.

WED. 7 MAY. 1924

Received at London Office

State if Report is also sent on the Machinery of the Vessel

Date of completion of report **2nd May 1924** Port of **Grunnack** No. **18210**
Survey held at **Grunnack** Date, First Survey **1st April, 1923** Last Survey **29th April, 1924**

On the (State if Single, Twin, or Triple Screw) **Single Screw**

TONNAGE under
Tonnage Deck...
Do. between Tonnage Dk. and 3rd and 4th Dk.
Total under Upper Dk. **380.73**
Do. of Poop **50.36**
Do. of R.Q. Dk. **23.30**
Do. of Forecastle **29.58**
Do. of Houses on Dk. **14.80**
Do. of excess of Hatchways **23.66**
Do. above Crown of Engine Room **522.41**
Gross Tonnage **522.41**
Less Crew Space **41.84**
Less above Crown of Engine Room **222.72**
TONNAGE FOR FEES.. **72.46**
Less Engine Room **222.72**
Less Navigation Spaces **72.46**

CLASS +100 A1.
Breadth (greatest moulded) **26.00**
Depth, at middle of length from top of keel to top of upper deck beams at side **12.25**
Transverse Number **38.25**
Length on deck from fore part of stem to after part of stern post **160**
Longitudinal Number **6120**
Depth "d," at middle of length (See Secs. 2 & 13) **10.83**
Proportions—Depths to Length—Upper Deck Beam at side to top of keel **13.06**
" " " " " " " " " " " " **10.15**

Built at **Grunnack**
When built **1924** **Launched** **20.3.24**
By whom built **George Brown & Co.**
Owners **Fredrick T. Edward & Son Ltd.**
Managers
(Where necessary to be entered in Reg. Book.)
Residence **London**
Port belonging to **London**

Register Tonnage **183.39** **Destined Voyage** **Liverpool** **If Surveyed while Building, Afloat, or in Dry Dock** **Yes**

LENGTH on Deck as per Rule **160** **BREADTH** Moulded **26** **DEPTH, ACTUAL**—Top of Floors to top of Upper Dk. Beams **11** **No. of Decks with flat laid** **One**
Do. do. do. do. do. Second Dk. Beams **11** **No. of Tiers of Beams** **One**
Moulded depth, ft. **15** ins. **9** To Bridge Dk. Round of Upper Dk. Beam, Actual **7 1/2** ins.
Moulded depth, ft. **12** ins. **3** To Upper Dk.

FRAMING.				PILLARS.				
	Inches in Ship.	Inches in Ship.	Inches per Rule Or as Approved.		Inches in Ship.	Inches in Ship.	Inches per Rule Or as Approved.	
FRAME, Angles, or E or L Bars amidships	6	3	36	✓ PILLARS In 'tween Deck, size and spacing	24	43	24 43	
Do. in peaks	4	3	34	✓ " " Hold	✓	✓	✓ ✓	
Do. in way of Double Bottoms at Solid Floors	5	3	34	✓ " Quarter 'tween Dks., " "	✓	✓	✓ ✓	
" " " " " " " " " " " "	5	3	38	✓ " in Hold N° 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000	KEELSONS & STRINGERS.			
Spacing of Frames from centre to centre amidships	21½		21½	CENTRE LINE KEELSON, Vertical Plates above floors, Through Plates, or Intercoastal Plates			34	
" " " " " " " " " " " "	21½		21½	" " " " " " " " " " " "	3	3	34	
" " " " " " " " " " " "	21½		21½	" " Flat Plate Keel Angles	3½	3½	34	
REVERSED FRAME, Angles, " " " " " " " " " " " "	3	3	28	" " Horizontal Plates on Floors	✓		✓	
Do. in way of Double Bottoms at Solid Floors	6	4	50	" " Angles or Bulb Angles	5½	3	40	
" " " " " " " " " " " "	6	4	50	✓ SIDE KEELSONS, Number One				
FRAMING, depth of girder	17		30	" " Angles or Bulb Angles	7	3	40	
FLOORS, depth and thickness of Floor Plate at mid line for 3 length amidships	6	3½	40	" " Plate above floors, for length..	✓		✓	
" " " " " " " " " " " "	6	3½	40	" " Intercoastal Plate, for full length			30	
" " thickness at the ends of vessel			26	" " Attached to outside Plating with Angle			flanged to shell	
" " depth at ½ the half breadth, as per Rule	22		36	BILGE KEELSON, Angles	15x4x4	46	15x4x4 46	
" " height extended at the Bilges	22		36	" " Intercoastal Plate for full length			in oil tanks.	
FLOORS in Cell Double Bottoms				" " Attached to outside Plating with Angle			lugs & brackets to frames	
" " state if flanged (top & bottom)				SIDE STRINGERS, Number One				
" " Spacing of Solid floors				" " Angle	9x3½x3½x56	9x3½x3½x56		
CENTRE GIRDER, in Dbl. bottom, dpth. & thcknss.				" " Intercoastal Plate, for full length			in oil tanks.	
" " Angles, Top				" " Attached to outside plating with Angle			brackets to frames	
" " " " Bottom				Upper Deck Stringer Plate, br'dth & thickness (clear of Bridge)	36	40	36 40	
" " " " to Floors				" " " " " " br'dth & thickness (in way of Bridge)	✓		✓	
" " Brackets at intermdt. frmng., wdth & thcknss				" " " " Angle (clear of Bridge)	5x5	40	5x5 40	
DE GIRDERS, number on each side & thickness				" " Tie Plate at sides of Hatchways.....	✓		✓	
" " state if flanged (top and bottom)				" " Deck. * Iron or Steel, for full lng.				
" " Angles (top and bottom)				" " Thickness (clear of Bridge)		28	28	
" " " " to Floors				" " (in way of Bridge)	✓		✓	
MARGIN PLATE, depth (exclusive of flange) and thickness				" " Wood Deck. Material & thickness	✓		✓	
" " Angle to Outside Plating				✓ Second Deck Stringer Plate, br'dth & thickness	24	34	24 34	
" " " " Floors				" " Angles on ditto, No.	3x3	38	3x3 38	
" " Brackets at intermdt. frmng., wdth & thcknss				" " Tie Plates outside Hatchways	✓		✓	
" " Height of Outside Brackets above at bilge				" " Deck. * Iron or Steel, for full lng.		28	28	
✓ LOWER BOTTOM PLATING, breadth and thickness of Middle Line Strake				" " Wood Deck. Material & thickness	✓		✓	
" " " " in Engine and Boiler space				Third Deck Stringer Plate, br'dth & thickness				
" " " " Remainder in Holds				" " Angles on ditto, No.				
AMS, Upper Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel	5	3	28	" " Tie Plates, outside Hatchways				
" " In way of Long Bridge	4	3	30	" " Deck. * Material and thickness				
" " Spacing	On every frame			Fourth and Fifth Deck Stringer Plate, breadth & thickness				
AMS, Second Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel	5	3	30	" " Angles on ditto, No.				
" " Spacing	On every frame			" " Tie Plates outside Hatchways				
AMS, Third and Fourth Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" " Deck. Material & thickness				
" " Angles on upper edge				✓ Poop Deck Stringer Plate, breadth & thickness				
" " Spacing				" " Angle on ditto				
AMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" " Tie Plates				
" " Angles on upper edge				" " Deck. Material and thickness				
" " Spacing				Bridge Deck Stringer Plate, br'dth & thickness				
AMS, Bridge Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" " Angle on ditto				
" " Angles on upper edge				" " Tie Plates				
" " Spacing				" " Deck. Material and thickness				
AMS, Forecastle Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel	5	3	30	Forecastle Deck Stringer Plate, br'dth & th'kns	15	24	15 24	
" " Angles on upper edge				" " Angle on ditto	3x3	24	3x3 24	
" " Spacing				" " Tie Plates	6	24	6 24	
BEAMS, Forecastle Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel				" " Deck. Material and thickness				
" " Angles on upper edge								
" " Spacing								

© 2023 Lloyd's Register

If Iron or Steel Deck, state if whole or part, and if Wood Deck is laid thereon.

WEB FRAMES.		Inches in Ship.	Inches in Ship.	Inches per Rule, Or as Approved.	Inches per Rule, Or as Approved.
WEB-FRAMES, In Fore Body, No. and spacing		One in 12' 12' 3' Oil Tanks.			
" " " brdth. & thickness		15	34	15	34
" " " No. of Side Stringers " " "		One in way of oil tanks as per app. plan.			
WEB-FRAMES, In E. & B. Space, No. & spacing		One as per app. plan.			
" " " brdth. & thickness		14	36	14	34
WEB-FRAMES, In After Body, No. and spacing					
" " " brdth. & thickness					
" " " No. of Side Stringers " " "		in tanks 6' 3 1/2" x 42 6' 3 1/2" x 42 any.			
" " " Size of Face Angles to Web-Frames.....		in E. & B. 5' 3" x 40 5' 3" x 40 any.			
BRACKET PLATES to Stringers between Web Frames, depth and thickness.....					

BULKHEADS.		Thickness.	STIFFENERS.		Single or Double Frames.	Height up, state deck.
		Inches.	Horizontal. Size. Spacing.	Vertical. Size. Spacing.		
Total No. of W.T. BULKHEADS. In Ship 8 Per Rule 3.						
SCANTLINGS MIDSHIP BHDS.		32/30	One 7' 5 1/2" x 32 x 38	5' 3" x 38	2 1/2	Long. up.
" COLLISION "		34/26	W.T. flat. 6' 3" x 36	24	Long. up.	
" AFT PEAK "		34/26	Same as above	6' 3" x 36	24	Long. R.D.
" PARTITION "						
" LONGITUDINAL IN OIL TANKS }		38/30	1 stringer 5' 3" x 38	2 1/2	double.	up.

Are the Sluice Valves and Watertight Doors in efficient working order? *None fitted*

FORGINGS or CASTINGS.		Inches in Ship.	Inches per Rule, Or as Approved.
KEEL, Bar, depth and thickness		Flat plate keel.	
STEM, moulding and thickness		6 x 1 1/2	6 1/2 x 1 1/2
STERN-POST for Rudder do. do.		5 1/2 x 3 1/4	5 1/2 x 3 1/4
" for Propeller		6 1/2 x 3 1/4	6 1/2 x 3 1/4
RUDDER—A x D* Table 22. Speed 9 knots A x D =			51.6
" Main-Piece, diameter at head		3 1/4	3 1/4
" " " at heel		3	3

RUDDER, how constructed		<i>Largely a built.</i>
" Thickness of Plates or Single Plate		82"
Can the Rudder be unshipped afloat?		<i>Yes.</i>

Manufacturer's name or trade mark of the Iron or Steel (state process of manufacture of Steel) used for Frames, Floors, Beams, Keelsons, Tie and Stringer Plates, Plating, &c.? *Open hearth process.*
Lanarkshire Steel Co., Steel Company of Scotland, Port Talbot Steel Co., W. Beardmore, James Dunlop, Shinningrove Iron Co. Ltd.
Has the Steel been tested as required by the Rules? *Yes.*

PLATING.							RIVETING.													
STRAKES.		AS IN SHIP.			PER RULE OR AS APPROVED.		EDGES, Ordinary or joggled? Ordinary.				BUTTS.									
		AMIDSHIP.		FORWARD.	AFT.	AMIDSHIP.		Single or Double.	Breadth of Lap.	RIVETS.		Double or Treble and for what Length.		RIVETS.		STRAPS.		IF LAPPED.		
		Breadth. Inches.	Thickness. Inches.	Thickness. Inches.	Thickness. Inches.	Breadth. Inches.	Thickness. Inches.		Inches.	Inches.	Diam.	Spacing cr. to cr. Inches.		Diam.	Spacing cr. to cr. Inches.	Breadth. Inches.	Thickness. Inches.	Breadth. Inches.	For what Length. Feet.	
FLAT PLATE KEEL.....		37	56	46	52	37	56	Double	5 1/4	7/8	3		Double	7/8	2 5/8				9	Full.
GIRDER or A Strake			40	34	32		36		4 1/2	3/4	2 5/8		Double	3/4	2 5/8				5	
State actual thickness in way of Double Bottom.			40	34	32		36													
B "			36	34	32		36													
C "			40	32	34		36													
D "			42	32	32		38													
Up. d. sheer		48	52	32	34		48						Sub. to doub. 7/8	3/8	5/8	2 straps 16 1/2	96		9	
E "																				
F "																				
G "																				
H "																				
I "																				
J "																				
K "																				
L "																				
M "																				
N "																				
O "																				
P "																				
Q "																				
R "																				
S "																				
T "																				
U "																				
V "																				
W "																				
R.D.D. THICKNESS OF SHEER STRAKE			40		32		40						Sub. to doub. 3/4	2 5/8					7 1/2	Full.
DO. OF STRAKE BELOW																				
D.B.L.G. of Flat Plate Keel																				
" Sheerstrakes Length and thickness.																				
Peer Sides R.D.D.			42		34		38	Double	4 1/2	3/4	3		Double	3/4	2 5/8				5	Full.
SHORT BRIDGE SIDES																				
FORECASTLE SIDES				26			24	Single	2 1/2	3/4	3		Double	3/4	2 5/8				5	Full.

Where a long bridge is fitted the thickness of Upper Deck Sheerstrake and Strake below should also be stated clear of same.

Upper Deck	Butts, sub. riveted for	half	length amidship.	Butts of Side Stringers	✓	riveted.
Stringer Plate	Straps, single, double or overlapped for	full	length amidship.	" Tie Plates	✓	riveted.
Second Deck	Butts, Doub. riveted for	full	length amidship.	Inner Bottom Plating, riveting of Edges	✓	Butts ✓
Stringer Plate	Straps, single or overlapped for	full	length amidship.	Centre Girder Butts,	✓	riveted. Keelson Butts, ✓ riveted.
				Frames, riveted through Plates with	3/4	in. Rivets, about 4 1/2" apart.
				Rivets, state whether Iron or Steel	Steel.	

FRAMES extend in one length from *Middle line* to *gunwale*. State if ordinary or joggled *Ordinary.*
REVERSED FRAMES on floors and frames extend from *middle line to ship's side*, clear of oil tanks. State if ordinary or joggled *✓*

MASTS, SPARS, &c.												
	Material.	Total Length.	DIAMETER AND THICKNESS.				No. of Plates in round.	ANGLES.		RIVETING.		
			At Partners.	Heel.	Hounds.	Head.		Number.	Size.	Seams.	Butts.	
LOWER MASTS.....	Fore	Steel	36' 6"	13 x 7/16	✓	9 1/2 x 7/16	✓	2.	✓	✓	Single	Double.
	Main	✓										
	Mizen	✓										
Bowsprit		✓										
Topmasts, Yards and Remainder of Spars <i>Pitch Pine.</i>												
Rigging, Material and Size, Shrouds <i>3/4" W. 12' 3 each side. 16' topmast backstay. Stays fore stay 1 1/2" back stay 1 1/2"</i>												
Sails. <i>✓</i> Suit of <i>✓</i> Sails, and the following spare sails <i>✓</i>												

EQUIPMENT No. 6694				LETTER 8				ANCHORS.				TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS					
Number of Certificate.	Anchors.	WEIGHT, EX. STOCK			WEIGHT OF STOCK.			TEST, PER CERTIFICATE.				WEIGHT REQUIRED BY TABLE 31.			Description of Anchor.	Makers.	Where and when tested and Superintendent.
		Cwts.	qrs.	lbs.	Cwts.	qrs.	lbs.	Tons.	cwts.	qrs.	lbs.	Cwts.	qrs.	lbs.			
14979	1st Bower ...	10	1	14	Shackles			12 ⁸ / ₈				10	1	0	Taylor Wrt. Sh.	Not stated	Cardiff 19.6.23. Jones
14982	2nd „ ...	10	1	0	„			12 ⁴ / ₄				10	1	0	„	„	„
14983	3rd „ ...	8	2	7	„			10.7				8	3	0	„	„	„
	4th „ ...																
	Collective weight.	29	0	21	(7 1/2 cwt)							29	1	0			
14972	Stream	3	2	0	0	3	14	5.9				3	2	0	Common anchor	„	„ 18.6.23 „
	Kedge.....																

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

It is to be stated Name of Patentee

Particulars of Drop Test of Cast Steel Anchors, viz.:—
Weight, Surveyor's Initials, Number of Certificate, Date of Test.

1st Bower W. of head etc. 5-0-24 W. of shack & shackle 5-0-18
2nd " " 6-0-18 " 4-0-10
3rd " " 5-2-0 " 3-0-7
4th " " " " " "

CHAIN CABLES.										HAWSERS AND WARPS.									
Number of Certificate.	Length and size supplied.		Test per Certificate.	WEIGHT OF CHAIN CABLE.		Length and Size per Table 31.	Description.	Makers of Cables.	Where and when tested, and Superintendent.	Material.	Length and Size supplied.		Breaking Test of Steel Wire Towline.	Length and Size per Table 31.		Length and Size per Table 31.		Length and Size per Table 31.	
	Length.	Diam.	Statu- tory.	Supplied.	Per Rule.	Length.	Diam.				Length.	Cir.	Tons.	Length.	Cir.	Length.	Cir.	Length.	Cir.
26328	165	1 1/2	20.3	20.4	96.2.21	95.1.0	165	1 1/2	Head Monatford Cardiff 14.5.23	TOWLINE	75	2 1/2	12.5	75	2 1/2				
								Link Phillips & Co. a. Jones.		HAWSERS & WARPS	90	5 1/2	Manila	90	5 1/2				
Stream Chain Steel Wire	60	2 1/2		15.5	1		60	2 1/2	G.S.W. Allen, Whylt. & Co.										

Boats 2 Lifeboats each 16'-0". **Steering Gear, Steam** by Cannon C. **Steering Gear, Hand** by Liller & Tackel
Pumps, Number 1 **Diameter of Barrel** 1/2" **State whether they are in efficient working order** Yes
Windlass is Steam by G. & J. W. O'Neil. **Capstan** Steam by Clarke Chapman & Co.
Engine Room Skylight—How constructed? By steel plates & angles. What arrangements for deadlights in bad weather? Steel flaps with strong bolts.
Coal Bunker Openings—How constructed? By steel plates & angles. How are lids secured? By cleats & battens. Height above deck? 24"
Number of Scuppers, and numbers and dimensions of **Freeing Ports, &c.** 4 scuppers each side. 3 F.P. each side 3'-0" x 2', 3 @ 2'-9" x 16"
Ceiling in Holds, thickness and material 1/2" **Cargo Battens**, thickness and material 1/2"
Cargo Hatchway—How formed? By steel plates & angles. **Hatches**, If strong and efficient? Yes. 2 1/2" solid.
State size No. 1 Hatch (Forward) 3'-7" x 6'-0" **No. 2 Hatch** 1/2" **No. 3 Hatch** 1/2" **No. 4 Hatch** 1/2"
Number of Web Plates, Shifting Beams and Fore and Afters to each Hatch None.
No. of Breasthooks None. **Deep floor.** **No. of Crutches** Deep floor.
Bulwarks, height above deck and description 3'-6" Steel **Main Rail**, material and size Steel bulb angle 6" x 3" x 38".
The foregoing is a correct description.
Builder's Signature (here only) Geo. Brown & Co. Surveyor's Signature R. L. Swinton.
Surveyor to Lloyd's Register of Shipping.

Correspondence.—State dates and initials of letters respecting this case (Reference should be made in any correspondence connected with the case) 14.5.23, 17.5.23, 18.5.23, 19.5.23, 20.5.23, 21.5.23, 22.5.23, 23.5.23, 24.5.23, 25.5.23, 26.5.23, 27.5.23, 28.5.23, 29.5.23, 30.5.23, 31.5.23, 1.6.23, 2.6.23, 3.6.23, 4.6.23, 5.6.23, 6.6.23, 7.6.23, 8.6.23, 9.6.23, 10.6.23, 11.6.23, 12.6.23, 13.6.23, 14.6.23, 15.6.23, 16.6.23, 17.6.23, 18.6.23, 19.6.23, 20.6.23, 21.6.23, 22.6.23, 23.6.23, 24.6.23, 25.6.23, 26.6.23, 27.6.23, 28.6.23, 29.6.23, 30.6.23, 31.6.23, 1.7.23, 2.7.23, 3.7.23, 4.7.23, 5.7.23, 6.7.23, 7.7.23, 8.7.23, 9.7.23, 10.7.23, 11.7.23, 12.7.23, 13.7.23, 14.7.23, 15.7.23, 16.7.23, 17.7.23, 18.7.23, 19.7.23, 20.7.23, 21.7.23, 22.7.23, 23.7.23, 24.7.23, 25.7.23, 26.7.23, 27.7.23, 28.7.23, 29.7.23, 30.7.23, 31.7.23, 1.8.23, 2.8.23, 3.8.23, 4.8.23, 5.8.23, 6.8.23, 7.8.23, 8.8.23, 9.8.23, 10.8.23, 11.8.23, 12.8.23, 13.8.23, 14.8.23, 15.8.23, 16.8.23, 17.8.23, 18.8.23, 19.8.23, 20.8.23, 21.8.23, 22.8.23, 23.8.23, 24.8.23, 25.8.23, 26.8.23, 27.8.23, 28.8.23, 29.8.23, 30.8.23, 31.8.23, 1.9.23, 2.9.23, 3.9.23, 4.9.23, 5.9.23, 6.9.23, 7.9.23, 8.9.23, 9.9.23, 10.9.23, 11.9.23, 12.9.23, 13.9.23, 14.9.23, 15.9.23, 16.9.23, 17.9.23, 18.9.23, 19.9.23, 20.9.23, 21.9.23, 22.9.23, 23.9.23, 24.9.23, 25.9.23, 26.9.23, 27.9.23, 28.9.23, 29.9.23, 30.9.23, 31.9.23, 1.10.23, 2.10.23, 3.10.23, 4.10.23, 5.10.23, 6.10.23, 7.10.23, 8.10.23, 9.10.23, 10.10.23, 11.10.23, 12.10.23, 13.10.23, 14.10.23, 15.10.23, 16.10.23, 17.10.23, 18.10.23, 19.10.23, 20.10.23, 21.10.23, 22.10.23, 23.10.23, 24.10.23, 25.10.23, 26.10.23, 27.10.23, 28.10.23, 29.10.23, 30.10.23, 31.10.23, 1.11.23, 2.11.23, 3.11.23, 4.11.23, 5.11.23, 6.11.23, 7.11.23, 8.11.23, 9.11.23, 10.11.23, 11.11.23, 12.11.23, 13.11.23, 14.11.23, 15.11.23, 16.11.23, 17.11.23, 18.11.23, 19.11.23, 20.11.23, 21.11.23, 22.11.23, 23.11.23, 24.11.23, 25.11.23, 26.11.23, 27.11.23, 28.11.23, 29.11.23, 30.11.23, 31.11.23, 1.12.23, 2.12.23, 3.12.23, 4.12.23, 5.12.23, 6.12.23, 7.12.23, 8.12.23, 9.12.23, 10.12.23, 11.12.23, 12.12.23, 13.12.23, 14.12.23, 15.12.23, 16.12.23, 17.12.23, 18.12.23, 19.12.23, 20.12.23, 21.12.23, 22.12.23, 23.12.23, 24.12.23, 25.12.23, 26.12.23, 27.12.23, 28.12.23, 29.12.23, 30.12.23, 31.12.23, 1.1.24, 2.1.24, 3.1.24, 4.1.24, 5.1.24, 6.1.24, 7.1.24, 8.1.24, 9.1.24, 10.1.24, 11.1.24, 12.1.24, 13.1.24, 14.1.24, 15.1.24, 16.1.24, 17.1.24, 18.1.24, 19.1.24, 20.1.24, 21.1.24, 22.1.24, 23.1.24, 24.1.24, 25.1.24, 26.1.24, 27.1.24, 28.1.24, 29.1.24, 30.1.24, 31.1.24, 1.2.24, 2.2.24, 3.2.24, 4.2.24, 5.2.24, 6.2.24, 7.2.24, 8.2.24, 9.2.24, 10.2.24, 11.2.24, 12.2.24, 13.2.24, 14.2.24, 15.2.24, 16.2.24, 17.2.24, 18.2.24, 19.2.24, 20.2.24, 21.2.24, 22.2.24, 23.2.24, 24.2.24, 25.2.24, 26.2.24, 27.2.24, 28.2.24, 29.2.24, 30.2.24, 31.2.24, 1.3.24, 2.3.24, 3.3.24, 4.3.24, 5.3.24, 6.3.24, 7.3.24, 8.3.24, 9.3.24, 10.3.24, 11.3.24, 12.3.24, 13.3.24, 14.3.24, 15.3.24, 16.3.24, 17.3.24, 18.3.24, 19.3.24, 20.3.24, 21.3.24, 22.3.24, 23.3.24, 24.3.24, 25.3.24, 26.3.24, 27.3.24, 28.3.24, 29.3.24, 30.3.24, 31.3.24, 1.4.24, 2.4.24, 3.4.24, 4.4.24, 5.4.24, 6.4.24, 7.4.24, 8.4.24, 9.4.24, 10.4.24, 11.4.24, 12.4.24, 13.4.24, 14.4.24, 15.4.24, 16.4.24, 17.4.24, 18.4.24, 19.4.24, 20.4.24, 21.4.24, 22.4.24, 23.4.24, 24.4.24, 25.4.24, 26.4.24, 27.4.24, 28.4.24, 29.4.24, 30.4.24, 31.4.24, 1.5.24, 2.5.24, 3.5.24, 4.5.24, 5.5.24, 6.5.24, 7.5.24, 8.5.24, 9.5.24, 10.5.24, 11.5.24, 12.5.24, 13.5.24, 14.5.24, 15.5.24, 16.5.24, 17.5.24, 18.5.24, 19.5.24, 20.5.24, 21.5.24, 22.5.24, 23.5.24, 24.5.24, 25.5.24, 26.5.24, 27.5.24, 28.5.24, 29.5.24, 30.5.24, 31.5.24, 1.6.24, 2.6.24, 3.6.24, 4.6.24, 5.6.24, 6.6.24, 7.6.24, 8.6.24, 9.6.24, 10.6.24, 11.6.24, 12.6.24, 13.6.24, 14.6.24, 15.6.24, 16.6.24, 17.6.24, 18.6.24, 19.6.24, 20.6.24, 21.6.24, 22.6.24, 23.6.24, 24.6.24, 25.6.24, 26.6.24, 27.6.24, 28.6.24, 29.6.24, 30.6.24, 31.6.24, 1.7.24, 2.7.24, 3.7.24, 4.7.24, 5.7.24, 6.7.24, 7.7.24, 8.7.24, 9.7.24, 10.7.24, 11.7.24, 12.7.24, 13.7.24, 14.7.24, 15.7.24, 16.7.24, 17.7.24, 18.7.24, 19.7.24, 20.7.24, 21.7.24, 22.7.24, 23.7.24, 24.7.24, 25.7.24, 26.7.24, 27.7.24, 28.7.24, 29.7.24, 30.7.24, 31.7.24, 1.8.24, 2.8.24, 3.8.24, 4.8.24, 5.8.24, 6.8.24, 7.8.24, 8.8.24, 9.8.24, 10.8.24, 11.8.24, 12.8.24, 13.8.24, 14.8.24, 15.8.24, 16.8.24, 17.8.24, 18.8.24, 19.8.24, 20.8.24, 21.8.24, 22.8.24, 23.8.24, 24.8.24, 25.8.24, 26.8.24, 27.8.24, 28.8.24, 29.8.24, 30.8.24, 31.8.24, 1.9.24, 2.9.24, 3.9.24, 4.9.24, 5.9.24, 6.9.24, 7.9.24, 8.9.24, 9.9.24, 10.9.24, 11.9.24, 12.9.24, 13.9.24, 14.9.24, 15.9.24, 16.9.24, 17.9.24, 18.9.24, 19.9.24, 20.9.24, 21.9.24, 22.9.24, 23.9.24, 24.9.24, 25.9.24, 26.9.24, 27.9.24, 28.9.24, 29.9.24, 30.9.24, 31.9.24, 1.10.24, 2.10.24, 3.10.24, 4.10.24, 5.10.24, 6.10.24, 7.10.24, 8.10.24, 9.10.24, 10.10.24, 11.10.24, 12.10.24, 13.10.24, 14.10.24, 15.10.24, 16.10.24, 17.10.24, 18.10.24, 19.10.24, 20.10.24, 21.10.24, 22.10.24, 23.10.24, 24.10.24, 25.10.24, 26.10.24, 27.10.24, 28.10.24, 29.10.24, 30.10.24, 31.10.24, 1.11.24, 2.11.24, 3.11.24, 4.11.24, 5.11.24, 6.11.24, 7.11.24, 8.11.24, 9.11.24, 10.11.24, 11.11.24, 12.11.24, 13.11.24, 14.11.24, 15.11.24, 16.11.24, 17.11.24, 18.11.24, 19.11.24, 20.11.24, 21.11.24, 22.11.24, 23.11.24, 24.11.24, 25.11.24, 26.11.24, 27.11.24, 28.11.24, 29.11.24, 30.11.24, 31.11.24, 1.12.24, 2.12.24, 3.12.24, 4.12.24, 5.12.24, 6.12.24, 7.12.24, 8.12.24, 9.12.24, 10.12.24, 11.12.24, 12.12.24, 13.12.24, 14.12.24, 15.12.24, 16.12.24, 17.12.24, 18.12.24, 19.12.24, 20.12.24, 21.12.24, 22.12.24, 23.12.24, 24.12.24, 25.12.24, 26.12.24, 27.12.24, 28.12.24, 29.12.24, 30.12.24, 31.12.24, 1.1.25, 2.1.25, 3.1.25, 4.1.25, 5.1.25, 6.1.25, 7.1.25, 8.1.25, 9.1.25, 10.1.25, 11.1.25, 12.1.25, 13.1.25, 14.1.25, 15.1.25, 16.1.25, 17.1.25, 18.1.25, 19.1.25, 20.1.25, 21.1.25, 22.1.25, 23.1.25, 24.1.25, 25.1.25, 26.1.25, 27.1.25, 28.1.25, 29.1.25, 30.1.25, 31.1.25, 1.2.25, 2.2.25, 3.2.25, 4.2.25, 5.2.25, 6.2.25, 7.2.25, 8.2.25, 9.2.25, 10.2.25, 11.2.25, 12.2.25, 13.2.25, 14.2.25, 15.2.25, 16.2.25, 17.2.25, 18.2.25, 19.2.25, 20.2.25, 21.2.25, 22.2.25, 23.2.25, 24.2.25, 25.2.25, 26.2.25, 27.2.25, 28.2.25, 29.2.25, 30.2.25, 31.2.25, 1.3.25, 2.3.25, 3.3.25, 4.3.25, 5.3.25, 6.3.25, 7.3.25, 8.3.25, 9.3.25, 10.3.25, 11.3.25, 12.3.25, 13.3.25, 14.3.25, 15.3.25, 16.3.25, 17.3.25, 18.3.25, 19.3.25, 20.3.25, 21.3.25, 22.3.25, 23.3.25, 24.3.25, 25.3.25, 26.3.25, 27.3.25, 28.3.25, 29.3.25, 30.3.25, 31.3.25, 1.4.25, 2.4.25, 3.4.25, 4.4.25, 5.4.25, 6.4.25, 7.4.25, 8.4.25, 9.4.25, 10.4.25, 11.4.25, 12.4.25, 13.4.25, 14.4.25, 15.4.25, 16.4.25, 17.4.25, 18.4.25, 19.4.25, 20.4.25, 21.4.25, 22.4.25, 23.4.25, 24.4.25, 25.4.25, 26.4.25, 27.4.25, 28.4.25, 29.4.25, 30.4.25, 31.4.25, 1.5.25, 2.5.25, 3.5.25, 4.5.25, 5.5.25, 6.5.25, 7.5.25, 8.5.25, 9.5.25, 10.5.25, 11.5.25, 12.5.25, 13.5.25, 14.5.25, 15.5.25, 16.5.25, 17.5.25, 18.5.25, 19.5.25, 20.5.25, 21.5.25, 22.5.25, 23.5.25, 24.5.25, 25.5.25, 26.5.25, 27.5.25, 28.5.25, 29.5.25, 30.5.25, 31.5.25, 1.6.25, 2.6.25, 3.6.25, 4.6.25, 5.6.25, 6.6.25, 7.6.25, 8.6.25, 9.6.25, 10.6.25, 11.6.25, 12.6.25, 13.6.25, 14.6.25, 15.6.25, 16.6.25, 17.6.25, 18.6.25, 19.6.25, 20.6.25, 21.6.25, 22.6.25, 23.6.25, 24.6.25, 25.6.25, 26.6.25, 27.6.25, 28.6.25, 29.6.25, 30.6.25, 31.6.25, 1.7.25, 2.7.25, 3.7.25, 4.7.25, 5.7.25, 6.7.25, 7.7.25, 8.7.25, 9.7.25, 10.7.25, 11.7.25, 12.7.25, 13.7.25, 14.7.25, 15.7.25, 16.7.25, 17.7.25, 18.7.25, 19.7.25, 20.7.25, 21.7.25, 22.7.25, 23.7.25, 24.7.25, 25.7.25, 26.7.25, 27.7.25, 28.7.25, 29.7.25, 30.7.25, 31.7.25, 1.8.25, 2.8.25, 3.8.25, 4.8.25, 5.8.25, 6.8.25, 7.8.25, 8.8.25, 9.8.25, 10.8.25, 11.8.25, 12.8.25, 13.8.25, 14.8.25, 15.8.25, 16.8.25, 17.8.25, 18.8.25, 19.8.25, 20.8.25, 21.8.25, 22.8.25, 23.8.25, 24.8.25, 25.8.25, 26.8.25, 27.8.25, 28.8.25, 29.8.25, 30.8.25, 31.8.25, 1.9.25, 2.9.25, 3.9.25, 4.9.25, 5.9.25, 6.9.25, 7.9.25, 8.9.25, 9.9.25, 10.9.25, 11.9.25, 12.9.25, 13.9.25, 14.9.25, 15.9.25, 16.9.25, 17.9.25, 18.9.25, 19.9.25, 20.9.25, 21.9.25, 22.9.25, 23.9.25, 24.9.25, 25.9.25, 26.9.25, 27.9.25, 28.9.25, 29.9.25, 30.9.25, 31.9.25, 1.10.25, 2.10.25, 3.10.25, 4.10.25, 5.10.25, 6.10.25, 7.10.25, 8.10.25, 9.10.25, 10.10.25, 11.10.25, 12.10.25, 13.10.25, 14.10.25, 15.10.25, 16.10.25, 17.10.25, 18.10.25, 19.10.25, 20.10.25, 21.10.25, 22.10.25, 23.10.25, 24.10.25, 25.10.25, 26.10.25, 27.10.25, 28.10.25, 29.10.25, 30.10.25, 31.10.25, 1.11.25, 2.11.25, 3.11.25, 4.11.25, 5.11.25, 6.11.25, 7.11.25, 8.11.25, 9.11.25, 10.11.25, 11.11.25, 12.11.25, 13.11.25, 14.11.25, 15.11.25, 16.11.25, 17.11.25, 18.11.25, 19.11.25, 20.11.25, 21.11.25, 22.11.25, 23.11.25, 24.11.25, 25.11.25, 26.11.25, 27.11.25, 28.11.25, 29.11.25, 30.11.25, 31.11.25, 1.12.25, 2.12.25, 3.12.25, 4.12.25, 5.12.25, 6.12.25, 7.12.25, 8.12.25, 9.12.25, 10.12.25, 11.12.25, 12.12.25, 13.12.25, 14.12.25, 15.12.25, 16.12.25, 17.12.25, 18.12.25, 19.12.25, 20.12.25, 21.12.25, 22.12.25, 23.12.25, 24.12.25, 25.12.25, 26.12.25, 27.12.25, 28.12.25, 29.12.25, 30.12.25, 31.12.25, 1.1.26, 2.1.26, 3.1.26, 4.1.26, 5.1.26, 6.1.26, 7.1.26, 8.1.26, 9.1.26, 10.1.26, 11.1.26, 12.1.26, 13.1.26, 14.1.26, 15.1.26, 16.1.26, 17.1.26, 18.1.26, 19.1.26, 20.1.26, 21.1.26, 22.1.26, 23.1.26, 24.1.26, 25.1.26, 26.1.26, 27.1.26, 28.1.26, 29.1.26, 30.1.26, 31.1.26, 1.2.26, 2.2.26, 3.2.26, 4.2.26, 5.2.26, 6.2.26, 7.2.26, 8.2.26, 9.2.26, 10.2.26, 11.2.26,

GENERAL REMARKS—

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 63 ft., Bridge ☒ ft., Forecastle 27 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks and No. of tiers of Beams (this information is to be given as it should appear in the Register Book)

Official No. 147633 : Signal Letters

State if Machinery is fitted aft *Mach. aft.*

If bottom of Vessel has been coated Inside *Part.* Outside *Yes*, give particulars of paint or other composition *inside: asphalt clear of oil tank outside: 1 coat anti-rust. 2 coats anti-rust.*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system. ☒

Where Fitted.	*Length.	Water Capacity.	Where Fitted.	*Length.	Water Capacity.
	Feet.	Tons.		Feet.	Tons.
Double bottom, aft,			Fore peak tank,	✓	52
Double bottom, under Engines and Boilers,			After peak tank,	✓	24
Double bottom, if under Engines only,			Deep tank, aft,	✓	✓
Double bottom, if under Boilers only,			Deep tank, forward,	✓	✓
Double bottom, forward,			Other tanks, if fitted, <i>Reserve fuel tank</i>	10.75	31
Total capacity of double bottom			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules *Yes.*

Order for Special Survey No. 3088

Date 27-4-23.

No. 141 in builder's yard.

DATES OF SURVEYS held while building

(1923) Apr 17-23. May 1-4-11-15-22-25-29-31. June 4-6-7-11-12-13-14-15-21. July 12-16-19-24. Aug 3-8-16. Nov 1-27. Dec 5-12-17.
(1924) Jan 8-14-17-22-28-31. Feb 4-6-13-20-29. Mar 4-5-8-11-12-13-14-15-17-18-19-20. Apr 16-25-29.

Total No. of Visits 57.

Surveyor's Signature

H. L. Swinton

© 2020

Lloyd's Register Foundation