





WEB FRAMES. In Fore Body, No. and spacing. brdth. & thickness. No. of Side Stringers. WEB-FRAMES, In E. & B. Space, No. and spacing. brdth. & thickness. WEB-FRAMES, In After Body, No. and spacing. brdth. & thickness. No. of Side Stringers. BRACKET PLATES to Stringers between Web Frames, depth and thickness. BULKHEADS. W.T. BULKHEADS. COLLISION PARTITION LONGITUDINAL. PLATING. STRAKES. AS IN SHIP. PER RULE OR AS APPROVED. EDGES. BUTTS. RIVETING. Forgings or Castings. KEEL, Bar, depth and thickness. STEM, moulding and thickness. STERN-POST for Rudder do. do. RUDDER-A x D. Table 22. Speed. Main-Piece, diameter at head. RUDDER, how constructed. Thickness of Plates or Single Plate. Can the Rudder be unshipped afloat? Manufacturer's name or trade mark of the Iron or Steel (state manufacture of Steel) used for Frames, Floors, Beams, Keelsons, Tie and Plates, Plating, &c. RIVETING. Butts of Side Stringers. Tie Plates. Inner Bottom Plating, riveting of Edges. Centre Girder Butts. Frames, riveted through Plates with. Rivets, state whether Iron or Steel. MASTS, SPARS, &c. LOWER MASTS. Bowsprit. Topmasts, Yards and Remainder of Spars. Rigging, Material and Size, Shrouds FOREM three 5" wire MAIN three 3 1/2" wire Stays double 1/2" wire & Single. Sails. None. Suit of.



. 4.

of writing  
in S  
Book.  
5/ o  
ter  
ines m  
lers m  
istered  
n. Hors  
GIN  
n. of Cy  
he scre  
the pr  
been th  
ars are  
n. of Tu  
lars /  
n. of F  
n. of B  
n. of D  
Engin  
lian  
n. of Bi  
re all th  
re all c  
re they  
re they  
That pi  
re all  
re the  
the S  
DILE  
total B  
Workin  
an eac  
ach boi  
smallest

Thicknes  
ing. sec  
Per cent  
Size of  
Length  
Working  
Pitch o  
Materi  
Materi  
Area  
Thickn  
Diamet  
Pitch  
thickne  
Work  
Diamet  
Pitch  
UPE  
Date o  
Diamet

Outside Ant. fueling Ant. Corrosion  
Composition.

Working  
 Pitch of  
 Material  
 Material  
 Area of  
 Thickness  
 Diameter  
 Pitch of  
 thickness  
 Working  
 Diameter  
 Pitch of  
 UPE  
 Date of  
 Diameter

Working  
 Pitch of  
 Material  
 Material  
 Area of  
 Thickness  
 Diameter  
 Pitch of  
 thickness  
 Working  
 Diameter  
 Pitch of  
 UPE  
 Date of  
 Diameter

State whether the above have been tested as required by the Rules. Yes

DATEs of Surveys  
held while building

21-25 Jan., 26 Feb., 18 March, 1-13 Apr., 1 May, 5 June, 19 July, 10-25 Aug., 20-28 Sept., 1 Oct., 4-7 Dec 1916, 8-23 Jan  
15-18 Feb., 5-7, 13-19, 22-29 March, 5-13, 16, 20-23 April, 7-16, 29 May, 4-9, 11, 20-25 June, 5-10, 6-7 July, 2-11, 14-27 Aug., 6-1  
16-24, 29 Sept., 3-19, 23-29 Oct., 2-14, 20-29 Nov., 5-27 Dec 1917, 11-18 Jan., 16-15, 17, 17-27 Feb., 16-23, 24 March, 9-22 April,  
10-23 May, 3-17, 18 June, 1-12, 22-29 July, 9-12, 22-23 Aug., 10-15, 18-19, 27-28 Sept., 16-23, 24 March, 9-22 April,  
4-10, 14-21, 24-31 May, 19-28 June, 1-12, 22-23 Aug., 10-15, 18-19, 27-28 Sept., 16-23, 24 March, 9-22 April,

Total No. of Visits 191

W. B. Miller

James L. Boyd 15.19.23, 16.27.23, 17.11.23