

Number of lights provided for.

A.	345	lights	of	32-25-8	candle	power	requiring	a	total	current	of	77	Amp
B.	41	"	"	25-10	"	"	"	"	"	"	"	7.5	"
C.	214	"	"	32-25	"	"	"	"	"	"	"	47	"
D.	158	"	"	32-10	"	"	"	"	"	"	"	33	"
"	"	"	"	25-10	"	"	"	"	"	"	"	37	"
"	"	"	"	25-10	"	"	"	"	"	"	"	20	"
"	"	"	"	25-10	"	"	"	"	"	"	"	17	"
"	"	"	"	32-25-10	"	"	"	"	"	"	"	100	"
"	"	"	"	25-10	"	"	"	"	"	"	"	70	"
"	"	"	"	25-10	"	"	"	"	"	"	"	59	"
"	"	"	"	25-10	"	"	"	"	"	"	"	10	"
"	"	"	"	25-10	"	"	"	"	"	"	"	15	"
"	"	"	"	25-10	"	"	"	"	"	"	"	15	"
"	"	"	"	25-10	"	"	"	"	"	"	"	54	"
"	"	"	"	25-10	"	"	"	"	"	"	"	20	"

Description of Cables.

For 1000 Amp Comp of 4X16 wires, 13 SWG diam 0.400 Sq inch. A20 good for 480?

77	"	"	"	19	"	15	"	0.075	"	"	✓
75	"	"	"	3	"	20	"	0.003	"	"	?
47	"	"	"	7	"	14	"	0.035	"	"	✓
33	"	"	"	7	"	17	"	0.017	"	"	✓
37	"	"	"	7	"	16	"	0.022	"	"	✓
20	"	"	"	7	"	20	"	0.007	"	"	✓
76	"	"	"	19	"	15	"	0.075	"	"	✓
17	"	"	"	7	"	20	"	0.007	"	"	✓
100	"	"	"	19	"	14	"	0.094	"	"	✓
70	"	"	"	19	"	15	"	0.075	"	"	✓
59	"	"	"	19	"	17	"	0.046	"	"	✓
10	"	"	"	3	"	18	"	0.0053	"	"	✓
15	"	"	"	3	"	18	"	0.0053	"	"	✓



© 2020

Lloyd's Register
Foundation

004548-004555-0212 1/2

Continuation of Description of Cables.

r.	15	Amp	Comp	of	3	Wires,	18	SWG	diam.	0.0053	Sq	inch.
	16	"	"	"	3	"	18	"	"	0.0053	"	"
	54	"	"	"	19	"	17	"	"	0.046	"	"
	87	"	"	"	19	"	15	"	"	0.075	"	"
	31	"	"	"	7	"	17	"	"	0.017	"	"
	100	"	"	"	37	"	16	"	"	0.117	"	"
	20	"	"	"	7	"	19	"	"	0.0086	"	"
	40	"	"	"	7	"	16	"	"	0.022	"	"
	135	"	"	"	37	"	14	"	"	0.182	"	"
	292	"	"	"	61	"	12	"	"	0.500	"	"
	184	"	"	"	37	"	13	"	"	0.250	"	"
	75	"	"	"	19	"	15	"	"	0.075	"	"

J. B. H. H. H.



© 2020

Lloyd's Register
Foundation