

S P A R E G E A R.

MAIN ENGINES:


- 1 Pair connecting rod top end bolts and nuts. R
- 1 Pair " " " " bushes.
- 1 " " " rod bottom end bolts and nuts. R
- 1 " " " " " bushes.
- 2 Main bearing bolts and nuts. R
- 1 Set of Lockwood & Carlisle's rings for each H.P. cylinder.
- 1 " " " " " " I.P. "
- 1 " " " " " " one L.P. "
- 12 Junk ring studs and nuts. (different sizes).
- 2 Eccentric straps complete.
- 1 Pair pump link brasses of each size.
- 24 Condenser tubes.
- 1 Escape valve spring for each 4 or less of each size fitted.
- 2 Sets packing for piston glands.
- 2 " " " " valve spindle glands.

MAIN ENGINE PUMPS:

- 1 Air pump bucket, rod and nuts complete (bucket slightly larger in dia.)
- 2 Sets of valves for one air pump.
- 1 Circulating pump bucket, rod and nuts complete, (bucket slightly larger in diameter).
- 2 Sets of valves for one circulating pump.
- 2 Sets of feed pump valves. R
- 2 Sets of bilge pump valves. R

SHAFTING:

- 1 Propeller shaft complete to be stowed as required.
- 1 Set of coupling bolts for one coupling. R
- 2 Propellers, C.I. (1 right and 1 left handed) to be stowed as required.
- 1 Set of pads for one face of each thrust block.
- 1 Set of wood for the stern tube bushes for two shafts.



VALVES:

- 12 Plain Boiler tubes. (GENERAL SERVICE PUMPS, (Boiler).)
- 1 Set of Safety valve springs.
- 1 Main stop valve lid.
- 1 Auxiliary stop valve lid.
- 1 Main feed check valve lid.
- 1 Auxiliary feed check valve lid.
- 1 Scum valve lid.
- 1 Blow-down valve lid.

FUEL INSTALLATION:

- 2 Burners complete with atomisers and tips.
- 12 Burner tips, (3 sets of different sizes).
- 8 Atomisers.
- 2 Burner Spanners.
- 1 " Vice.
- 1 Burner supply valve.
- 3 " " pipes with unions.
- 1 Suction filter strainer.
- 1 Delivery " "
- 5 Flame controls.
- 2 Jacket tubes.
- 2 Brass-cased thermometers.
- 1 Set of valves for oil pressure pump.
- 2 Sets of piston rings for oil pressure pump.
- 2 " bucket " " "
- 1 Sand tank.
- 1 " scoop.

FORCED DRAUGHT FAN:

- 1 Set of Piston rings.
- 1 Pair connecting rod top end bushes and bolts.
- 1 " " " btm. " "
- 1 Set main bearing bushes.

AUXILIARY FEED & GENERAL SERVICE PUMPS:

- 1 Steam valve chest complete.
- 2 Sets valves.

© 2021

Lloyd's Register  
Foundation

0222 2/3

For the information of Survey 3. and the Committee only.

AUXILIARY FEED AND GENERAL SERVICE PUMPS: (Contd.)

- 1 Set piston rings.
- 1 " bucket "
- 1 Pump liner.
- 1 " bucket.

BALLAST PUMP:

- 1 Steam valve chest complete.
- 1 Set valves.
- 1 " piston rings.
- 1 " bucket rings.

EVAPORATOR:

- 1 Coil.



*Rlee Ameeo*

PARTICULARS OF OTHER TESTS APPLIED TO CASTINGS

Journal Pul shaft No. 2057 - No 2058 } tested on 11/11/31  
 10.9.31  
 Shaft No. 181 - 182 } tested on 11/11/31  
 16.8.31



© 2021

Lloyd's Register Foundation

0222 3/3