

8/5/35

Butter & Co^s. Ltd ——— E.203SPARES (STANDARD)

	<u>No. off</u>
Rubber Ring for Cyl. liner 195 x 5	5
Top end bearing bush	1
Locking screw for bott. end bolt	3
Piston rings for working cylinder. ✓	5
Scrapaer ring " " "	1
Fuel valve needle with sprayer and sprayer nut ✓	3
Relief valve for cyl. cover (complete) ✓	1
Spring for Fuel valve	5
" " Starting Valve	2
" " " "	2
Copper joint for cylinder cover 209/223 x 1	4
Rubber joint " " " 23 x 7 x 7	24
" " " fuel valve holder 60 x 5	12
" " " " " " 55 x 5	12
Copper joint for starting valve 34/41 x 1	3
" " " Relief " 18/23.5 x 1	4
" " " fuel " 34/41 x 1	10
" " " fuel strainer 14/18 x 1	5
" " " fuel piping 10/14 x 1	10
Spring for governor	1
Fuel pump plunger and liner	2
Fuel pump suction valve and seat ✓	2
" " delivery " " "	2
Spring for fuel pump plunger	5
" " " " delivery valve	5
" " " " suction "	5
" " " " Unload "	5
Packing ring for fuel pump suction valve seat 27/34 x 0.5	7
Packing ring for fuel pump delivery valve seat	7
" " " " " " " " 27/34 x 0.5	5
Packing ring for fuel pump delivery valve pipe 4/10 x 1	10

© 2021

Lloyd's Register
Foundation

005013-005019-0005 1/3

	No. off
Packing ring for joint 23.5/29 x 2	2
" " " " 34/44 x 2	3
" " " fuel valve 34/41 x 1	10
" " " holder for fuel valve filter 14/18 x 1	5
" " " fuel delivery pipe 10/14 x 1	10
Fibre joints 23.5/29 x 2	2
" " 34/44 x 2	3
Spring for Admittance valve	2
" " air receiver safety valve	1
Air receiver valve	1
" " "	1
" " "	1
Compressor piston ring (R.H. gap) ✓	3
" " " (L.H. gap) ✓	2
" delivery valve ✓	1
Spring for " "	1
" " compressor safety valve ✓	1
" " oil separator No return valve	1
Joint for discharge valve guard 39/53 x 2	2
" " " " seat 41/45 x 0.5	2
" " " cooling coil 34/44 x 0.5	2
Rubber joint for air compressor cylinder 100 x 5	2
" " " " " " 110 x 5	1
Joint for oil separator 74.5/82 x 1	1
Scav. Pump piston ring ✓	1
Scav. valve nest (complete) ✓	1
Scav. valve plates ✓	50
Bolt for scav. pump valve	4
Spring for stuffing box	1
Scav. pump bott. end bolts and nuts	2
Valve plates for water Pump	2 sets
Leather joint for suction valve seat 80/89 x 2	2
" " " delivery " " 92/101 x 2	2
" " " air vessel 104/120 x 2	2

© 2021

Lloyd's Register
Foundation

0005 2/3


British Assoc^s Sta E 203

- 3 -

	<u>No.off</u>
Rubber joint for pump cover 100 x 5	1
Water pump piston ring	2
Spring for Water pump relief valve	1
" " snifter valve	1
Valve plate for bilge pump	2 sets
Leather joint for suction valve seat (bilge pump)	2
" " " delivery " " " "	2
" " " air vessel " "	2
Rubber joint for bilge pump cover	1
Piston ring for bilge pump	2
Spring for snifter valve	1
Copper joint 10/18 x 1.5	6
" " 22/27 x 1	6
" " 23.5/29 x 1	6
" " 27/34 x 1	6
" " 34/40 x 0.5	6
" " 34/40 x 1	6
" " 34/44 x 1	6
" " 23.5/29 x 0.5	3
Assortment of fibre joints.	
Assortment of Set screws.	

To British Corporation Requirements

Cylinder cover complete with fuel valve holder, starting air valve, and relief valve. ✓	1
Starting air valve complete ✓	1
Bolts and nuts for bott. end (complete with ring, stop screw and nut) ✓	2
Studs and nuts for main bearings (complete with locknut and split pin) ✓	2
Cyl. cover studs and nuts ✓	8
Working piston (complete with gudgeon pin, distributor and rings) ✓	1
Assortment of studs, bolts and nuts.	
Set of fuel pump parts	
Fuel valves complete ✓	
Fuel valve needles & sprayers ✓	



© 2021

Lloyd's Register
Foundation

00053/3

Ing.

Lloyd's Register
Foundation

guilt notatq quinq notat

5