

22. 3. 63

Rpt. S.E. I

INDEX No.....
(for London Office only)

LLOYD'S REGISTER OF SHIPPING

UNITED WITH THE BRITISH CORPORATION REGISTER

RECORD OF SAFETY EQUIPMENT

UNDER THE PROVISIONS OF THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1948.

(N.B.—This form must be kept on board and be available for inspection by Surveyors to Lloyd's Register at all times).

Ship's Name	Official Number or Signal Letters	Nationality & Port of Registry	Gross Tonnage	Registered Length	Date of Build	Particulars of Classification
"GELIA"	ELKQ	Liberian Monrovia	4528	409.1 (0.2) 391.79	1925	+ 100A1

Type of Machinery and Brake Horsepower..... 2 Atlas Diesel Motors
 Number of persons carried..... 36 crew 36 passengers -
 2 x 1650 HP - 4 Cycle

Port of Survey..... Rotterdam..... Date of Issue.....

STABILITY

Particulars of Stability Data on Board..... DATA IN ACCORDANCE WITH M.O.T. NOTICE NO. M 375

FIRE APPLIANCES

Type	No.	Description
Pumps	3 ✓	Ballast, Bilge & Sanitary pumps ✓
Hydrants	2	1 Port & 1 Starboard
	8	on deck wash-line
Hoses	2	L = + 15 metres Ø = 50 m/m + 1 @ 30ft Long
	4	"
Hose Nozzles	2	ordered SPRAY & JET COMBINED
	4	in brass
Fixed Installations Serving	45	26 bottles CO2 @ 5.6 Kg. each
		by CO2 of above mentioned bottles
Non-portable extinguishers	2	1 Foam @ 120 L & 1 Foam @ 10 GAL.
Portable Extinguishers	5	1 Foam a-120 L. 4 x Foam a-9 L.
	5	Minimax M 1035-2 x Foam a-9 L. ✓
	13	5 x Foam a-9 L. 5 x M 1035-3 x CO2 5 Kg.
Fire Buckets	11 ✓	wooden buckets placed on poop-bridge ✓
Sand Boxes with Sand and Scoops	1	
Breathing Apparatus	2 ✓	COMPLYING WITH 6TH SCHEDULE STATUT 1952 N° 950.
Safety Lamps with Batteries	2 ✓	"WITTE KAT"
Firemen's Axes	4 ✓	
Electric Drill	1 1	PORTABLE DRILLING MACHINE
Alternative means of extinguishing a fire in any one compartment which could put all fire pumps out of action.		None (CO2 installation can be handled in top of Engine Room).
Items having distant control in case of fire		Fuel valves to bunkers + tank only
Spare Charges for portable Extinguishers are provided as follows :		FUEL PUMPS & CO2 INSTALLATIONS
		BY ORDER 1 FOR EACH P.F.E.
Audible Warning System in Working Spaces	none	Description : SIREN ON FLOOR PLATE LEVEL
Means provided for stopping all fans and closing all openings which might admit air to spaces provided with a piping system for the discharge of a smothering medium.		Ventilator covers and canvas covers for holds only. MEANS FOR CLOSING ANNULAR SPACE IN FUNNEL AND FOR STOPPING ALL FANS PROVIDED.

GELLA

LIFE-SAVING APPLIANCES

BOATS

No. on Sketch	Description	Measurements			Cubic Capacity	No. of Persons	Air Cases		Releasing Gear
		Length	Breadth	Depth			Material	Capacity	
1	Wooden boats	17.7	6.3	2.7		12	cotton filled	510dm ³	hooks
2	"	15.6	6.4	2.7		12	brass	"	"
3	"motor	7.92m	2.46m	1m	11.68m ³	3536	"	1305dm ³	{patented
4	"	7.92m	2.46m	1m	11.68m ³	41	"	1305dm ³	"
		7.55m	2.50m	1.05m	12.34m ³	43	BRASS	1.3 m ³	APPROVED TYPE.

No. 3 Motor boat - diesel motor 9 H.P. water cooled.
No. of persons 36.
Equipment : Normal according to International Convention London 1948-

DAVITS

No. of Sets	Description	Position	Size of Falls	Means of lowering boat	Arrangements to facilitate boat launching against adverse list
2	Ordinary davits(1,2)	second mid-ship	3 1/2 "	manilla by hand	bitts placed on deck - yes - patent slides
2	Welin Patent davits(3,4)	"	3 1/2 "	"	" " " "

Are the davits of sufficient strength to lower fully laden boats? **YES.**

OTHER LIFE-SAVING APPLIANCES

No.	Description	Where placed
Lifejackets	40 cotton filled KAPOK	in cases on boat deck
Lifebuoys	6 With self-igniting lights	(2 on bridge)
	10 Without self-igniting lights	(4 on boatdeck)
Buoyant Apparatus	none	all over the ship

No.	Maker's Name and Description	Number of Lines	Number of Rockets	Date of Rockets
Line Throwing Appliance	1 ✓ Shermuly Pistol	4	4	6.1954 1947 458
Ships' Distress Signals : Rockets	12 ✓ PARACHUTE DISTRESS ROCKET SIGNALS.			6.1954 458
Parachute Flares	10 red flare rockets			not marked
Lifeboat Portable Radio Apparatus	1 ✓ Type SBR USG 148 A with rite (areal)			Serial No. 430
Pilot Ladders, with means of illumination	3 - cargo lights			

EMBARKATION ARRANGEMENTS

Description	
Means for illuminating the Launching Gear and Lifeboats	Yes - 2 projectors placed near davits (fixed installation) (one on each side)
Means of preventing any discharge of water into the Lifeboats	Yes - wooden cases STEEL GUARDS OVER SCUPPERS
Warning System for Abandoning Ship	Ship's whistle (2) air ✓
Embarkation Ladders provided	1 at each set of davits. accommodation ladder available. ✓

LIGHTS AND SOUND SIGNALS
SIDE AND MASTHEAD LIGHTS

(1) OIL	PORT	STARBOARD	MASTHEAD	
			Fore	Main
Maker's name and/or marks	Lantern unmarked	1 ✓	1 ✓	1 ✓
	Lens h=120 160 mm.	1 ✓	1 ✓	1 ✓
Type of Burner	GRANDY	PARAFFIN petrol	PARAFFIN petrol	PARAFFIN petrol
breadth of wick varying between 25 and 40 mm. ✓				
(2) ELECTRIC				
Maker's name and/or marks	unmarked	1 ✓	1 ✓	1 ✓
if fitted with dioptric lens state also :-				
Maker's name and/or marks	Lens	1 ✓	1 ✓	1 ✓
Number of spare electric lamps	10 ✓			
Where are the side lights carried? on bridge wings ✓				
Breadth of chocks athwartships. Port 10cm. Starboard 10 cm. ✓				

ANCHOR LIGHTS

Maker's name and/or marks	unmarked	Number provided	2 ✓
If not of an approved type:-	PARAFFIN petrol ✓		
Height	1 - 15cm	Diameter	20 cm
	1 - 12cm		15 cm
Type of Lens		If oil, type of burner	petrol ✓

NOT-UNDER-COMMAND LIGHTS

Maker's name and/or marks	unmarked	Number provided	2 + 2 ✓
Type of burner	2 PARAFFIN petrol lamps	and 2 electric lamps	✓

STERN LIGHT

Maker's name and/or marks	unmarked	1 electric & 1 PARAFFIN petrol ✓	
Size of Lantern	17 cm	height 120 mm.	Oil, type of burner
			PARAFFIN petrol wick = 25 mm. ✓

SIGNALLING LAMPS

Maker's name and/or marks	Adm. Patern Aldis lamp ✓	Number provided	1 ✓
Description	Ø 10 cm.	12 V lamp on batteries : movable reflector.	✓

SOUND SIGNALS

Diameter and position of bell	Excle 32 cm.	Type of whistle provided	2 air whistles ✓
Description of fog horn	TYPHON PATENT, hand pump	GONG FITTED AFT	✓

NAVIGATION SHAPES

No.	Description and Diameter
Not-under-command shapes	2 black special Ø 60 cm. ✓
Other shapes	1 anchor " " " " © 2021 ✓
Particulars of any additional lanterns that may be carried	

LIFEBOAT EQUIPMENT

	Item of Equipment	BOAT NO.							
		XI	S.S. 3	1	3	4	P.S. 2	X	X
(i)	Oars, rowing (including spares)		10 ✓	8	10 ✓	7			
	„ steering		2 ✓	1 ✓	2 ✓	1			
	Thole pins or crutches		9 ✓	9	11 ✓	9			
	Boat hooks		2 ✓	1 ✓	1 ✓	1			
(ii)	Drain plugs		2 ✓	2	2 ✓	2			
	Balers		1 ✓	1	1 ✓	1			
	Buckets		2 ✓	ordered	2 ✓	ordered			
(iii)	Rudder		1 ✓	1	1 ✓	1			
	Tiller		1 ✓	1	1 ✓	1			
(iv)	Hatchets		2 ✓	1 ordered	2 ✓	1 ordered			
(v)	Lamp, with oil sufficient for 12 hours		1 ✓	ordered	1 ✓	ordered			
	Boxes of matches in W.T. container		2 ✓	--	2 ✓	--			
(vi)	Masts, with galvanised wire stays		1 ✓	1	1 ✓	1			
	Sails		1 ✓	1	1 ✓	1			
(vii)	Compass in binnacle		1 ✓	1	1 ✓	1			
(viii)	Lifeline becketed around outside of boat		1 ✓	1	1 ✓	1			
(ix)	Sea anchor		1 ✓	1	1 ✓	1			
(x)	Painters		2 ✓	1	2 ✓	1			
(xi)	Oil container, for attachment to sea anchor		1 ✓	1	1 ✓	1			
	„ „ quantity of oil supplied		1 GALL	ordered	1 GALL	ordered			
(xii)	Air tight receptacles for provisions		2 ✓	1	2 ✓	1			
	Provisions, quantity supplied per person	1 lb. biscuits 1 lb. barley 1 lb. sugar	80 lbs.	ordered	70 lbs.	ordered			
(xiii)	Condensed milk, quantity supplied per person		48 boxes	ordered	46 boxes	ordered			
(xiv)	Fresh water receptacles		2 ✓	1 ordered	2 ✓	1 ordered			
	„ „ „ quantity supplied per person		3 QTS.		3 QTS.				
	Dippers		1 ✓	ordered	2 ✓	ordered			
(xv)	Parachute signals, red	} 458	6 ✓	„	6 ✓	„			
	Hand flares, red		12 ✓	„	12 ✓	„			
(xvi)	Buoyant smoke signals, orange		2	„	2	„			
(xvii)	Bilge keels, or equivalent		1 ✓	1 „	1 ✓	1 „			
(xviii)	First-aid outfit, in watertight case		1	„	1	„			
(xix)	Electric torch for morse signalling		1	„	1	„			
	„ „ spare batteries		2	„	2	„			
	„ „ spare bulbs		2	„	2	„			
(xx)	Daylight signalling mirror		1	„	1	„			
(xxi)	Jack-knife fitted with tin opener		1	„	1	„			
(xxii)	Buoyant heaving lines		2	„	2	„			
(xxiii)	Manual pump		1 ✓	1 „	1 ✓	1 „			
(xxiv)	Locker for stowage of equipment		1		1				
(xxv)	Motor lifeboat, fuel capacity supplied		60 l.						
	„ „ fire extinguishers, hand		2 ✓						
	„ „ „ „ sand		40 lbs.						
	„ „ „ „ scoop		1 ✓						

Particulars of any Special Features.

WOOD LIFEBOATS Nos. 1 AND 2 ARE NOT CONSIDERED AS BEING PART OF THE SAFETY EQUIPMENT OF THE SHIP AND ARE RETAINED ONLY AS ACCIDENT BOATS.

Surveyors' Declaration.—The above is a correct description of the Safety Equipment on board at the time of inspection.
The Equipment is in efficient condition.

Date of Inspection... 6th May... & subsequently
1954.

Surveyor(s) to Lloyd's Register.

Port...