

COPY.

Rpt. 12.

FREEBOARD VERIFICATION FORM FOR STEAMERS.

When received in London Office

Port **Göthenburg.**

Vessel's Name **M. S. "DELHI"**

Official No.

No. in Reg. Book **17935**

Port of Registry (For Foreign Vessels) **GÖTHENBURG.**

Iron or Steel **Steel** State whether Classed by Lloyd's Register **Contemp.**

Name of Owners Date of Verification **7. 9. 25.**

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	3	ft.	5	ins.	
From centre of disc to top of statutory deck line } at awning or part-awning deck }	---	ft.	---	ins.	
Fresh Water line above centre of disc			6	ins.	
Indian Summer line above centre of disc			5½	ins.	
Winter line below centre of disc			5½	ins.	
Winter North Atlantic line below centre of disc			---	ins.	
Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of wood steel deck with the vessel's side	}	at main, spar or upper dk.		1¾	ins.
		at awning or pt.-awning dk.		---	ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or steel deck.

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:—

(Signed) **H. THOMSON.** Surveyor.

(To be filled up in London Office.)

Statement No. Date of Committee's Minute **11. 9. 25.**

Particulars for Record in Register Book.	}	Moulded Depth	28	ft.	0	ins.
		Freeboard	3	ft.	5	ins.
		Corresponding Draught	24	ft.	10	ins.

Freeboards compared and found correct by Date

Is fee paid? Form for Certificate

Instructions Date

Certificate written Noted for posting



005377-005386-0092

Condition of class.

IN SHIP.	
85	10.5
75	10.0
75	10.0
090	13.0
90	13.0
100	15.0
2	10.0
160	13.0
30	14.0
30	17.0
90	1.0
FRAME	
90	1.0
FRAM	
830	1.0
250	1.0
0.5	0.0
YES	
90	
IE FR	
90	
ITE F	
90	
ITE F	
90	
ALTERNATE F	