

W.T. BULKHEADS

FRAME N°	NUMBER		THICKNESS	STIFFENERS				SINGLE OR DOUBLE FRAMES	HEIGHT UP.
	IN VESSEL	PER RULE		HORIZONTAL SIZE	SPACING	VERTICAL SIZE	SPACING		
AFT PEAK 31			50-28 ✓ 48-26 ✓	2 nd FL & FLAT DECKS		11 x 3 1/2 x 50 BA ✓ 5 x 3 x 32 ✓ 15 x 4.2 PLATES WITH DRILL FINES 3 x 3 x 42 to 3 1/2 x 3 1/2 x 28. O.A.	24 ✓ 30 ✓	SINGLE DOUBLE & SINGLE	UPPER D ^K ✓ SHELTER D ^K ✓
42			54-38 ✓	12 x 3 1/2 x 58 to 7 x 3 x 36	30	Wash plate & web each side		DOUBLE ✓	SHELTER D ^K ✓
44 & 45			54-42 ✓	AND FLANGED BRACKETS	"	3 webs each side		" ✓	" " ✓
47, 49, 54, 58 & 60			54-38 ✓	12 x 3 1/2 x 54 to 7 x 3 x 36	"	"		"	2 ND & SHELTER D ^K ✓
51, 52 & 56			54-38 ✓	" " " "	"	"		"	SHELTER D ^K ✓
62 & 63			58-42 ✓	" " " "	"	"		"	" ✓
65			54-38 ✓	12 x 3 1/2 x 58 to 7 x 3 x 36	"	"		"	2 ND & SHELTER D ^K ✓
67 & 68			54-38 ✓	" " " "	"	"		"	SHELTER D ^K ✓
70			54-38 ✓	" " " "	"	"		"	2 ND & SHELTER D ^K ✓
72 & 73			54-42 ✓	12 x 3 1/2 x 62 to 7 x 3 x 36	"	"		"	SHELTER D ^K ✓
75			54-38 ✓	12 x 3 1/2 x 62 to 7 x 3 x 36	"	Wash plate & web each side		"	" ✓
Fore Peak			50-32 ✓	12 x 3 1/2 x 50 to 8 x 3 x 40 (also flats & deck)	24	Wash plate & web		SINGLE	" ✓
	23	9							
LONGITUDINAL BULKHEAD.			54 to 40 ✓	12 x 3 1/2 x 54 (24 APART) 8 x 3 x 40 (30 ")		Welds as per approved plans			SHELTER D ^K ✓

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ✓ ft., R.Q.D. ✓ ft., Bridge ✓ ft., Forecastle 39-0 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated Complete Shelter Deck.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 1st Steel & Shelter 2nd Stl. Longitudinal framing

Official No. 145252; Signal Letters ✓ State if Machinery is fitted aft

How are the surfaces preserved from oxidation? Inside Cement & paint outside oil compartments Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular system

Where Fitted.	Length.	Water Capacity.	Where Fitted.	Length.	Water Capacity.
	Feet.	Tons.		Feet.	Tons.
Double bottom, aft,			Fore peak tank,	26	243
Double bottom, under Engines and Boilers,			After peak tank,	9-4	70
Double bottom, if under Engines only,			Deep tank, aft,	50-0	512
Double bottom, if under Boilers only,	43	202	Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
	Total capacity of double bottom	202	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 4667/

Date 26.2.1919.

No. 907 in builder's yard.

Dates of Surveys held while building

1917. 26.9. Mar. 26. 28. May. 2. 1918. Nov. 25. 28. Dec. 30. 1919. Jan. 6. Feb. 12. Mar. 14. 17. Apr. 19. May. 1. 12. 19. June. 6. 12. 13. July. 2. 9. 15. 16. 17. 22. Aug. 15. 22. Sept. 15. 22. 23. Oct. 9. 14. 27. Nov. 6. 10. 13. 18. 24. Dec. 1. 3. 4. 5. 9. 14. 23. 1920. Jan. 5. 6. 9. 12. 16. 19. 23. 30. Feb. 6. 11. 16. 24. Mar. 4. 9. 13. Apr. 1. 3. 14. 19. 23. 28. May. 3. 21. 28. June. 9. July. 1. 3. 9. Aug. 16. 31. Sept. 1. 16. 27. Oct. 13. 19. 20. 22. 23. 24. 26. 29. 30. Dec. 1. 2. 3. 6. 7. 8. 11. 16. 22. 30. 1921. Jan. 20. 21. 26. 29. Apr. 11. 15. May. 22. 26. 30. June. 8. 10. 16. 30. July. 5. 12. 19. 26. 30. Nov. 1. 2. 3. 4. 5. 8. 9. 10. 12. 14. 16. 17. Total No. of Visits 148.

Surveyor's Signature

R. Langlands & W. T. Hudson.

PARTICULARS OF LONGITUDINAL FRAMING.

FRAMING.		AMIDSHIPS.			ENDS.			FORE HOLD			AMIDSHIPS.			ENDS.			FORE HOLD			AMIDSHIPS.			RIVETING.			
		In Ship.			In Ship.			Per Rule or as approved.			Per Rule or as approved.			Per Rule or as approved.			Per Rule or as approved.			Rivets in Longitudinal Frames.			Spacing of Rivets on each side of Transverses and Bulkheads.			Rivets in Brackets to Bulkheads.
		Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Inches.	Number.	Diameter.	
of L AND C Bridge Deck ... from Uppermost Continuous/ No. 1 " 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 " 12 " 13 " 14 " 15 " 16 of } Amidships nal } of } nal } of																										

Particulars of framing in peaks (if ordinary), Floors, Centre Girder, Side Girders and Margin Plate and their angle attachments, etc., to be entered in their respective places provided for on the Report Forms.

NOTE:—This slip to be pasted on the fourth page of the Report, and reference to same to be made under framing, etc., on the first page.

0317 $\frac{3}{4}$

Port of *Newcastle-on-Tyne*. Continuation of Report No. *74521*, dated *7th July 1921*, on the

Particulars of cable supplied to *S.S. San Felipe*.
- Armstrong, Whitworth & Co's No 904.

N ^o of Coil	Length & Size Feet		Weight		Length & Size		Descrip ⁿ	Notes	When & where tested.
	Supplied	Stat. Break	Supplied	Rule	Table 31	Table 31			
	Ft. Dia	Tons	Tons	Cut 9.4.19	Cut 9.4.19	Ft. Dia			Sept.
61695	15 1/2	2 3/4	129 20	181	56.3.10	57.2.22	330	2 3/4	Stand { 1. 4. 1921 } 15. 2. 31.8.17 H. Green.
61698	15 1/2	"	"	"	58.3.16	"	"	"	"
61669	15 1/2	"	"	"	57.2.26	"	"	"	23.8.17 W. Drysdale.
61673	15	"	"	"	56.2.3	"	"	"	" W. Drysdale.
61672	14 5/8	"	"	"	56.1.8	"	"	"	" W. Drysdale.
61663	14 5/8	"	"	"	56.1.24	"	"	"	" W. Drysdale.
61670	15 1/2	"	"	"	57.3.3	"	"	"	"
61666	14 5/8	"	"	"	56.1.1	"	"	"	"
61694	15 1/2	"	"	"	57.2.24	"	"	"	31.8.17 H. Green.
61693	15	"	"	"	57.3.24	"	"	"	"
61665	15	"	"	"	56.2.4	"	"	"	23.8.17 W. Drysdale.
69095	15	"	"	"	57.0.8	"	"	"	31.8.20 "
61699	15 1/2	"	"	"	57.2.20	"	"	"	31.8.17 H. Green.
61668	14 5/8	"	"	"	57.1.16	"	"	"	23.8.17 W. Drysdale.
61696	15 1/2	"	"	"	57.3.0	"	"	"	31.8.17 H. Green.
61690	15	"	"	"	56.1.18	"	"	"	31.8.17 "
61692	15	"	"	"	56.1.17	"	"	"	"
61700	15	"	"	"	59.1.28	"	"	"	"
61691	15 1/2	"	"	"	56.2.10	"	"	"	"
61694	15	"	"	"	56.3.3	"	"	"	"
61664	14 5/8	"	"	"	56.0.25	"	"	"	23.8.17 W. Drysdale.
61671	15	"	"	"	58.2.22	"	"	"	"
61685	attachment + open links	"	"	"	7.0.0	"	"	"	21.8.17 "
61686	"	"	"	"	7.0.2	"	"	"	21.8.17 "
TOTAL LENGTH	331 1/2	2 12/16	TOTAL WEIGHT 1273-2-7		1258-0-0	330	2 12/16		
61689	1 gain 7 shackles 2 3/4	"	"	"	1.3.18	"	"	"	23.8.17 W.D.
61688	" 2 3/4	"	"	"	1.3.16	"	"	"	"
65012	2 2nd shackles 1 1/2	40 10/20	58 14/20	1.0.0	"	"	"	"	31.8.17 H. G.



© 2020

Lloyd's Register
Foundation

005387-005396-0317 4