

With or Without Disconnected Erections.

STEEL STEAMER.

Received at London Office

Date of completion of report
Survey held at

State if Report is also sent on the Machinery of the Vessel

March 8/16.

Port of

Hull

Date, First Survey

June 14/16

Last Survey

No. 29149

March 4 - 1916

On the (State if Single, Twin or Triple Screw)

TONNAGE under

Tonnage Deck

Do. between Tonnage Dk. and 3rd and 4th Dk.

Total under Upper Dk.

Do. of Poop

Do. of R.Q.Dk.

Do. of Bridge House

Do. of Forecastle

Do. of Houses on Dk.

Do. of excess of Hatchways

Do. above Crown of

Engine Room

Gross Tonnage

Less Crew Space

Less above Crown of

Engine Room

TONNAGE FOR FEES

Less Engine Room

Less Navigation Spaces

282.20

20.73

1.18

7.21

311.31

311.31

129.80

10.40

161.91

136

8

23

45

137.0

23.5

12.35

13

0

7

ins.

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

one

CLASS 100A1

STEAM TRAWLER

Breadth (greatest moulded)

Depth, at middle of length from top of keel to top of upper deck beams at side

Transverse Number

Length on deck from fore part of stem to after part of stern post

Longitudinal Number

Depth "d," at middle of length (See Secs. 2 & 13)

Proportions—Depths to Length—Upper Deck Beam at side to top of keel

" " Long Bridge Deck Beam at side to top of keel

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

Master

Year of appointment

Built at

When built

By whom built

Owners

Managers

Residence

Port belonging to

5 Selby

1916

Cochrane & Sons Ltd

The Grimsby Victoria Steam Fishing Co Ltd

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

Grimsby

(1) As Master in service of owner of present vessel—191

(2) As Master of this vessel—191

191

1915

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 75 ft., Bridge ☒ ft., Forecastle 22 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 10K

Official No. ; Signal Letters State if Machinery is fitted aft Mach aft
How are the surfaces preserved from oxidation? Inside Cement & Paint Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors ☒

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		6
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
			(If necessary, furnish further information by sketch.)		
		Total capacity of double bottom			

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 2633

Date 29-4-15

No. 650 in builder's yard.

DATES OF SURVEYS
held while building

June 14, 25, 29, July 14, 16, 27, Aug 12, Sep 3, 9, 28, Oct 12, 15, 26, Dec 6, Mar 4.

Total No. of Visits 15

Surveyor's Signature

Matthew Blackwood

© 2020

Register
Foundation