

Lloyd's Register of Shipping.

SURVEYS FOR FREEBOARD.

Index No. _____
(For London Office only.)

Computation of Freeboard for Steamer, Sailing Ship, Tanker

having _____

Port of Survey _____

(Type of Superstructures.)

Date of Survey 3. 2. 36

Ship's Name

Nationality and Port of Registry

Official Number

Gross Tonnage

Date of Build

Hkuna.

Name of Surveyor _____

Moulded Dimensions: Length 193.00 Breadth 31.10 Depth 23.29 15.79 assumed

Moulded displacement at moulded draught = 85 per cent. of moulded depth _____ tons

Coefficient of fineness for use with Tables below .68

Particulars of Classification _____

Depth for Freeboard (D)

Depth correction

Round of Beam correction

Moulded depth 15.79

Stringer plate02

Sheathing on exposed deck

$$T \left(\frac{L-S}{L} \right) =$$

Depth for Freeboard (D) = 15.81

(a) Where D is greater than Table depth 2.94
(D-Table depth) R = $(15.81 - 12.87) \times 1.485$
= + 4.36"

(b) Where D is less than Table depth (if allowed)
(Table depth-D) R = ✓

If restricted by superstructures ✓

Moulded Breadth (B) 31.10
Standard Round of Beam = $\frac{B \times 12}{50} = \frac{31.10 \times 12}{50} = 7.46"$
Ship's Round of Beam = Assumed Standard
Difference Excess .04"
Restricted to _____
Correction = $\frac{\text{Diff}}{4} \times \left(1 - \frac{S_1}{L} \right) = \frac{.04}{4} (1-1) = \text{Nil}$

DEDUCTION FOR SUPERSTRUCTURES.

| | Mean Covered Length (S) | Equivalent Enclosed Length (S ₁) | Height | Height Correction | Effective Length (E) |
|----------------------------|-------------------------|--|--------|-------------------|----------------------|
| Poop enclosed | | | | | |
| " overhang | | | | | |
| R.Q.D. enclosed | | | | | |
| " overhang | | | | | |
| Bridge enclosed... .. | | | | | |
| " overhang aft | | | | | |
| " overhang forward | | | | | |
| F'cle enclosed | | | | | |
| " overhang | | | | | |
| Trunk aft | | | | | |
| " forward | | | | | |
| Tonnage opening aft | | | | | |
| " " forward | | | | | |
| Total | | | | | |

Standard Height of Superstructure 6.00

" " R.Q.D. ✓

Deduction for complete superstructure 25.30

Percentage covered $\frac{S}{L} =$
" " $\frac{S_1}{L} =$
" " $\frac{E}{L} =$ } C.S.S.

Percentage from Table, Line A.
(corrected for absence of forecastle (if required))

Percentage from Table, Line B.
(corrected for absence of forecastle (if required))

Interpolation for bridge less than 2L (if required)

Deduction = - 25.30

SHEER CORRECTION.

| Station | Standard Ordinate | S M | Product | Actual Ordinate | Effective Ordinate | S M | Product |
|--------------------|-------------------|-----|---------|-----------------|--------------------|-----|---------|
| A.P. | | 1 | | <u>+18"</u> | | 1 | |
| L from A.P. | | 4 | | | | 4 | |
| L " | | 2 | | | | 2 | |
| Amidships | | 4 | | | | 4 | |
| L from F.P. | | 2 | | | | 2 | |
| L " | | 4 | | | | 4 | |
| F.P. | | 1 | | | | 1 | |
| Total | | | | <u>+18"</u> | | | |

Mean actual sheer aft =
Mean standard sheer aft =

Mean actual sheer forward =
Mean standard sheer forward =

Length of enclosed superstructure forward of amidships =
L

" " aft of " =

Correction = $\frac{\text{Difference between sums of products}}{18} \left(.75 - \frac{S}{2L} \right) = -1.50"$

If limited on account of midship superstructure. ✓

If limited to maximum allowance of 1½ ins. per 100 ft. ✓

Deduction for Tropical Freeboard.

Addition for Winter and Winter North Atlantic Freeboard.

Depth to Freeboard Deck = 15.81

Summer freeboard = + .04

Moulded draught (d) = 15.52

Deduction for Tropical freeboard and addition for

Winter freeboard = $\frac{d}{4}$ inches = 3.96 = 4

Addition for Winter North Atlantic Freeboard (if required) =

Deduction for Fresh Water.

Displacement in salt water at summer load water line

Tons per inch immersion at summer load water line

T =

Deduction = $\frac{\Delta}{40 T}$ inches =

TABULAR FREEBOARD corrected for Flush Deck (if required)

Correction for coefficient

Depth Correction 4.36

Deduction for superstructures - 25.30

Sheer correction - 1.50

Round of Beam correction... .. -

Correction for Thickness of Deck amidships -

Other corrections, scantlings, etc. -

| + | - |
|------|-------|
| 4.36 | - |
| - | 25.30 |
| - | 1.50 |
| - | - |
| - | - |
| 4.36 | 26.80 |

Summer Freeboard = - .53

SUMMER FREEBOARD amidships from Centre of Disc to top of Deck Line, Wood, Steel, Deck: -

| | |
|---|--|
| Tropical Fresh Water Line above Centre of Disc | |
| Fresh Water Line " " | |
| Tropical Line " " | |
| Winter Line below " " | |
| Winter North Atlantic Line " " | |

| | |
|---------------------------------------|--|
| Tropical Fresh Water Freeboard | |
| Fresh Water " " | |
| Tropical " " | |
| Winter " " | |
| Winter North Atlantic " " | |