

</

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 29.12 ft., R.O.D. ☒ ft., Bridge 106.25 ft., Forecastle 33.08 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated not joined.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 1 Deck (iron) (pl. on + pl. steel), in all 25.2 ft.
 Official No. _____; Signal Letters J.D.V.T. State if Machinery is fitted aft No
 How are the surfaces preserved from oxidation? Inside Paint & cement Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors cellular

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>116-10 1/2</u>	<u>309</u>	Fore peak tank,	<u>20.6</u>	<u>99</u>
Double bottom, under Engine and Boilers,	<u>-</u>	<u>-</u>	After peak tank,	<u>22.9</u>	<u>151</u>
Double bottom, if under Engines only,	<u>21.3</u>	<u>73</u>	Deep tank, aft,		
Double bottom, if under Boilers only,	<u>19.1 1/2</u>	<u>66</u>	Deep tank, forward,		
Double bottom, forward,	<u>159-4 1/2</u>	<u>451</u>	Other tanks, if fitted,		
Total capacity of double bottom		<u>899</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. yes.

Order for Special Survey No. 5082

Date 28.2.13

No. 280 in builder's yard.

DATES of Surveys held while building

1913 Apr. 9. 14 May 8. 16. 22. 23. 26 Jun 6. 30 Jul 3. 9. 17. 21. 23. 25. Aug 16. 8. 13. 14
19. 20. Sept. 2. 4. 5. 9. 16. 17. 18. 19. 22. 24. Oct. 3. 6. 9. 16. 21. 22. 24. 27. 29. 31
Nov. 4. 5. 6. 10. 12. 17. 26. 28. Dec. 3. 4. 10 Jan 15. 19. 22. 28. Feb 4. 6. 12. 16. 19

Surveyor's Signature

H.A. Brydon.

© 2021

Lloyd's Register Foundation