

WEB FRAMES. WEB-FRAMES, In Fore Body, No. and spacing. WEB-FRAMES, In E. & B. Space, No. and spacing. WEB-FRAMES, In After Body, No. and spacing. BULKHEADS. W.T. BULKHEADS. COLLISION PARTITION. LONGITUDINAL. PLATING. STRAKES. RIVETING. BUTTS.

FRAMES extend in one length from. REVERSED FRAMES on floors and frames extend from. MASTS, SPARS, &c. LOWER MASTS. Topmasts, Yards and Remainder of Spars. Rigging, Material and Size, Shrouds. Sails.

EQUIPMENT NO. LETTER ANCHORS. TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS. Particulars of Drop Test of Cast Steel Anchors, viz.:- Weight, Surveyor's Initials, Number of Certificate, Date of Test.

CHAIN CABLES. HAWSERS AND WARPS. Number of Certificate. Length and size supplied. Test per Certificate. Weight of Chain Cable. Length and size per Table 31. Description. Makers of Cables. Where and when tested, and Superintendent. Material. Length and size supplied. Breaking Test of Steel Wire. Length and size per Table 31.

Boats. Steering Gear, Steam. Steering Gear, Hand. Windlass. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers, and numbers and dimensions of Freeing Ports, &c. Ceiling in Holds, thickness and material. Cargo Hatchways. State size No. 1 Hatch (Forward). No. 2 Hatch. No. 3 Hatch. No. 4 Hatch. Bulwarks, height above deck and description. The foregoing is a correct description. Builder's Signature (three only). Correspondence. Workmanship. Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? to plate, &c., conform well to each other? from the faying surfaces? Are the butts of Plating, Stringers, &c., properly shifted and strapped? Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)? Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)? General Remarks (State quality of workmanship, &c.). This vessel has been built in accordance with the plans circulated by the Ailsa Shipbuilding Coy.

A copy of the midship section and 2 forging certificates enclosed herewith. This vessel is a sister ship to the T.S.S. "Newark" the T.S.S. "Nailsea", and the T.S.S. "Weybourne", the same builders No. 321.2.3 (see also Repts No. 38215, 38374, and 38897).

The Surveyor should state the Number of Report and Name of any Sister Vessel. Plans to be forwarded with F.E. Report showing vessel as built. The amount of Entry Fee. Special Survey Fee. Travelling Expenses, if any. State whether the Vessel has been built under Special Survey. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. For Government Service. 9. 19. Lloyd's a/c. + L.M.C. 9. 19. 7D.

George Nicol. Surveyor to Lloyd's Register of Shipping. 23 SEP 1919. 006067-006079-614712/2101.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., ~~R.O.P.~~ ft., Bridge ☒ ft., Forecastle ☒ ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) 2 Sts (Stl) — State if Machinery is fitted aft no

Official No. ☒ ; Signal Letters _____ How are the surfaces preserved from oxidation? Inside Paint, Bituminastic & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cellular

| Where Fitted. | *Length. Feet. | Water Capacity. Tons. | Where Fitted. | *Length. Feet. | Water Capacity. Tons. |
|--|-------------------|--------------------------|--|-------------------|--------------------------|
| Double bottom, aft, | | | Fore peak tank, | 10.5 | 5.5 |
| Double bottom, under Engines and Boilers, | | | After peak tank, | 13.6 | 20.0 |
| Double bottom, if under Engines only, | | | Deep tank, aft, | 16.0 | 33.0 |
| Double bottom, if under Boilers only, | | | Deep tank, forward, | 8.0 | 11.0 |
| Double bottom, forward, <u>Reserve feed tank</u> | 12.0 | 15.8 | Other tanks, if fitted, | | |
| Total capacity of double bottom | | | (If necessary, furnish further information by sketch.) | | |

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. yes

Order for Special Survey No. 5146

Date 26.3.18

No. 324 in builder's yard.

DATES of Surveys held while building

1914 Dec 13-1918 Feb 12-22 May 30 June 4.11.13.24 Aug 1.6.7.9.14.16-20. Sept 5.11.12.17. Oct 1.7.14.17.25.29. Nov 6.11.7.15.18.22 Dec 4.6.9.11.16.23.24.27. 1919 Jan 9.13.15.16.28. Feb 1.4.11.18. May 28. June 23. July 10.30 Aug 7.8.12.15.18. 20.21.26.28. 29. Sept 9.

Total No. of Visits _____

Surveyor's Signature

George Nicol Register Foundation