

Form No. 1A. WEB FRAMES. FORGINGS OR CASTINGS. BULKHEADS. COLLISION PARTITION LONGITUDINAL. PLATING. STRAKES. RIVETING. BUTTS. EDGES. THICKNESS OF SHEERSTRAKE. POOP SIDES. FORECASTLE SIDES. FRAMES. REVERSED FRAMES. MASTS, SPARS, &c. LOWER MASTS. Bowsprit. Topmasts, Yards and Remainder of Spars. Rigging, Material and Size, Shrouds, etc. Sails.

EQUIPMENT No. 7931. LETTER 2. ANCHORS. TONNAGE U.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSEERS AND WARPS. Boats. Steering Gear, Steam. Steering Gear, Hand. Pumps, Number. Windlass. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds. Cargo Hatchways. State size No. 1 Hatch. Number of Web Plates. Bulwarks. Correspondence. Workmanship. Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? Are the butts of plating, Stringers, &c. properly shifted and strapped? Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)? Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)? General Remarks. This Vessel has been built in accordance with the approved Plans & Sec's letters of the above date and is in general conformity with the Rules for the Class contemplated. This Vessel is a Sister Vessel to the S.S. "Allerton" the same Builder's No. 230. 5 Approved plans and 1 Loging report enclosed herewith also 1 copy of Bridship Section for filing with report. Please return approved plans after noting for dealing with Sister Vessel. The Surveyor should state the Number of Report and Name of any Sister Vessel. The amount of Entry Fee. Special Survey Fee. Travelling Expenses, if any. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. 2.14. Lloyd's acc'd. + L.M.C. 2.14.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 95.83 ft., Bridge 9.17 ft., Forecastle 31.5 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated *Raised Q^r D^r joined to Bridge*

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) *One D^r Steel*
Official No. *135551*; Signal Letters _____ State if Machinery is fitted aft *Yes*
How are the surfaces preserved from oxidation? Inside *Cement Paint* Outside *Paint*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors _____

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<input checked="" type="checkbox"/>		Fore peak tank,		<i>51</i>
Double bottom, under Engines and Boilers,	<input checked="" type="checkbox"/>		After peak tank,		<i>44</i>
Double bottom, if under Engines only,	<input checked="" type="checkbox"/>		Deep tank, aft,		
Double bottom, if under Boilers only,	<input checked="" type="checkbox"/>		Deep tank, forward,		
Double bottom, forward,	<i>95' 4"</i>	<i>137</i>	Other tanks, if fitted,		
	Total capacity of double bottom	<i>137</i>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules *Yes*

Order for Special Survey No. *4745*

Date *21. 5. 13.*

No. *231* in builder's yard.

DATES of Surveys held while building

1913 Aug. 1. 7. 11. 26. 28. Sept 9. 16. 23. 24. Oct 1. 3. 7. 9. 14. 16. 23. Nov. 4. 7. 11. 13. 17. 19. 21. 25. 27. Dec. 1. 3. 9. 12. 17. 19. 23. 26. 1914 Jan. 8. 12. 14. 20. 27. 28. Feb. 2. 6. 10. 12. 16. 19. 20.

Total No. of Visits *46.*

Surveyor's Signature

A. D. Cairns

Lloyd's Register Foundation