

Form No. 1A.

The Survivors are requested not to write on or below the Committee's Minute.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 38 ft., R.Q.D. ✓ ft., Bridge 121 ft., Forecastle 40 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given in the Register Book) 2 Dks (Steel)

Official No. ; Signal Letters

State if Machinery is fitted aft No.

How are the surfaces preserved from oxidation? Inside Cement & paint Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	126.5	355.2	Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,	24.75	97.4	Deep tank, aft,		
Double bottom, if under Boilers only, Dry tank	22.0		Deep tank, forward,		
Double bottom, forward,	176.75	543.5	Other tanks, if fitted,		
	Total capacity of double bottom	996.1	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No.

Date

No. 69 in builder's yard.

Dates of Surveys held while building

18.96 May. 4.10.12 June. 3.4.7.12.17.29 July. 2.6.14.22.28 Aug. 4.15.21.29 Sept. 9.23.30 Oct. 2.5.7.12.16.21.23.26.28.29 Nov. 9.13.14 Dec. 1917

Surveyor's Signature

Arthur H. Jones

Total No. of Visits 36

Lloyd's Register Foundation