

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle 34.5 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) One on steel

Official No. 143909; Signal Letters _____ State if Machinery is fitted aft Injins- Yes
How are the surfaces preserved from oxidation? Inside Paint & cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft, <u>Feed Tank</u>	<u>16.5</u>	<u>19</u>	Fore peak tank,	<u>11</u>	<u>26</u>
Double bottom, under Engines and Boilers,			After peak tank,	<u>11</u>	<u>38</u>
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
Total capacity of double bottom			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules Yes

Order for Special Survey No.

Date

No.

in builder's yard.

DATES of Surveys held while building

1918. Sep 14. Oct 11. Nov 5. 13. 20. 1919 Jan 9. 22. 29. Feb 12. Mar 11. Apr 9. May 5. 13. June 13. 24. 26. July 14. 22. Aug 7. 11. 28. Sep 1. Oct 15. 30. Nov 28. Dec 5. 10. 15. 1920 Jan 1. 14.

Total No. of Visits

32

Surveyor's Signature

W. H. Phillips & John A. Lawson

© 2021

Lloyd's Register Foundation