

Lucia
22496

23018

Lloyd's Register of British & Foreign Shipping.

SURVEYS FOR FREEBOARD.

PARTICULARS IN RESPECT OF STEAM SHIPS HAVING SPAR OR
AWNING DECKS.
 Port of Survey Trieste
 Date of Survey During Construction
 Name of Surveyor B. J. Ives

Ship's Name. <u>Belvedere</u>		Port of Registry and Nationality. <u>Trieste</u> <u>Austrian</u>	Official Number.	Gross Tonnage.	Date of Build. <u>1913</u>	Particulars of Classification. <u>100A1 Shelter deck with fbd.</u> <u>(Contemplated)</u>
Number in Register Book						
Registered dimensions from Ship's Register.	LENGTH.	BREADTH.	DEPTH.	UNDER DECK Tonnage.	Moulded Depth as measured <u>29'0"</u> Main Deck. <u>37'0"</u> Spar or Awning Deck.	
Length on LOADLINE	<u>418</u>	Frame Depth <u>10</u> Rule <u>6 1/2</u> <u>3 1/2</u> <u>58</u>	Ceiling <u>20</u> Sheer <u>1.03</u> Depth <u>26.42</u>	Peak Tanks <u>Extra height</u> <u>cell 103 in</u> <u>213 46</u>		
STED ONS.	<u>418</u>	<u>53.42</u>	<u>27.65</u>	<u>4746.83</u>		

NOTE.—If the
depth is measured
when vessel is
afloat, the details
of measurement
should be reported.

 efficient of fineness 76
 modification necessary
 [Para. 4 (a) to (e)] COMMON
 efficient as corrected 74

 allowance for strength in excess of Lloyd's rules = 38 1/4"

particulars—

steel constructed with deep built angle framing
 shelter deck of steel, with 3" wood sheathing
 upper & 2" of steel. All beams fitted to
 every frame at each deck.
 even watertight bulkheads, and one extra
 structural bulkhead to lower deck.
 collision bulkhead to shelter deck.
 one steel divisional transverse bulkheads
 shelter tween decks.
 to tonnage opening in shelter deck.

Gradual mean sheer 89.09
Standard
51.8
36/37.29
1.03

Sheer at Stem 122 } 88 1/2 at 1/4 length from Stem 68
 Sternpost... 55 } " " " Sternpost... 30 } 49
 Drop in Sheer abaft amidships..... none

Sound of Spar-deck Beam..... 13 1/2
 " " Main-deck " 13 1/2

	Length	Height.	State if open or closed at ends.
Forecastle			
Deck edge	<u>272.66</u>	<u>8.0</u>	<u>see sketch</u>
Top			

 FREEBOARD recommended amidships from centre of Disc to top of Statutory Deck Line, 1 3/4" above 3" sheathing on steel shelter

Line	Position	Amended Tables
Fresh Water Line	above centre of Disc	<u>6 1/2</u>
Indian Summer Line	" " "	<u>6 1/2</u>
Winter Line	below " "	<u>6 1/2</u>
Winter North Atlantic Line	" " "	<u>6 1/2</u>

NOTE.—All vessels equal in strength to Lloyd's Spar-decked rule, or which, although in excess of that rule, do not come up to Lloyd's requirements for Ships of full
 scantlings to the upper deck, are to be considered as Spar-decked Ships, the freeboard for which will vary with their strength.
 All vessels equal in strength to Lloyd's Awning-decked rule, or which, although in excess of that rule, do not come up to Lloyd's requirements for a Spar-
 decked Vessel, are to be considered as Awning-decked Ships, the freeboard for which will vary with their strength.

* If the frames, skin planking, or ceiling are of unusual thickness the breadth of vessel to inside of ceiling should be reported if possible.

CORRECTION FOR LENGTH:—
 Length of Ship on Load Line..... 418
 Length in Table 348
 Difference..... 70
 Correction for 10ft..... 7
 × Difference ÷ 10 = + 5

Height of 'Tween Decks..... 8'0"
 (From top of beam to top of beam at side)
 Correction for Height of 'Tween Decks in Spar-decked Ships..... ✓

Freeboard Table B or C 3-10 1/2"
 Correction for Length..... + 5
4-3 1/2"

Correction for Height of 'Tween Decks in Spar-decked Ships.....
 from top of 3" sheathing on shelter deck to } 7-1 1/2"
 top of rule wood main deck } 12-3
 Correction for Strength in excess of Lloyd's rules..... 3-2 1/2"
9-0 1/2"

Correction for Iron Deck if required.....
 Other Corrections (if any).....

Winter Freeboard..... 9-0 1/2"
 Summer Freeboard..... 8-6
 Indian Summer Freeboard..... 7-1 1/2"
 N. A. Winter Freeboard.....

Correction necessary because clearside amidships measured
 in accordance with the Statute is not taken at inter-
 section of the wood or iron deck with side 1 3/4"

Winter Freeboard from Deck Line 9-2 1/4"
 Summer " " " 8-7 3/4"
 Indian Summer " " " 8-1 1/4"

NO Winter
1 3/4" above 3" sheathing on steel shelter
Wood (Iron) Deck
8-7 1/2"
7
6 1/2
6 1/2

006903 - 006911 - 0158