

Rpt. 12. *urgent*

M. Wood.

29718

FREEBOARD VERIFICATION FORM FOR STEAMERS.

NEWPORT, MON.

(When received in London Office) TUE. JUL. 11 1922

Port

Vessel's Name *FRENSHAM* (*C.H. Walker No 241*)

Official No. *?* No. in Reg. Book

Port of Registry (For Foreign Vessels) ✓

Iron or Steel *Steel* State whether Classed by Lloyd's Register *Yes*

Name of Owners *C.H. Walker & Co. Ltd.* Date of Verification *26 June 1922*

31089 I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	<i>4</i> ft.	<i>3 1/2</i> ins.
From centre of disc to top of statutory deck line } at awning or part-awning deck }	<i>ft.</i>	<i>ins.</i>
Fresh water line above centre of disc		<i>3</i> ins.
Indian Summer line above centre of disc		<i>✓</i> ins.
Winter line below centre of disc		<i>1 1/2</i> ins.
Winter North Atlantic line below centre of disc		<i>✓</i> ins.
Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of wood or iron deck with the vessel's side	<i>at main spar or upper dk.</i>	<i>1 1/2</i> ins.
	<i>at awning or pt. awning dk.</i>	<i>✓</i> ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from ~~wood~~ or iron deck.

Plans and certificates to this office. Special No will be forwarded later

John B. Compton Surveyor.

(To be filled up in London Office.)

Statement No. *29718* Date of Committee's Minute

Particulars for Record in Register Book.	Moulded Depth	<i>12</i> ft.	<i>11</i> ins.
	Freeboard	<i>4</i> ft.	<i>3 1/2</i> ins.
	Corresponding Draught	<i>12</i> ft.	<i>6</i> ins.

Freeboards compared and found correct by *W.D.* date *14.7.22*

Is fee paid? Form for Certificate

Instructions date

Certificate written *14.7.22* Noted for posting



6200-5472100-62210