

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 110.5 ft., Bridge ☒ ft., Forecastle 21.8 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 1 Dk (Stl.)

Official No. ☒ ; Signal Letters

State if Machinery is fitted aft Yes. ☒

How are the surfaces preserved from oxidation? Inside Tanks, Bunkers & Chain Locker: Bitumastic Elsewhere: Lead Paint Outside Cement. Lead Paint & Webster's Compound to Light Line.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Fore peak tank,	17'-6"	45
Double bottom, under Engines and Boilers,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	After peak tank,	7'-10"	21
Double bottom, if under Engines only,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Deep tank, aft,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double bottom, if under Boilers only,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Deep tank, forward,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double bottom, forward,	113-4	201	Other tanks, if fitted,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Total capacity of double bottom		201	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Yes. ☒

Order for Special Survey No.

Secretary's letter
Date 13/1/19

No. 241 in builder's yard.

DATES of Surveys held while building

1919. Nov. 3, 4, 10.
1920. Jan. 7; Sept. 21, 28; Nov. 3, 29; Dec. 16.
1921. Jan. 6, 14, 17, 21, 25, 27. Feb. 1, 2, 9, 17. Mar. 1, 17.
1922. Jun. 15, 26. Jul. 7, 14, 27, 28.

Total No. of Visits 27

Surveyor's Signature

S.T. Bryden

© 2021

Lloyd's Register Foundation