

STEEL SAILING SHIP.

No. 8282.

Port of Copenhagen Date of completion of Report 28 June 1930 Received at London Office 2 JUL 1930
Survey held at Nakskov Date of First Survey 27 Jan'y 1930 Last Survey 18 June 1930
On the Steel Auxiliary Sloop 3 masted ship "DAR POMORZA" "COLBERT" Rig Full Rig

TONNAGE under
Tonnage Deck

Do. of Poop Vessel
Do. of raised Qr. to be
Deck... to be
Do. of Bridge House to be
Do. of Forecastle to be
Do. of Houses on Deck measured
Do. of excess of Hatchways in

Tonnage

Gross Space

AGE FOR FEES..

Navigation spaces

ster Tonnage

ut on Beam....

CLASS 100A1 (CONTEMPLATED)

FEET.

Breadth (greatest moulded)..... 41-0

Depth, at middle of length, from top of keel to top of

Upper Deck Beam, at side 24-0

Transverse Number

Length, between perps on construction water line 229-8

Longitudinal Number

Depth "d" at middle of length. (See Secs. 2 & 13.).....

Proportions, Depths to length, Upper Deck beam at

side to top of keel

Destined Voyage Gdynia If Surveyed while Building, Afloat, & in Dry Dock YesMaster K. MATYJEWICZ - MACIEJEWICZ

Year of Appointment

Built at HamburgWhen built 1909 Launched ✓By whom built Blohm & VossOwners Government of PolandManagers Merchant Marine DepartmentResidence PolandPort belonging to Gdynia

Length on deck

per rule.....

Feet. 229

Inches. 8

BREADTH—

Moulded

Feet. 41

Inches. 0

DEPTH—

Top of Floors to Upper Deck Beams ...

Feet. 21

Inches. 0 3/4

No. of Decks with Flat laid

No. of Tiers of Beams

3

3

Dimensions of Ship per Register, Length, ✓

breadth, ✓

depth, ✓

Moulded depth, ft. 24 in. 0

Round up of Beam 10 7/8 ins.

FORGINGS AND CASTINGS.

EL, Bar, depth and thickness.....

EM, moulding and thickness.....

ERN-POST, do. do.

ODER—A × D* Table 22

Main Piece, diameter at head

" " " heel

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

Inches in Ship.

Inches per Rule.

Or as Approved.

KEELSONS AND STRINGERS.

CENTRE LINE KEELSON, Vertical Plate above

Floors, Through Plate, or Intercoastal Plate

Intercoastal

Flat Keel Plate Angles

Horizontal Plates above floors

Angles or Bulb Angles

SIDE KEELSONS, Number One

Angles or Bulb Angles

Plate above floors for full lng.Intercoastal Plate for full lng.

Attached to outside Plating with Angle.

BILGE KEELSON, Angles or Bulb Angles

Plate above floors for full lng.Intercoastal Plates for full lng.

Attached to outside Plating with Angle.

SIDE STRINGERS, Number in way of 3rd st. in Bulkhead space

Angle

Intercoastal Plates for full lng.

Attached to outside Plating with Angle.

Upper Deck Stringer Plate, breadth and

thickness.....

Angle on ditto

Tie Plates, fore and aft, outside Hatchways

Diagonal Tie Plates, No. of Prs.

Main Dk. Iron or Steel for full len.Wood Deck, Material and thickness Leak

Second or Lower Deck Stringer Plate, breadth

and thickness.....

Is the Stringer Plate attached to the Outside Plating? Yes

Angles on ditto, No.

Tie Plates, outside Hatchways

Diagonal Tie Plates, No. of Prs.

Deck, Material and thickness P.P.

Third or Upper Deck Stringer Plate

Is the Stringer Plate attached to the Outside Plating? Yes

Angles on ditto, No.

Tie Plates, outside Hatchways full length

Poop Deck Stringer Plate, breadth & thickness

Angle on ditto

Tie Plates

Deck, Material and thickness Leak

Bridge Deck Stringer Plate, breadth & thickness

Angle on ditto

Tie Plates

Deck, Material and thickness

Forecastle Deck Stringer Plate, brdth & thkness

Angle on ditto

Tie Plates

Deck, Material and thickness Leak

* If Iron or Steel Deck, state if whole or part, and if wood deck is laid thereon.

BULKHEADS.

W. T. BULKHEADS

COLLISION

PARTITION

Are the outside Plates doubled two spaces of Frames in length? Yes

Number.

In Vessel.

Per Rule.

Thickness.

Horizontal.

Vertical.

Spacing

Single or Double Frames.

Height up.

5 to 4 ft

1 to 2 ft

upper 5 ft

007324-007333-0119 $\frac{1}{2}$

DAR POMORZA

Approved plans -

Midship Section

Profile

Motor Seating

Stern frame

Alterations to after End

Fore & Main Masts

Mizzen Mast & Bowsprit.

Mast Yards.

Certificates -

1 Stern frame

1. Interim Certificate

on Rigger Report.

t. 8.

RE

Date of writ

No. in
Reg. Book.

~~00710~~

TONN

GROSS

UNDER DE

NET

Surveye

WB=Ce

total ca

N.B.—

if the

of the tank

girders, and

Last

(Periodical

cause of

on acco

and besi

replacem

the back

In damage

offered

REPAIRS.

Specia

All

perm

and

The

The

and

SUMMARY

Renew

Remov

Faired

PRESENT

Decks

Paulking of

Joamings

Beams & Fas

Outside Plati

breasthooks.

ransoms.

rames

verse Fram

ongitudinal

ransverses.

loors

eelsons

tringers.

mer Bottom

Gener

this

surve

A

urvey Fee

pecial Dam

(per s

avelling E

cond Surv

omm

thara



© 2021

Lloyd's Register
Foundation