

Form No. 1B. WEB FRAMES. FORGINGS OR CASTINGS. BULKHEADS. STIFFENERS. COLLISION PARTITION. LONGITUDINAL. PLATING. RIVETING. AWNING OR SHELTER DECK STRINGER PLATE. UPPER DECK STRINGER PLATE. FRAMES. REVERSED FRAMES. MASTS, SPARS, &c. LOWER MASTS. BOWSPRIT. TOPMASTS, YARDS AND REMAINDER OF SPARS. RIGGING, MATERIAL AND SIZE, SHROUDS. SAILS.

EQUIPMENT No. 3255. LETTER A. ANCHORS. CHAIN CABLES. HAWSERS AND WARPS. Boats. Pumps. Windlass. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds. Cargo Hatchways. Bulwarks. Correspondence. Workmanship. General Remarks. The amount of Entry Fee. Special Survey Fee. Travelling Expenses. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. Lloyd's Register Foundation.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☐ ft., Bridge ☒ ft., Forecastle ☒ ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) 2 decks (steel) and shelter deck (steel) 3 tiers of beams.

Official No. _____; Signal Letters _____

State if Machinery is fitted aft no.

How are the surfaces preserved from oxidation? Inside Cement and Paint.

Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft, <u>no 6 tank 65'-0" = 111 tons.</u>					
Double bottom, <u>no 5 tank 73'-8" = 288 tons.</u>	138'-8"	399.	Fore peak tank,	22.	418.
Double bottom, under Engines and Boilers, <u>no 4 tank</u>	29'-10"	118.	After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		73.9.
Double bottom, <u>no 3 = 52'-0" = 225 tons.</u>	4'-6"	82.	Deep tank, forward,		
Double bottom, <u>no 2 = 62'-10" = 255 "</u>	184'-2"	625.	Other tanks, if fitted,		
Double bottom, forward, <u>no 1 = 69'-4" = 145 "</u>			(If necessary, furnish further information by sketch.)		
Total capacity of double bottom			722.4.		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules.

Yes.

Order for Special Survey No. _____

Date 11.

No. _____ in builder's yard.

DATES OF SURVEYS held while building

27th Sept. 2nd, 15th 18th, 25th October, 12th, 26th 24th, 27th December 8th, 11th 15th, 20th 31st January 4th, 8th, 15th, 20th, 25th February & 7th March

Surveyor's Signature

R. P. Bate

Total No. of Visits 20

© 2020

Lloyd's Register Foundation