

GENERAL REMARKS--

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle ☒ ft. (in feet and tenths). When the Poop is joined to the R.D., this should be distinctly stated.

No. and Material of Decks and No. of tiers of Beams (this information is to be given as it should appear in the Register Book). *One deck.*

Official No. *16080*; Signal Letters ☒ State if Machinery is fitted aft. *None*

If bottom of Vessel has been coated with any waterproofing material, paint, or other composition, give particulars *Paint*

PARATICALS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system.

Where Fitted	Length Feet.	Water Capacity Tons.	Where Fitted	Length Feet.	Water Capacity Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
Total capacity of double bottom			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Order for Special Survey No.

Date

No. in builder's yard.

DATES OF SURVEYS held while building

1943: Jan 25. Mar 15-30. Apr 9. 21. May 12. 27. June 11. 23. 25. July 8. 14. 16. 19. 26. Aug 5. 6. 13. 19. 26

Surveyor's Signature *J. M. L. L.*

Total No. of Visits *20*

© 2020

Lloyd's Register Foundation