

# Lloyd's Register of Shipping,

(MEIKAI BUILDING)

32, AKASHI-MACHI,

KOBE, 25th. March 1930.

Cert. No. 2443.

This is to Certify that at the request

of Messrs. The Kobe Steel Works Ltd., Kobe.

the Open Hearth Steel ~~Forgings~~ Castings named below <sup>was</sup> ~~was~~ examined and tested at their works on 19th. Dec. 1929 to 15th. March 1930 (4 visits)

and found to be as far as could be ascertained, sound and free from defect.

One (1) C.S. Shaft Bracket (Spectacle Frame)

Examined in rough Machined Condition.

Drop tests: Dropped from a height of 8 feet on to the Hard ground, then suspended and hammered without indication of defect.

Test Mark	Tenacity Tons/sq in	Elongation % in 2"	Bend 1" x 1/4" x 120°
B 3399A	29	32	Good.
S 309 A	29.3	29	"

This Shaft Bracket is intended for Mitsubishi Zosen Kaisha

Ship Nos. 471 or 474 and <sup>has</sup> ~~has~~ been stamped as follows:-

Yen 70.00

Expenses " 1.00


B3399A & S309A  
LLOYDS  
No. 2443  
15-3-30  
A.W. L.R.

*W. Morrison for G. Watt*

Surveyor to Lloyd's Register.

Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:—  
While the Committee use their best endeavours to ensure that the functions of the Society are properly executed, it is to be  
understood that neither the Committee nor the Society are under any circumstances whatever to be held responsible for any inaccuracy  
in any report or certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the  
Society or for any error of judgment, default, or negligence of the Surveyors, other Officers or Agents of the Society."

PR 18 1930



Lloyd's Register  
Foundation

007677-007687-0197



Lloyd's Register of Shipping

(MEIKAI BUILDING)

32, AKASHI-MACHU

KOBE, 25th March 1930.

This is to Certify that at the request

Messrs. The Kobe Steel Works Ltd., Kobe.

Open Hearth Steel Castings named below were examined and found to be as far as could be ascertained, sound and free from defect.

One (1) C.S. Sheet Bracket (Spectacle frame)

Examined in rough machined condition.

Dropped from a height of 8 feet on to the hard ground, then unsuspended and hammered without indication of defect.


Test Mark	Tensile in Tons in	Elongation % in 2"	Remarks
B 3829A	29	28	Good.
S 302 A	29.3	29	"

This Sheet Bracket is intended for use in the construction of the ship hull and has been stamped as follows:-

B3829A & 3802A  
LLOYD'S  
No. 2443  
18-3-30  
A.W.L.R.

Surveyor to Lloyd's Register

is issued upon the terms of the Rules and Regulations of the Society which provide that:-  
The Committee use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood that neither the Committee nor the Society are under any circumstances whatever to be held responsible for any inaccuracy or error in the information supplied to the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society.



Lloyd's Register Foundation