

LIST OF SPARE GEAR.

HULL No. 629.

M/V "PAZ II"

ENGINE No. 50028.

Working cylinder cover complete with all valves, valve seats, springs etc. fitted to it.

One complete set of valves, valve seats, springs etc. for main engine.

One piston complete with rings etc.

- 1 Worm wheel P4K-C 104
- 1 " " " " 106
- 2 " " " " 105
- 2 Working cyl. bottom end bolts & nuts.
- 2 Top end bearing bolts & nuts.
- 4 Main bearing bolts & nuts.
- 2 Man. bottom end bearing bolts & nuts.
- 6 Coupling bolts & nuts.
- 6 Coupling bolts & nuts for intermediate shaft.
- 6 " " " " between cam shaft & crank shaft.
- 2 Piston rings for L.P. piston.
- 9 Soldering rings.
- 8 Nuts.
- 8 Packings.
- 1 Flange.
- 1 Suction valve for fuel pump.
- 1 Seat for fuel pump.
- 1 Spring for suction valve.
- 1 Regulating pin.
- 1 Packing box for Regulating pin.
- 1 Gland for do.
- 1 Guide piston.
- 1 Key for guide piston.
- 1 Spring for guide piston.
- 1 Plunger for fuel pump.
- 1 Link for regulating pin.
- 1 Cross head.
- 1 Pin for cross head.
- 2 Pins for link to regulating pin.
- 1 Regulating shaft.
- 1 Eccentric strap for fuel pump.
- 1 Cover for do.
- 2 Screws & nuts for do.
- 1 Suction valve for hand air pump.
- 1 Delivery " " " " " ST-F 200
- 1 " " " " " " " 252
- 1 Spring for hand air pump delivery valve.
- 1 Spring for hand air pump suction

153 Assorted bolts, screws & nuts of sizes 1/8" to 1,3/8".

Lengths of pipes suitable for the fuel delivery and the blast pipes to the cylinders, and the air delivery from the compressors to the receivers, with unions and flanges suitable for each.



© 2020

Lloyd's Register  
Foundation

007846-007856-0143/3

4 ft.

not give

Water Capac

Tons.

33  
20

a 2,

Visits

39

15 1144

- 4 Fuel valve needles.
- 4 Pressure nuts for same.
- 2 Fuel needle linings.
- 1 Atomizer.
- 4 Sprayers.
- 4 Sprayer nuts.
- 1 Needle box.
- 4 Needle glands.
- 3 Suction and delivery valves for the low pressure compressor.
- 2 " " " " " " " "high " "
- 2 " " " " " " " " cylinder jacket cooling pump.
- 2 Washers for same.
- 1 Suction valve for the fuel oil pump.
- 1 Delivery " " " " " " " "
- 2 Valves for the waste oil pump.
- 1 Exhaust valve in working cylinder cover.
- 1 Safety valve on the injection air receiver.
- 1 " " " " " air cooler.
- 1 Safety " " " " working cylinder cover.
- 1 Metal cone for the injection air receiver valve.
- 10 Ebonite cones for the smaller air valve.
- 2 Ebonite cones for the starting air receiver.
- 5 Piston rings for the working piston.
- 1 " " " " " man "
- 2 " " " " " low pressure air pump.
- 6 Piston rings for high pressure air pump.
- 1 Piston rings for reversing slide.
- 1 Screw for high pressure air piston.
- 2 Pipes for gudgeon pin lubrication in working piston
- 1 " " " " " " " man "
- 2 Cap for ditto.
- 4 Washers for ditto.
- 1 Spring holder with pin.
- 4 Piston plugs.
- 1 Working piston bearing shell.
- 2 Glasses vessels for the fuel oil pump.
- 1 Glasses to lubrication apparatus.
- 1 Lubricating oil pump (complete)
- 1 Steel balls for same 1/4"
- " " " " " 3/8"
- 1 Membran for automatic air valves.
- 1 Metres inlet pipes.
- 1 Soldering rings for same.
- 1 Ratchet for turning gear arrangement.
- 1 Coupling pipe for compr./right/ P41 - F 401.
- " " " " " " " - F 402.
- " " " " " " " - F 403.
- " " " " " " " - F 404.


SPRINGS FOR:

- 1 Fuel valve needle.
- 2 High pressure air pump suction valve.
- " " " " " delivery valve.
- 1 Low pressure air pump suction valve.
- " " " " " delivery valve.
- 1 Water pump valves.

© 2020

Lloyd's Register  
Foundation

007846.007856.0143 2/3



33  
20

2,8,1

of Visits 39

SPRINGS FOR:

- 2 Fuel oil pump suction valves.
- 2 " " " delivery valves.
- 1 " " " regulating pin.
- 2 Waste oil pump valves.
- 6 Lubricating oil pump.
- 3 " " " "
- 1 Shut off air valve.
- 1 Drain valve.
- 1 Starting air valve.
- 2 Unloading valve.
- 1 Air suction valve.
- 1 The safety valve of the water pump.
- 1 Safety valve of the air cooler.
- 1 " " " " starting air receivers.
- 1 " " " " injection " "
- 1 " " " " working cylinder covers.
- 2 The gudgeon pin lubricating in the working piston.

PACKING RINGS FOR:

- 2 Working cylinder cover.
- 2 High pressure cover.
- 4 " " valve cover.
- 4 " " seats.
- 6 Low " " covers.
- 6 " " seats.
- 12 Injection air pipings.
- 20 Fuel pressure pipings.
- 24 Inlet of cooling water to the working cylinder cover.
- 4 High pressure cover.
- 8 Bolts of the high pressure cover.
- 2 Suction valve seat of the water pump.
- 2 Delivery valve seat of the water pump.
- 2 Pressure bell of the water pump.
- 20 Lubricating oil pipes.
- 1 mat. Ekonoon packing.
- 1 " Talk.
- 1 Chime for the working connection rod.
- 5 " " " man " "



© 2020

Lloyd's Register  
Foundation

007846 - 007856 - 0143 3/3