

With ~~or Without~~
Disconnected Erections.

STEEL STEAMER.

Received at London Office

WED. JUN. 30 1920

Date of completion of report 26th June 1920
Survey held at Greenock Date, F

Port of *Greenock*

No. 17670

Date, First Survey *24 June 1919*

Last Survey

25th June

1920

On the (State if Single, Twin, or Triple Screw)

Steel Single Screw Steamer "MONT AGEL"

Rig Schooner

TONNAGE under 4089.

93 CLASS + 100 A1

FEET.

Master Eugene Gadairis

Year of appointment

(1) As Master in service of owner of present vessel:—19
(2) As Master of this vessel:—19 20

Built at *Greenock*

When built 1920 Launched 29th April 1920

By whom built *The Gunrock Dockyard C. L.*

Owners *Societe Generale de Transports
Maritimes à vapeur.*

Managers
(Where necessary to be entered in Reg. Book.)

Residence

Port belonging to Marsville

Destined Voyage

~~If Surveyed while Building & Afloat, or in Dry Dock~~

Des.	BREADTH—		Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams				Feet.	Inches.	No. of Decks with flat laid	Tiers		
	Moulded	52	0	Do.	do.	do.	do.	Second Dk. Beams	26	0 1/2		No. of Tiers of Beams	
					Moulded depth, ft.				36	ins.	0	To Bridge Dk.	Round of Upper	13 ins.
Length	277	breadth	52.2	depth	26.05	Moulded depth, ft.				28	ins.	6	To Upper Dk.	

	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches per Rule Or as	Inches per Rule Or as	Inches per Rule Or as	PILLARS.	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches per Rule Or as	Inches per Rule Or as	Inches per Rule Or as
Amidships	10	3 1/2	50	10	3 1/2	50	PILLARS In 'tween Deck, size and spacing	5 1/4	12 ft	5 1/4	12 ft		
Collis. 8 1/2	9	3 1/2	52	9	3 1/2	52	" " Hold	"	"	"	"		
ns at Solid Floors...	3 1/2	3 1/2	40	4	3 1/2	40	" Quarter 'tween Dks.,	4 1/4	12 ft	4 1/4	12 ft		
at Intermitt. Blks.	8	3 1/2	50	8	3 1/2	50	" " in Hold	5 1/2	"	5 1/2	"		
to centre amidships	36			36			KEELSONS & STRINGERS.						
from 3	27			27			CENTRE LINE KEELSON, Vertical Plate above						
Collision bulkhead	24			24			floors, Through Plate, or Intercostal Plate						
" in peaks..							Rider Plate						
to Riving, from 5	5	5	44	4 1/2	4 1/2	50	" Flat Plate Keel Angles						
ns at Solid Floors...							" Horizontal Plates on Floors						
at Intermitt. Blks.	8	3	44	8	3	44	" Angles or Bulb Angles						
	10 1/2	9		10 1/2	9		SIDE KEELSONS, Number						
ss of Floor Plate							" Angles or Bulb Angles						
ngth amidships...							" Plate above floors, for length...						
Boiler Spaces							" Intercostal Plate, for length						
vessel							" Attached to outside Plating with Angle...						
th, as per Rule							BILGE KEELSON, Angles						
Bilges							" Intercostal Plate for length						
ottoms...	44	50 in R.S.	44	50 in R.S.			" Attached to outside Plating with Angle...						
& bottom)...							SIDE STRINGERS, Number						
ts	72			72			" " Angle						
before 1/2 Len.	54			54			" Intercostal Plate, for length						
tom, dpth. & thckns.	42		50	42		50	" Attached to outside plating with Angle...						
IN BULKER SP	6	6	58	6	6	58							
op							Upper Deck Stringer Plate, br'dth & thickness						
ottom	6	6	58	6	6	58	(clear of Bridge)	62	64	59	64		
Floors	7	7	60	7	7	60	" " " " br'dth & thickness	62	64	59	64		
ring, width & thckns							" " " " (in way of Bridge)	5 x 5	68	5 x 5	68		
ch side & thickness	One		38	One		38	" " " " Angle (clear of Bridge)						
ed (top and bottom)							" Tie Plate at sides of Hatchways						
and bottom)	3 1/2	3 1/2	40	3 1/2	3 1/2	40	" Deck * Iron or Steel, for full lng.						
Floors	3 1/2	3 1/2	40	3	3	40	" Thickness (clear of Bridge)						
clusive of flange)			50			50	" " " " (in way of Bridge)						
thckns. 100 A. 30.			54			54	" Wood Deck. Material & thickness						
Outside Plating	3 1/2	3 1/2	46	3 1/2	3 1/2	46	Second Deck Stringer Plate, br'dth & thickness	62	64	59	64		
Floors	3 1/2	3 1/2	40	3 1/2	3 1/2	40	" Angles on ditto, No. Two	3 1/2 x 3 1/2	46	3 1/2 x 3 1/2	46		
ring, width & thckns	6	6	50	6	6	50	" Tie Plates outside Hatchways	3 x 3	44	3 x 3	40		
ackets above at bilge			44			44	" Deck * Iron or Steel, for full lng.						
NG, breadth and							" Wood Deck. Material & thickness						
iddle Line Strake)	72		50	42		50	Third Deck Stringer Plate, br'dth & thickness						
ine and Boiler space	E. 48	A. 56	E. 48	A. 56		56	" Angles on ditto, No.						
nder in Holds			40			40	" Tie Plates, outside Hatchways						
ngle Angle, Bulb	Long. 7 x 3	40	7	3	40		" Deck * Material and thickness						
or Bulb, or Channel	NOTE 13 x 40	13			40		Fourth and Fifth Deck Stringer Plate, breadth & thickness						

* If Iron or Steel Deck, state if whole or part, and if Wood Deck is laid thereon.

WEB FRAMES.				FORGINGS or CASTINGS.			
Inches in Ship.				Inches per Rule.			
WEB-FRAMES, In Fore Body, No. and spacing				KEEL, Bar, depth and thickness			
" " " " brdth. & thickness				STEM, moulding and thickness			
" " " " No. of Side Stringers				STERN-POST for Rudder do. do.			
WEB-FRAMES, In E. & B. Space, No. & spacing				" " " " for Propeller			
" " " " brdth. & thickness				RUDDER-A&D* Table 22. Speed			
" " " " No. of Side Stringers				" Main-Piece, diameter at head			
" " " " Size of Face Angles to Web-Frames				" " " " at heel			
BRACKET PLATES to Stringers between				RUDDER, how constructed			
Web Frames, depth and thickness				" Thickness of Plates or Single Plate			
BULKHEADS.				Can the Rudder be unshipped afloat?			
Number, Thickness, STIFFENERS.				Manufacturer's name or trade mark of the Iron or Steel (state process of manufacture of Steel) used for Frames, Floors, Beams, Keelsons, Tie and Stringer			
W.T. BULKHEADS				Plates, Plating, &c. ?			
" COLLISION				Plates, Plating, &c. ?			
PARTITION				Has the Steel been tested as required by the Rules?			
LONGITUDINAL							
Are the outside Plates doubled two spaces of Frames in length?							
Are the Stairs Vales and Watertight Doors in efficient working order?							
PLATING.				RIVETING.			
AS IN SHIP.				EDGES.			
PER RULE OR AS APPROVED.				Ordinary or Joggled?			
STRAKES.				BUTTS.			
AMIDSHIP.				RIVETS.			
FORWARD.				STRAPS.			
AFT.				IF LAPPED.			
Breadth, Thickness.				Breadth, Thickness.			
Inches, Inches.				Inches, Inches.			
FLAT PLATE KEEL				Double			
GARBOARD OF A STRAKE				Single			
State actual thickness in way of Double Bottom.				Double			
B				Single			
C				Double			
D				Single			
E				Double			
F				Single			
G				Double			
H				Single			
J				Double			
K				Single			
L				Double			
M				Single			
N				Double			
O				Single			
P				Double			
Q				Single			
R				Double			
S				Single			
T				Double			
U				Single			
V				Double			
W				Single			
X				Double			
Y				Single			
Z				Double			
AA				Single			
AB				Double			
AC				Single			
AD				Double			
AE				Single			
AF				Double			
AG				Single			
AH				Double			
AI				Single			
AJ				Double			
AK				Single			
AL				Double			
AM				Single			
AN				Double			
AO				Single			
AP				Double			
AQ				Single			
AR				Double			
AS				Single			
AT				Double			
AU				Single			
AV				Double			
AW				Single			
AX				Double			
AY				Single			
AZ				Double			
BA				Single			
BB				Double			
BC				Single			
BD				Double			
BE				Single			
BF				Double			
BG				Single			
BH				Double			
BI				Single			
BJ				Double			
BK				Single			
BL				Double			
BM				Single			
BN				Double			
BO				Single			
BP				Double			
BQ				Single			
BR				Double			
BS				Single			
BT				Double			
BU				Single			
BV				Double			
BW				Single			
BX				Double			
BY				Single			
BZ				Double			
CA				Single			
CB				Double			
CC				Single			
CD				Double			
CE				Single			
CF				Double			
CG				Single			
CH				Double			
CI				Single			
CJ				Double			
CK				Single			
CL				Double			
CM				Single			
CN				Double			
CO				Single			
CP				Double			
CQ				Single			
CR				Double			
CS				Single			
CT				Double			
CU				Single			
CV				Double			
CW				Single			
CX				Double			
CY				Single			
CZ				Double			
DA				Single			
DB				Double			
DC				Single			
DD				Double			
DE				Single			
DF				Double			
DG				Single			
DH				Double			
DI				Single			
DJ				Double			
DK				Single			
DL				Double			
DM				Single			
DN				Double			
DO				Single			
DP				Double			
DQ				Single			
DR				Double			
DS				Single			
DT				Double			
DU				Single			
DV				Double			
DW				Single			
DX				Double			
DY				Single			
DZ				Double			
EA				Single			
EB				Double			
EC				Single			
ED				Double			
EE				Single			
EF				Double			
EG				Single			
EH				Double			
EI				Single			
EJ				Double			
EK				Single			
EL				Double			
EM				Single			
EN				Double			
EO				Single			
EP				Double			
EQ				Single			
ER				Double			
ES				Single			
ET				Double			
EU				Single			
EV				Double			
EW				Single			
EX				Double			
EY				Single			
EZ				Double			
FA				Single			
FB				Double			
FC				Single			
FD				Double			
FE				Single			
FF				Double			
FG				Single			
FH				Double			
FI				Single			
FJ				Double			
FK				Single			
FL				Double			
FM				Single			
FN				Double			
FO				Single			
FP				Double			
FQ				Single			
FR				Double			
FS				Single			
FT				Double			
FU				Single			
FV				Double			
FW				Single			
FX				Double			
FY				Single			
FZ				Double			
GA				Single			
GB				Double			
GC				Single			
GD				Double			
GE				Single			
GF				Double			
GG				Single			
GH				Double			
GI				Single			
GJ				Double			
GK				Single			
GL				Double			
GM				Single			
GN				Double			
GO				Single			
GP				Double			
GQ				Single			
GR				Double			
GS				Single			
GT				Double			
GU				Single			
GV				Double			
GW				Single			
GX				Double			
GY				Single			
GZ				Double			
HA				Single			
HB				Double			
HC				Single			
HD				Double			
HE				Single			
HF				Double			
HG				Single			
HH				Double			
HI				Single			
HJ				Double			
HK				Single			
HL				Double			
HM				Single			
HN				Double			
HO				Single			
HP				Double			
HQ				Single			
HR				Double			
HS				Single			
HT				Double			
HU				Single			
HV				Double			
HW				Single			
HX				Double			
HY				Single			
HZ				Double			
IA				Single			
IB				Double			
IC				Single			
ID				Double			
IE				Single			
IF				Double			
IG				Single			
IH				Double			
II				Single			
IJ				Double			
IK				Single			
IL				Double			
IM				Single			
IN				Double			
IO				Single			
IP				Double			
IQ				Single			
IR				Double			
IS				Single			
IT				Double			
IU				Single			
IV				Double			
IW				Single			
IX				Double			
IY				Single			
IZ				Double			
JA				Single			
JB				Double			
JC				Single			
JD				Double			
JE				Single			
JF				Double			
JG				Single			
JH				Double			
JI				Single			
JJ				Double			
JK				Single			
JL				Double			
JM				Single			
JN				Double			
JO				Single			
JP				Double			
JQ				Single			
JR				Double			
JS				Single			
JT				Double			
JU				Single			
JV				Double			
JW				Single			
JX				Double			
JY				Single			
JZ				Double			
KA				Single			
KB				Double			
KC				Single			
KD				Double			
KE				Single			
KF				Double			
KG				Single			
KH				Double			
KI				Single			
KJ				Double			
KK				Single			
KL				Double			
KM				Single			
KN				Double			
KO				Single			
KP				Double			
KQ				Single			
KR				Double			
KS				Single			
KT				Double			
KU				Single			
KV				Double			
KW				Single			
KX				Double			
KY				Single			
KZ				Double			
LA				Single			
LB				Double			
LC				Single			
LD				Double			
LE				Single			
LF				Double			
LG				Single			
LH				Double			
LI				Single			
LJ				Double			
LK				Single			
LL				Double			
LM				Single			
LN				Double			
LO				Single			
LP				Double			
LQ				Single			
LR				Double			
LS				Single			
LT				Double			
LU				Single			
LV				Double			
LW				Single			
LX				Double			
LY				Single			
LZ				Double			
MA				Single			
MB				Double			
MC				Single			
MD				Double			
ME				Single			
MF				Double			
MG				Single			
MH				Double			
MI				Single			
MJ				Double			
MK				Single			
ML				Double			
MM				Single			
MN				Double			
MO				Single			
MP				Double			
MQ				Single			
MR				Double			
MS				Single			
MT				Double			
MU				Single			
MV				Double			
MW				Single			
MX				Double			
MY				Single			
MZ				Double			
NA				Single			
NB				Double			
NC				Single			
ND				Double			
NE				Single			
NF				Double			
NG				Single			
NH				Double			
NI				Single			
NJ				Double			
NK				Single			
NL				Double			
NM				Single			
NN				Double			
NO				Single			
NP				Double			
NQ				Single			
NR				Double			
NS				Single			
NT				Double			
NU				Single			
NV				Double			
NW				Single			
NX				Double			
NY				Single			
NZ				Double			
OA				Single			
OB				Double			
OC				Single			
OD				Double			
OE				Single			
OF				Double			
OG				Single			
OH				Double			
OI				Single			
OJ				Double			
OK				Single			
OL				Double			
OM				Single			
ON				Double			
OO				Single			
OP				Double			
OQ				Single			
OR				Double			
OS				Single			
OT				Double			
OU				Single			
OV				Double			
OW				Single			
OX				Double			

GENERAL REMARKS—(continued).

[Faint, mostly illegible handwritten notes in the General Remarks section.]

PARTICULARS FOR RECORD in the REGISTER BOOK. Length of Poop 36.75 ft., R.Q.D. ft., Bridge 105 ft., Forecastle ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given in the Register Book) 2 Decks (S.H.)

Official No. ; Signal Letters State if Machinery is fitted aft No.

How are the surfaces preserved from oxidation? Inside Paint & part cement. Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cell

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>111</u>	<u>350</u>	Fore peak tank,	<u> </u>	<u> </u>
Double bottom, under Engines and Boilers,	<u> </u>	<u> </u>	After peak tank,	<u> </u>	<u> </u>
Double bottom, if under Engines only,	<u>24</u>	<u>111</u>	Deep tank, aft,	<u> </u>	<u> </u>
Double bottom, if under Boilers only, <u>Dry tank.</u>	<u>18</u>	<u> </u>	Deep tank, forward,	<u> </u>	<u> </u>
Double bottom, forward,	<u>171</u>	<u>641</u>	Other tanks, if fitted,	<u> </u>	<u> </u>
	Total capacity of double bottom	<u>1102.</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. yes!

Order for Special Survey No. 2982

Date 22nd April '19

No. 399 in builder's yard.

DATES OF SURVEYS held while building

1919. June 24. July 2. 21. 23. 24. 29. 30. Aug. 4. 5. 7. 13. 15. 19. 25. 26. 28. 29. Sept. 2. 5. 9. 11. 16. 17. 23. 29. Oct. 1. 10. 15. 17. 20. 21. 24. 27. 28. 30. 31. Nov. 4. 5. 11. 19. 21. 26. Dec. 1. 2. 3. 10. 12. 16. 17. 23. 30. Jan. 9. 12. 14. 1920. Feb. 28. 29. Mar. 4. 6. 16. 18. 19. 24. 26. 27. Mar. 2. 3. 4. 8. 9. 10. 11. 15. 17. 18. 22. 24. 29. Apr. 2. 6. 9. 13. 16. 26. 27. 29. May. 5. 6. 10. 14. 17. 20. 24. 27. 28. June 1. 4. 9. 14. 17. 18. 21. 24. 25.

Total No. of Visits

Surveyor's Signature J. S. Mares. H. L. Swin