

[illegible]

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 180 ft., R.Q.D. ☒ ft., Bridge 63 ft., Forecastle 260 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated *Poop is connected with bridge by a 16' wide*
x 7' 2" high steel trunk.

No. and Material of Decks (in Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it
should appear in the Register Book) *17 (etc)*
Official No. ☒ ; Signal Letters

How are the surfaces preserved from oxidation? Inside *Red oxide, cannot in bottom, lower peak* State if Machinery is fitted aft *no*
and bays. Outside *Red oxide to prevent oxidation.*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders or floors *cellular*

Where Fitted.		*Length.	Water Capacity.	Where Fitted.		*Length.	Water Capacity.
		Feet.	Tons.			Feet.	Tons.
Double bottom, aft,	69	59'0	109	Fore peak tank,			
Double bottom, under Engines and Boilers,	19	46'0	✓	After peak tank,			44
Double bottom, if under Engines only,		✓	66	Deep tank, aft,			59
Double bottom, if under Boilers only,		✓	189	Deep tank, forward,			✓
Double bottom, forward,	93	90'0	189	Other tanks, if fitted,			✓
		Total capacity of double bottom	364				✓

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. *yes.*

Order for Special Survey No.

Date *18th February 1916*

No. *123* in builder's yard.

DATES of Surveys held while building

29/5, 24/6, 10-21-27/8, 8-28/9, 8-26-30-19-20-21-26/10, 22-13-27-2-16-18-22/11, 7-19/12
8-12-14-19-24-26-27-28-29/1, 4-9/2 1916.

Surveyor's Signature

Joe v. Rosen

© 2021
Total No. of Visits *34*

Lloyd's Register
Foundation