


(LLOYDS REGISTER.)

G. R. 130
Lloyds Register

VESSELS OF 100 TONS AND UPWARDS.

These particulars are supplied by the Registrar General of Shipping and Seamen for the sole use of Lloyds Register of British and Foreign Shipping.



Signal Letters (if any)

Official Number.	Name of Ship.	No., Date, and Port of Registry.
139811	BEN HEILEM	29 / 1919. Aberdeen.

No., Date, and Port of Previous Registry (if any).				
Whether British or Foreign Built.	Whether a Sailing or Steam Ship; and if a Steam Ship how propelled.	Where Built.	When Built.	Name and Address of Builders.
British	Steam Ship Steam Screw	Aberdeen	1919.	Ball, Russell & Co. Ltd. Aberdeen.

Number of Decks	One	Length from fore part of stem, under the bowsprit, to the aft side of the head of the stern post	122	2
Number of Masts	Two	Length at quarter of depth from top of weather deck at side amidships to bottom of keel	121	38
Rigged	Sloop	Main breadth to outside of plank	22	2
Stern	Electric	Depth in hold from tonnage deck to ceiling at midships	12	35
Build	Steel	Depth in hold from upper deck to ceiling at midships, in the case of three decks and upwards	-	-
Galleries	none	Depth from top of beam amidships to top of keel	13	71
Head	none	Depth from top of deck at side amidships to bottom of keel	13	88
Framework and description of vessel	Steel Fishing Vessel	Round of beam	-	45
Number of Bulkheads	Steel	Length of engine room, if any	32	5
Number of water ballast tanks, and their capacity in tons	One 13.75 Tons			

PARTICULARS OF DISPLACEMENT.

Total to quarter the depth from weather deck at side amidships to bottom of keel	384 Tons.	Ditto per inch immersion at same depth	4.80 Tons.
--	-----------	--	------------

PARTICULARS OF PROPELLING ENGINES, &c. (if any).

No. of sets of engines.	Description of Engines.	Whether British or Foreign made.	When made.	Name and address of makers.	Reciprocating Engines.		Rotary Engines.	N. H. P. I. H. P. Speed of Ship.
					No. and Diameter of Cylinders in each set.	Length of Stroke.		
One	Inverted, direct acting, single expansion, condensing and	Engines.	Engines.	Engines.	Three	12"	24"	78 500
No. of shafts.	Particulars of Boilers.	Boilers.	Boilers.	Boilers.	20"	34"	-	10 1/2 knots.
One	Multitubular Number One Steel Loaded Pressure 150 lbs	British	1919.	Ball, Russell & Co. Ltd. Aberdeen				

PARTICULARS OF TONNAGE.

GROSS TONNAGE.		No of Tons.	DEDUCTIONS ALLOWED.		No. of Tons.
Under Tonnage Deck		221.05	On account of space required for propelling power		119.67
Space or spaces between Decks			On account of spaces occupied by Seamen or Apprentices, and appropriated to their use, and kept free from goods or stores of every kind, not being the personal property of the Crew		
Turret or Trunk			These spaces are the following, viz:—		
Forecastle					
Bridge space					
Poop or Break					
Side Houses					
Deck House		3.04			
Chart House					
Spaces for machinery, and light, and air, under Section 78 (2) of the Merchant Shipping Act, 1894			Deductions under Section 79 of the Merchant Shipping Act, 1894, and Section 54 of the Merchant Shipping Act, 1906, as follows:—		
Excess of Hatchways			Cubic Metres	Boiler room 3.50 Chart space 3.00	6.50
Gross Tonnage		224.09			
Deductions, as per Contra		126.17			
Registered Tonnage		97.92		Total	126.17

NOTE 1.—The tonnage of the engine room spaces below the Upper Deck is 68.72 tons, and the tonnage of the total spaces framed in above the Upper Deck for propelling machinery and for light and air is 10.60 tons.

NOTE 2.—The undermentioned spaces above the Upper Deck are not included in the cubical contents forming the ship's register tonnage.

nil


Name of Master William Marshall Bowling, Certificate of Service No. 05964 Competency No.

No. of Owners
Name, Residence, and Description of Managing Owner if there are more owners than one.
Richard Sevin and Sons Limited,
Fish Quay
North Shields, Northumberland.
Sister John Sevin.
(64)

Dated 3rd. September, 1919.

Bo (64091) Wt. 907/43 2000 4-19 W B & L

Date of Test Is a Safety Valve fitted to each Section of the Superheater which can be shut off from the Boiler
Is Easing Gear fitted



008186-008200-0137