

No. 2648.

FRI. 2-JAN. 1920

Port of Kobe Date of completion of Report Nov 18th 1919 State if Report is also sent on the Machinery of the Vessel Received at London Office

Survey held at Kobe Date, First Survey June 28th Last Survey Nov 6th 1919

On the (State if Single, Twin, or Triple Screw) Steel Single Screw Steamer "Tasmania Maru" Rig Two masts

TONNAGE under } 3612.56
Tonnage Deck... }

CLASS 100A Auburn De.

FEET.

Master R. Yoshimori

Do. between Tonnage Dk. and)
3rd, 4th, or Awning Dk.)

Breadth (*greatest moulded*) 18' 0"

Year of Appointment { (1) As Master in service of
owner of present vessel:—191
(2) As Master of this
vessel.....191

Total under Upper Dk. 3612.56

Depth, at middle of length from top of keel to top of beams at side of uppermost Continuous Deck } 30'.0

Built at Kobe

Do. of Poop.....
Do. of R. Qr. Dk.

Deduct ~~Height of~~ *tween deck when this does not exceed 8ft.*

When built 1919 Launched 8th Oct. 1919.

Do. of Bridge House 178.52

Transverse Number 70

By whom built. Kawasaki Dockyard Co. Ltd.

Do. of Forecastle	65.40
Do. of Houses on Deck	120.50

~~Transverse Number~~ 40

Owners Kanazaki Kisen Kabushiki

Do. of excess of Hatchways 32.33

Length on deck from fore part of stem to after part of } 34.5'

Managers

Do. above Crown of }
Engine Room .. }

Sternpost

(Where necessary to be entered in Reg. Book.)

Gross Tonnage 4,105.18
Less Gross Space 123.23

Longitudinal Number 24150

Residence Kobe

Less Crew Space 195.83
Less above Crown of)

Depth "d" at middle of length. See Secs. 2 & 13. . . . 18:2

Port belonging to Kobe

Engine Room .. }
TONNAGE FOR FREES

Proportions, Depths to Length, Uppermost Continuous } 11.5

TONNAGE FOR FEES... 1,313.66
Less Engine Room

Deck at side to top of keel)

Less Navigation Spaces	46.95
BALLAST TANKS	21.31

"	"	"	Upper Deck at side	16.05
---	---	---	--------------------	-------

Register Tonnage) 2623.10

to top of next)

Destined Voyage

If Surveyed while Building, Afloat, or in Dry Dock **Building**

[illegible]

GENERAL REMARKS—(continued).

te of writing B
p. in Surv
eg. Book.
on th
ster R. 9
gines made
ilers made
gistered Ho
n. Horse P
GINES,
of Cylin
he screw s
he propell
een the be
s are fitte
of Tunnel
r's 13 1/2
of Feed p
of Bilge p
of Donkey
ngine Ro
Bl. R
Bilge Inj
ll the bilge
ll connect
ey fixed s
ey each fir
pipes are
ll Pipes,
e Bilge
Screw S
ERS,
Heating
ng Pre
ch boiler
ler In
t distanc
s 15 1/2
In
Do

Breadth
Inches
45
66
"
"
"
60
"
"
"
45

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 29.3 ft., R.Q.D. ft., Bridge 73.5 ft., Forecasts
(in feet and tenths. When the Poop is joined to the R.D. this should be distinctly stated)
No. and Material of Deck (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be
should appear in the Register Book) 1 Deck (steel) + awning deck (steel)
Official No. 26167; Signal Letters R.S.J.K. State if Machinery is fitted aft No. Outside Paint
How are the surfaces preserved from oxidation? Inside Cement + Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cell

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.
Double bottom, aft,	102.1	240.1	Fore peak tank,	18.8
Double bottom, under Engines and Boilers,	44.9	147.6	After peak tank,	10.0
Double bottom, if under Engines only,	✓	✓	Deep tank, aft,	✓
Double bottom, if under Boilers only,	✓	✓	Deep tank, forward,	✓
Double bottom, forward,	147.0	390.6	Other tanks, if fitted,	✓
Total capacity of double bottom	778.3		(If necessary, furnish further information by sketch.)	Yes

* The wells are not to be included in the lengths of the tanks. 274

State whether the above have been tested as required by the Rules

Order for Special Survey No. 1919 June 28, 30; July 4, 9, 10, 16, 21, 25, 28, 29, 31; Aug. 5, 7, 12, 19, 22, 25, 26, 27, 30; Sept. 10, 13, 17; Oct. 1, 2, 7, 8, 22, 23, 24, 27, 28; Nov. 3, 6.
Date
No. 419 in builder's yard.
Surveyor's Signature a. Watt
Total No. of Vis