

# Lloyd's Register of Shipping,

(MEIKAI BUILDING)

32, AKASHI-MACHI,

KOBE, 2nd April 1930.

Cert. No. 2452.

This is to Certify that at the request of Messrs. Sumitomo Steel Works, Ltd., Osaka,

the Open Hearth Steel Forgings or Castings named below ~~were~~ examined and tested at their works on the 19th, 20th, 26th & 28th March 1930.

and found to be as far as could be ascertained, sound and free from defect.

Two Propeller Bosses. Weight 9.500 Kgs.

Examined in black condition.

Drop tests: Dropped from a height of 12 feet on to the ground then suspended and hammered without indication of defect.

Test Mark	Tenacity Tons/sq in	Elongation % in 2"	Bend 1" x 1" x 120°
BO 423 C	29.2	33	Good
BO 520 A	29.3	31	Good

These Castings are intended for Yokohama Dockyard

Ship No. 179 or 180 and ~~has~~ have been stamped as follows:-

Fee Yen }  
Expenses " } see debit note.

BO423C:BO520A.  
DROP TEST  
19-3-30:26-3-30  
LLOYD'S  
No. 2452  
Y.J. 20-3-30JR  
28-3-30

Y. Jo.  
Asst. Surveyor to Lloyd's Register.

This Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:-

"While the Committee use their best endeavours to ensure that the functions of the Society are properly executed, it is to be understood that neither the Committee nor the Society are under any circumstances whatever to be held responsible for any inaccuracy in any report or certificate issued by the Society or its Surveyors, or in any entry in the Register Book or other publication of the Society or for any error of judgment, default, or negligence of the Surveyors, other Officers or Agents of the Society."





3535, AKASHI-MACHII.

1930

Genl. No. 3475.

of Messrs. Sumitomo Steel Works, Ltd., Osaka.

2595

tested at their works on the 19th, 20th, 25th & 26th March 1930.

and found to be as far as could be ascertained, sound and free from defect.

Two Tropical Forests. Height 9-100 Yrs.

Drop tests: Stopped from a height of 12 feet on to the ground

then separated and hammered without intention of defect.

Test Mark	Tensile Strength in Tons	Elongation % in 2"	Bar Bend
BO 450 A	52.5	11	Good
BO 520 A	52.5	11	Good

These testings are intended for Yokohama Locks

and \_\_\_\_\_ has been stamped as follows: -

BO452C: BO250V.

DROP TEST

19-2-30: 56-2-20

LLOYD, B. M.

SEAS.OM

Y. L. S. - 3 - 10

58-2-20

resistant to decay & rot

is This Certificate is issued upon the terms of the Rules and Regulations of the Society, which provide that:—

\* The wells are not to be included in the lengths of the tanks.