

Rpt. 12.

Copy

# FREEBOARD VERIFICATION FORM FOR STEAMERS.

*Afloat, or in Dry Dock.*

Port

*(When received in London Office)*

Vessel's Name

*Caprera*

Official No.

No. in Reg. Book

Port of Registry *(For Foreign Vessels)*

*Trieste*

Iron or Steel

State whether Classed by Lloyd's Register

*Yes*

Name of Owners

Date of Verification *23.8.20*

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	1 ft.	10 1/2 ins.	<i>For all seasons</i>
From centre of disc to top of statutory deck line } at awning or part-awning deck . . . }	ft.	ins.	
Fresh water line above centre of disc . . .		3 ins.	
Indian Summer line above centre of disc . . .		ins.	
Winter line below centre of disc . . . . .		ins.	
Winter North Atlantic line below centre of disc		ins.	
Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of <del>wood or iron</del> deck with the vessel's side	at <del>main, spar or</del> upper dk.		1 ins.
	at awning or pt.-awning dk.		ins.

*steel*

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

*condition of class*

*S. M. Costantini*

Surveyor.

*(To be filled up in London Office.)*

Statement No.

Date of Committee's Minute

*26.5.20*

Particulars for Record in Register Book.

Moulded Depth . . . . .	13 ft.	3 ins.
Freeboard . . . . .	1 ft.	10 1/2 ins.
Corresponding Draught . . . . .	11 ft.	7 ins.

Freeboards compared and found correct by

date

Is fee paid?

Form for Certificate

Instructions

date

Certificate written

Noted for posting

2m,7,19.—T.



008938-008952

Vertical text on the right margin including 'laid', 's', 'Inches', 'er Rule', 'Or a', '2 1/8', '3 1/4', '4 3/8', '6', '3 1/4', '4 3/8', '2.54', '2.8', '3 1/4', '36', '36', '3 1/4', '32', '30', '28', '30'