

Form No. 1A. WEB FRAMES. FORGINGS or CASTINGS. BULKHEADS. PLATING. RIVETING. MASTS, SPARS, &c.

EQUIPMENT No. 31970. LETTER Z. ANCHORS. TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Correspondence. Workmanship. The Surveyor should state the Number of Report and Name of any Sister Vessel.

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 26.75 ft., R.Q.D. _____ ft., Bridge 103.5 ft., Forecastle 21.5 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated No _____

Official No. 214916 ; Signal Letters LG VM

Official No. 214916 ; Signal Letters LG VM. State if Machinery is fitted aft No

How are the surfaces preserved from oxidation? Inside Cement, Paint Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. CELLULAR

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	112.5	336	Fore peak tank,	20' 6"	152
Double bottom, under Engines and Boilers,	45.0	198	After peak tank,	26' 0"	317
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	144.0	517	Other tanks, if fitted,	40' 6"	254
Total capacity of double bottom		1051	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules yes

Order for Special Survey No. *34*

Date 17. 11. 16

No. *200* in builder's yard.

DATES of Surveys
held while building

Sep. 12. 15. 26. Oct. 5. 7. 9. 14. 18. 23. 31. Nov. 2. 7. 8. 13. 16. 20. 21. 24. 27.
Dec. 4. 6. 14. 21. 26. 31. Jan. 10. 11. 23. 24. 29. Feb. 7. 13. 19. 23.
March, 2. 3. 7. 6. 9. 13. 14. 15. 17. 19. 20. 22. 23. 28. 29. 31.
April 2. 6. 7. 9. 11. 13. 16. 17. 19. 17.

Total No. of Visits 59

Surveyor's Signature

W. McKering