

Form No. 1A. WEB FRAMES. WEB-FRAMES, In Fore Body, No. and spacing. No. of Side Stringers. WEB-FRAMES, In E. & B. Space, No. & spacing. WEB-FRAMES, In After Body, No. and spacing. BRACKET PLATES to Stringers between Web Frames, depth and thickness. BULKHEADS. W.T. BULKHEADS. COLLISION PARTITION. LONGITUDINAL. PLATING. STRAKES. RIVETING. BUTTS. UPPER DECK STRINGER PLATE. SECOND DECK STRINGER PLATE. FRAMES extend in one length from Bilge to Upper Deck. REVERSED FRAMES on floors and frames extend from Bilge to Upper Deck. MASTS, SPARS, &c. LOWER MASTS. Bowsprit. Topmasts, Yards and Remainder of Spars. RIGGING, Material and Size, Shrouds. Sails.

EQUIPMENT No. 35611-90. LETTER Z. ANCHORS. TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Boats. Pumps. Windlass. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds. Cargo Hatchways. State size No. 1 Hatch. Number of Web Plates. Bulwarks. Correspondence. Workmanship. General Remarks. Sister vessels are the S.S. "Horican Maru" (Kobe rpt. no. 2141), S.S. "Taibi Maru" (Kobe rpt. no. 2293), S.S. "Hoyeican Maru" (Kobe rpt. no. 2405), Hague Maru (Kobe rpt. no. 2966). The Surveyor should state the Number of Report and Name of any Sister Vessel. The amount of Entry Fee. Special Survey Fee. Travelling Expenses. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. Lloyd's Register Foundation.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 39.75 ft., R.Q.D. ☒ ft., Bridge 137.25 ft., Forecastle 45 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) 2 Decks (steel) 2 Tiers of Beams

Official No. 26750; Signal Letters R.V.T.Q State if Machinery is fitted aft No.

How are the surfaces preserved from oxidation? Inside 3 coats of Paint S.B. & Bilges cement Outside 3 coats of Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>137-3</u>	<u>349.55</u>	Fore peak tank,	<u>19-9</u>	<u>106</u>
Double bottom, under Engines and Boilers, <u>Fwd Tank</u>	<u>22-6</u>	<u>79.04</u>	After peak tank,	<u>10-0</u>	<u>26</u>
Double bottom, if under Engines only,	<u>22-6</u>	<u>79.04</u>	Deep tank, aft,	<u>27-0</u>	<u>766</u>
Double bottom, if under Boilers only,			Deep tank, forward,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double bottom, forward,	<u>175-3</u>	<u>551.55</u>	Other tanks, if fitted,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Total capacity of double bottom	<u>980.14</u>	(If necessary, furnish further information by sketch.)		
* The wells are not to be included in the lengths of the tanks. <u>357-6</u>			State whether the above have been tested as required by the Rules <u>yes</u> <input checked="" type="checkbox"/>		

Order for Special Survey No.

Date

No. 936 in builder's yard.

DATES OF SURVEYS held while building

19 Sept. 17. 24. 29. Oct. 17. 23. 28. Nov. 5. 10. 13. 24. 27.
Dec. 1. 15. 19. 22. 23. 29. Feb. 4. 12. 19. 23. 27. Mar. 3. 4. 7. 8.
Mar. 22. 29. Apr. 7. 8. 10

Surveyor's Signature

J.G. Fry & H.G. House

Total No. of Visits 3

© 2020

Foundation