

50,716.

F.E.

Chief Ship Surveyor

Received from Chief Ship Surveyor

AME Steel SS "DELAGOA MARU" Rpt. Nag. No. 1259

The views of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

Endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/32.)

Hull No. 86.5 Depth "d" 24.8'

Table No. 3 Description Bulb Angle as approved.

Longitudinal No. 36350

Proportions Length = 10.9
Depth =

Sheerstrake as approved.

This vessel appears to have been built in accordance with the
and the approved plans, and it is submitted she is eligible to
be classed \times 100 A.1. (steel) "Shelter Deck with freeboard," as
intended. The Summer freeboard of 10'-6" from centre of disc
of statutory deck line at Shelter deck, now marked on the
sides, to be inserted in the classification certificate, and
entered in the Register Book, and further, the remaining freeboards,
shown on the accompanying verification form to be inserted in the
certificate of classification.

1 Dk. (steel) & Shelter Dk. (steel).

Call DB 358' 1160 t. DTA 28' 1077 t. FPT 108 t. APT 95 t.
F.K. 6 BH to Shelter Dk. 2 BH to Upper Dk. Cem. AYC.P. F on Shelter Dk 47'.

009272-009286-0167 1/2

© 2021

Lloyd's Register
Foundation

[P.T.O.]

"DELAGOA MARU"

It is concluded, two web frames ^{in water 16/6/00} are fitted in Engine & Boiler space as approved or equivalent strengthening fitted in lieu, that the vertical & horizontal stiffening of the watertight bulkheads is as approved & also that the after peak bulkhead & bulkhead at the after end of deep tank each extend only to the upper deck as shown on profile forwarded with report & not to shelter Deck as stated in report, but the Surveyors should be requested to state if this is in


M

0.
rio.
while built
ith flat laid
Beams
permost
tual .. } 14
Inches.
per Rule.
Or as
Inches
per Rule
Or as
Inches
per Rule
Or as
Inches
per Rule
Or as

Spaced.

Inches
per Rule
Or as
Inches
per Rule
Or as

58
5x
44
ing
144
3 1/2 x



© 2021

Lloyd's Register
Foundation

004278-009286-01672

Spacing
AMS, Poop Deck, Angle, Bulb Angle, Plate,
Tee Bulb or Channel

✓

✓

Tie Plates

Deck. Material and thickness

Stringer Plate, br'dth & thickness

✓