





*Sharon Stooler*, "announces the corresponding letter"

009418-00427-0064 2/2



*[Faint handwritten notes and bleed-through from the reverse side are visible across the page.]*

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) *2 Stk (Stl) except No 2 Hold*

Official No. ; Signal Letters State if Machinery is fitted aft *No*

How are the surfaces preserved from oxidation? Inside *Paint & Cleanest Bitumastic in Bunkers & Tank Top under Boilers* Outside *Paint*

Where Fitted.	*Length.	Water Capacity.	Where Fitted.	*Length.	Water Capacity.
	Feet.	Tons.		Feet.	Tons.
Double bottom, aft,	87	163.7	Fore peak tank,	17	82.5
Double bottom, under Engines and Boilers,	53	156.2	After peak tank,	16	78.3
Double bottom, if under Engines only,	✓		Deep tank, aft,		
Double bottom, if under Boilers only,	✓		Deep tank, forward,		
Double bottom, forward,	124	302.3	Other tanks, if fitted,		
	Total capacity of double bottom	622.2	(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the length of the tanks.

State whether the above have been tested as required by the Rules.

in builder's yard.

DATES of Surveys  
held while building

Surveyor's Signature

R Crawford

© 2020

Total No. of Visits

23