

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 27.5 ft., R.Q.D. 96.66 ft., Bridge 65.5 ft., Forecastle 32.2 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated: THE POOP IS ON TOP OF R.Q.DK. THE BRIDGE DK. IS JOINED TO THE R.Q.DK.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book). ONE DECK (STEEL.)

Official No. 142458 ; Signal Letters . State if Machinery is fitted aft NO.
How are the surfaces preserved from oxidation? Inside PART CEMENT AND PAINT. Outside PAINT.

PARTICULARS OF WATER BALLAST. ~~State whether~~ the Double bottom is constructed on the cellular system ~~or with girders on floors.~~

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	72.0	143	Fore peak tank,	✓	107
Double bottom, under Engines and Boilers,	40.0	139	After peak tank,	✓	228
Double bottom, if under Engines only,	.	.	Deep tank, aft,	✓	✓
Double bottom, if under Boilers only,	.	.	Deep tank, forward,	✓	✓
Double bottom, forward,	116.0	293	Other tanks, if fitted,	✓	✓
Total capacity of double bottom		575	(If necessary, furnish further information by sketch.)	✓	✓

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules YES.

Order for Special Survey No. 3335

Date 14th Sept. 17

No. 900 in builder's yard.

DATES of Surveys held while building

1917. Sep: 19, 21, 24, 26. Oct: 1, 3, 5, 10, 23, 25, 30. Nov: 1, 5, 7, 9, 12, 16, 19, 21, 26, 28, 30. Dec: 3, 11, 13, 20, 24, 27. 1918. Jan: 3, 7, 9, 11, 21, 23, 25, 29. Feb: 14, 5, 11, 20, 27. Mar: 1, 4, 7, 11, 13, 14, 15, 19, 21, 22, 25, 27. May: 7, 15, 21, 24, 27, 30, 31. June: 1, 4, 6, 7, 10, 11, 12, 14, 15, 17, 18.

Surveyor's Signature

David McQuislan
Total No. of Visits 71