

F.E.

Received by Chief Ship Surveyor 27.12.17

Received from Chief Ship Surveyor

VESSEL'S NAME

Shells "Hakushika Maru" Rpt. ZKa

No. 2307

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

Transverse No.

90.

Depth "d"

18.0

Framing: Table No. 3 page 15.

Description

Bulb angle as approved

Longitudinal No.

40050.

Proportions

$$\frac{\text{Length}}{\text{Depth}} = 11.13$$

Deck Sheerstrake as approved.

This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed  $\nabla$  100 A-1. (Steel) Shelter Deck, with freeboard," as recommended. The Summer freeboard of  $12 \cdot 1 \frac{1}{2}$  from centre of disc to top of statutory deck line at Shelter deck, now marked on the vessel's sides, to be inserted in the classification certificate, and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying verification form to be inserted in the certificate of classification.

2 Sts (Steel) &amp; Shelter Deck (steel ws)

Full DB ~~138L~~ 138L. F.P.T. 82L A.P.T. 32L

FK TBH. 389' 1/2' Area. "Cem".

us 3.4 18

It is concluded the following bulkhead is watertight to the Shelter deck as required. The Surveyor should state if this is correct and also whether the record of pl. cem or pl. asp should be made in this case.

009580-009589-0103