

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle ☒ ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) **2 DECKS (STEEL) + AWNING DECK (STEEL)**
 Official No. **26199**; Signal Letters **R.S.L.M.** State if Machinery is fitted aft **no**
 How are the surfaces preserved from oxidation? Inside **Cement + Paint** Outside **Paint**

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors **Cellular**

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	116.7	342	Fore peak tank,		
Double bottom, under Engines and Boilers,	44.6	182	After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	172.1	594	Other tanks, if fitted,		
	Total capacity of double bottom	1118	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules **yes**

Order for Special Survey No.

Date

No. **472** in builder's yard.

DATES of Surveys held while building

1919 Sept. 8, 11, 16, 17, 18, 30; Oct. 2, 4, 7, 9, 10, 11, 13, 14, 15, 16, 18, 20, 21, 22, 23, 24, 27, 30; Nov. 1, 3, 5, 6, 7, 11, 14, 17, 18, 20, 27, 28, 29; Dec. 1, 2, 3, 4, 5, 6, 8, 12, 17, 27; **1920** Jan. 7, 12, 17, 20, 22, 23, 26 —

Surveyor's Signature

Alexander Watt

© 2021

Lloyd's Register Foundation