

Rpt. 12.

Copy

FREEBOARD VERIFICATION FORM FOR STEAMERS.

When received in London Office

Port

Vessel's Name

Galgarolite

Official No.

No. in Reg. Book

Port of Registry (For Foreign Vessels)

Sarnia Ontario

Iron or Steel

State whether Classed by Lloyd's Register

Yes

Name of Owners

Date of Verification

5 May 1921

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line 11 ft. 2 ins.

From centre of disc to top of statutory deck line } at awning or part-awning deck . . . ft. ins.

Fresh Water line above centre of disc . . . 7 1/2 ins.

Indian Summer line above centre of disc . . . 6 1/2 ins.

Winter line below centre of disc . . . 6 1/2 ins.

Winter North Atlantic line below centre of disc . . . ins.

Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of wood or iron deck with the vessel's side } at main, spar or upper dk. 1 1/2 ins.

at awning or pt.-awning dk. ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

S<sup>d</sup> Walter Lang

Surveyor.

(To be filled up in London Office.)

Document No.

Date of Committee's Minute

11.5.21

Particulars for record Register Book.

Moulded Depth . . . 37 ft. 3 ins.  
Freeboard . . . 11 ft. 2 ins.  
Corresponding Draught . . . 26 ft. 6 ins.

Boards compared and found correct by

Date

Fee paid?

Form for Certificate

Instructions

Date

Certificate written

Noted for posting

—T,

Condition of class.



© 2021

Lloyd's Register Foundation

009954-009961-0208

Angles on upper edge

Spacing

Bridge Deck Stringer Plate, br'dth & thickness