

Form No. 1A. WEB FRAMES. Inches in Ship. Inches in Ship. Inches in Ship. Inches in Ship. FORGINGS or CASTINGS. KEEL, Bar, depth and thickness. STEM, moulding and thickness. STERN-POST for Rudder do. do. RUDDER-A x D* Table 22. Speed. Main-Piece, diameter at head. RIVETING. PLATING. STRAKES. BUTTS. Upper Deck Stringer Plate. Second Deck Stringer Plate. FRAMES extend in one length from. REVERSED FRAMES on floors and frames extend from. MASTS, SPARS, &c. LOWER MASTS. Bowsprit. Topmasts, Yards and Remainder of Spars. Rigging, Material and Size, Shrouds. Sails.

EQUIPMENT No. 28445-55. LETTER W. ANCHORS. TONNAGE U.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Boats. Steering Gear, Steam. Steering Gear, Hand. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds. Cargo Hatchways. State size No. 1 Hatch. Number of Web Plates. Bulwarks, height above deck and description. The foregoing is a correct description. Builder's Signature. Correspondence. Workmanship. Is the riveted work properly closed? Are the liners between the frames and plates solid single pieces? Are the butts of plating, stringers, &c., properly shifted and clipped? Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)? Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)? General Remarks. The amount of Entry Fee. Special Survey Fee. Travelling Expenses, if any. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. WED. 30 MAR. 1921. FRI. AUG. 26 1921. 100 A.I. + LMC 12.30 70. Lloyd's Register Foundation.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK:—Length of Poop 32.50 ft., R.Q.D. ☒ ft., Bridge 74.25 ft., Forecastle 40.00 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) Two Steel decks Two tiers of Beams
 Official No. _____; Signal Letters _____ State if Machinery is fitted aft no
 How are the surfaces preserved from oxidation? Inside Paint & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

*Length.			*Length.			*Length.		
Where Fitted.			Where Fitted.			Where Fitted.		
Feet.			Tons.			Feet.		
Double bottom, aft,			107.25 350.01			Fore peak tank,		
Double bottom, under Engines and Boilers,			52.25 172.16			After peak tank,		
Double bottom, if under Engines only,			✓			Deep tank, aft,		
Double bottom, if under Boilers only,			✓			Deep tank, forward,		
Double bottom, forward,			134.75 242.70			Other tanks, if fitted,		
Total capacity of double bottom			764.87			(If necessary, furnish further information by sketch.)		
* The wells are not to be included in the lengths of the tanks.			State whether the above have been tested as required by the Rules.			Yes		

Order for Special Survey No.

Date

No. 85 in builder's yard.

DATES of Surveys held while building

JUNE 1920. 18. 23. 29. JULY 2. 8. 16. 23. 29. AUG. 2. 16. 23. 29. SEP. 9. 11. 15. 17. 18. 27.
 OCT. 2. 9. 18. 25. 30. NOV. 5. 8. 13. 17. DEC. 10. 13. 16. 18.

Total No. of Visits 31

Surveyor's Signature

S. L. Preston
 Register Foundation