

State of Report is sent on the Machinery of the Vessel

No. 9536

Last Survey 18th April 1936

Simple Series

rising State Type of Erections. *Launceston*

Built at Oh. Harina

Launched 24.1.36 Yard No. 215

Builders Harima Shipbuilding Co. Ltd.

Owners Kokusai Kisen Kaisha

Managers

(Where necessary to be entered in Reg. Book.)

Residence

Port of Registry Tokyo

If surveyed while building, afloat, or in dry dock

White Building

	INCHES IN SHIP.	Any Departure from Approved Plans to be Noted.		INCHES IN SHIP.	Any Departure from Approved Plans to be Noted.
FRAMES, Spacing amidships	36'	/	Bracket Floors, Frame	180 90 11	/
" " from $\frac{1}{2}$ length to Collision bulkhead.....	27'	/	" " Reversed Frame	165 75 11	/
" " in peaks.....	24"	/	" " Vertical Struts	250 90 90 11	/
SIDE FRAMING.			Centre Girder, depth and thickness amidships	46" x .56	/
Frame Amidships, Angle E F	280 90 13	/	" " top Angles	90 90 13	/
" " Extends up to	3 rd Deck	/	" " bottom Angles	130 130 15	/
Reversed Frame Amidships, Angle			Side Girders, No. each side and thickness	one, .40"	/
" " Extends up to...			Margin Plate depth (excl. of flange) and thickness	38" x .56	/
Depth of Framing Girder			" " Vertical Angle to Tank side Bracket abaft $\frac{1}{4}$ len. from stem	160 x 18 F.B.	/
Frames in Uppermost Continuous 'tween Decks, Angle E F	200 90 12.5	/	" " Vertical Angle to Tank side Bracket forward $\frac{1}{4}$ len. from stem	dito + direct	/
" " Second 'tween Decks, Angle E or F	dito	/	" " Gussets, spacing and scantling abaft $\frac{1}{4}$ len. from stem.....	margin plate	/
" " Third " " " "			" " Gussets, spacing and scantling forward $\frac{1}{4}$ len. from stem.....	continuous plating	/
Framing in Peaks, Angle E F	200 90 11.5	/	Tank Side Brackets, height above base line at toe of Frame and thickness	77" x .48	/
Diameter and Spacing of Rivets through Frame and Shell Plating amidships	$\frac{7}{8}$, 4 $\frac{1}{2}$ "	/	INNER BOTTOM PLATING.		
State if Frame Joggled	yes	/	Breadth and thickness of Middle Line Strake ...	56 x .56	/
PANTING ARRANGEMENTS (Sec. 7), state system and particulars)	340 100 17 BA dup / Frame repair. Straps not attached: Shell increased.	/	Thickness of remainder in Holds50	/
STRENGTHENING OF BOTTOM FORWARD. State Particulars	DR. frames extra full 4" + $\frac{1}{2}$ 4" girders Shell increased. all as Rules.	/	Are Rule requirements complied with regarding increases of scantlings in way of double bottom in E. & B. space and framing in Bunkers and Boiler Room?	yes	/
SINGLE BOTTOM.			BEAMS.		
Floors, Depth and thickness at mid-line in Holds			Uppermost Continuous Deck, amidships in Wells, Angle E F	200 90 8	/
Height of Brackets at side above base line at toe of frame			" " in way of Bridge, Angle, E or F		/
Middle Line Keelson, on Floors, Angles, E or F			Spacing	at every frame.	/
" " " Through Plate or Intercoastal Plate ...			Second Deck, amidships, Angle E F	230 90 8.5	/
" " " Foundation Plate on Floors			Spacing	at every ft.	/
" " " Flat Plate Keel Angles			Third Deck, amidships, Angle E F	250 90 9	/
Side Keelsons, No. each side			Spacing	at every ft.	/
" " thickness of Intercoastal Plate ...			Fourth Deck, amidships, Angle, E or F		/
" " Angles			Spacing		/
DOUBLE BOTTOM.			Poop Deck, Angle, E or F		/
Solid Floors, thickness and spacing44 every 3 rd frame. stiffened.	/	Spacing		/
" " Are Frame and Reversed Frame joggled?	no, cut.	/	Bridge Deck, Angle, E or F	150 90 9	/
Bracket Floors, breadth and thickness at middle line	34 $\frac{1}{2}$ x .46	/	Spacing	at every ft.	/
" " breadth and thickness at margin plate	34 $\frac{1}{2}$ x .46	/	Forecastle Deck, Angle, E or F	200 90 9.8	/
			Spacing	at every ft.	/

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

See Note C dated 21.7.36 attached

Cert. to be dated 21.7.36 attached to this report.

EQUIPMENT No. 46780											LETTER	ANCHORS.			
Number of Certificate.	Anchors.	WEIGHT, EX. STOCK.			WEIGHT OF STOCK.			TEST, PER CERTIFICATE.				WEIGHT REQUIRED BY TABLE 53.	Description of Anchor.	Makers.	Where and when tested and Superintendent.
		Cwts.	qrs.	lbs.	Cwts.	qrs.	lbs.	Tons.	cwts.	qrs.	lbs.	Cwts.			
51	1st Bower ...	87	0	24	-	-	-	61	18	3	6	81 1/2	} Stocklin	Osima Steel Works Ltd.	Yokohama 26.11.35 A. Magellan
52	2nd „ ...	85	2	16	-	-	-	61	10	0	0				
50	3rd „ ...	85	1	0				61	0	0	0				
	Collective weight.	258	0	12								232			
53	Stream	28	2	4	16	1	15	25	10	0	0	23 1/2	Ordinary anchor	ditto	ditto

CHAIN CABLES.										HAWSERS AND WARPS.									
Number of Certificate.	Length and size supplied.		Test per Certificate.		WEIGHT OF CHAIN CABLE.				Length and Size per Table 53.		Description.	Makers of Cables.	Where and when tested, and Superintendent.	Material.	Length and Size supplied.		Breaking Test of Steel Wire.	Length and Size per Table 53.	
	Length.	Diam.	Statu-tory.	Break-ing.	Supplied.	Per Rule.	Length.	Diam.	Length.	Cir.					Length.	Cir.			
	Fathoms.	Ins.	Tons.	Tons.	Cwts.	qrs.	lbs.	Owts.	Fathoms.	Ins.					Fathoms.	Ins.	Tons.	Fathoms.	Ins.
2147	152 1/2	2 1/2	112.5	180.5	503	0	13						19.9.35 16.12.35 17.12.35 18.12.35 20.12.35 21.12.35 22.12.35 23.12.35 24.12.35 25.12.35 26.12.35 27.12.35 28.12.35 29.12.35 30.12.35 31.12.35 1.1.36 2.1.36 3.1.36 4.1.36 5.1.36 6.1.36 7.1.36 8.1.36 9.1.36 10.1.36 11.1.36 12.1.36 13.1.36 14.1.36 15.1.36 16.1.36 17.1.36 18.1.36 19.1.36 20.1.36 21.1.36 22.1.36 23.1.36 24.1.36 25.1.36 26.1.36 27.1.36 28.1.36 29.1.36 30.1.36 31.1.36 1.2.36 2.2.36 3.2.36 4.2.36 5.2.36 6.2.36 7.2.36 8.2.36 9.2.36 10.2.36 11.2.36 12.2.36 13.2.36 14.2.36 15.2.36 16.2.36 17.2.36 18.2.36 19.2.36 20.2.36 21.2.36 22.2.36 23.2.36 24.2.36 25.2.36 26.2.36 27.2.36 28.2.36 29.2.36 30.2.36 31.2.36 1.3.36 2.3.36 3.3.36 4.3.36 5.3.36 6.3.36 7.3.36 8.3.36 9.3.36 10.3.36 11.3.36 12.3.36 13.3.36 14.3.36 15.3.36 16.3.36 17.3.36 18.3.36 19.3.36 20.3.36 21.3.36 22.3.36 23.3.36 24.3.36 25.3.36 26.3.36 27.3.36 28.3.36 29.3.36 30.3.36 31.3.36 1.4.36 2.4.36 3.4.36 4.4.36 5.4.36 6.4.36 7.4.36 8.4.36 9.4.36 10.4.36 11.4.36 12.4.36 13.4.36 14.4.36 15.4.36 16.4.36 17.4.36 18.4.36 19.4.36 20.4.36 21.4.36 22.4.36 23.4.36 24.4.36 25.4.36 26.4.36 27.4.36 28.4.36 29.4.36 30.4.36 31.4.36 1.5.36 2.5.36 3.5.36 4.5.36 5.5.36 6.5.36 7.5.36 8.5.36 9.5.36 10.5.36 11.5.36 12.5.36 13.5.36 14.5.36 15.5.36 16.5.36 17.5.36 18.5.36 19.5.36 20.5.36 21.5.36 22.5.36 23.5.36 24.5.36 25.5.36 26.5.36 27.5.36 28.5.36 29.5.36 30.5.36 31.5.36 1.6.36 2.6.36 3.6.36 4.6.36 5.6.36 6.6.36 7.6.36 8.6.36 9.6.36 10.6.36 11.6.36 12.6.36 13.6.36 14.6.36 15.6.36 16.6.36 17.6.36 18.6.36 19.6.36 20.6.36 21.6.36 22.6.36 23.6.36 24.6.36 25.6.36 26.6.36 27.6.36 28.6.36 29.6.36 30.6.36 31.6.36 1.7.36 2.7.36 3.7.36 4.7.36 5.7.36 6.7.36 7.7.36 8.7.36 9.7.36 10.7.36 11.7.36 12.7.36 13.7.36 14.7.36 15.7.36 16.7.36 17.7.36 18.7.36 19.7.36 20.7.36 21.7.36 22.7.36 23.7.36 24.7.36 25.7.36 26.7.36 27.7.36 28.7.36 29.7.36 30.7.36 31.7.36 1.8.36 2.8.36 3.8.36 4.8.36 5.8.36 6.8.36 7.8.36 8.8.36 9.8.36 10.8.36 11.8.36 12.8.36 13.8.36 14.8.36 15.8.36 16.8.36 17.8.36 18.8.36 19.8.36 20.8.36 21.8.36 22.8.36 23.8.36 24.8.36 25.8.36 26.8.36 27.8.36 28.8.36 29.8.36 30.8.36 31.8.36 1.9.36 2.9.36 3.9.36 4.9.36 5.9.36 6.9.36 7.9.36 8.9.36 9.9.36 10.9.36 11.9.36 12.9.36 13.9.36 14.9.36 15.9.36 16.9.36 17.9.36 18.9.36 19.9.36 20.9.36 21.9.36 22.9.36 23.9.36 24.9.36 25.9.36 26.9.36 27.9.36 28.9.36 29.9.36 30.9.36 31.9.36 1.10.36 2.10.36 3.10.36 4.10.36 5.10.36 6.10.36 7.10.36 8.10.36 9.10.36 10.10.36 11.10.36 12.10.36 13.10.36 14.10.36 15.10.36 16.10.36 17.10.36 18.10.36 19.10.36 20.10.36 21.10.36 22.10.36 23.10.36 24.10.36 25.10.36 26.10.36 27.10.36 28.10.36 29.10.36 30.10.36 31.10.36 1.11.36 2.11.36 3.11.36 4.11.36 5.11.36 6.11.36 7.11.36 8.11.36 9.11.36 10.11.36 11.11.36 12.11.36 13.11.36 14.11.36 15.11.36 16.11.36 17.11.36 18.11.36 19.11.36 20.11.36 21.11.36 22.11.36 23.11.36 24.11.36 25.11.36 26.11.36 27.11.36 28.11.36 29.11.36 30.11.36 31.11.36 1.12.36 2.12.36 3.12.36 4.12.36 5.12.36 6.12.36 7.12.36 8.12.36 9.12.36 10.12.36 11.12.36 12.12.36 13.12.36 14.12.36 15.12.36 16.12.36 17.12.36 18.12.36 19.12.36 20.12.36 21.12.36 22.12.36 23.12.36 24.12.36 25.12.36 26.12.36 27.12.36 28.12.36 29.12.36 30.12.36 31.12.36 1.1.37 2.1.37 3.1.37 4.1.37 5.1.37 6.1.37 7.1.37 8.1.37 9.1.37 10.1.37 11.1.37 12.1.37 13.1.37 14.1.37 15.1.37 16.1.37 17.1.37 18.1.37 19.1.37 20.1.37 21.1.37 22.1.37 23.1.37 24.1.37 25.1.37 26.1.37 27.1.37 28.1.37 29.1.37 30.1.37 31.1.37 1.2.37 2.2.37 3.2.37 4.2.37 5.2.37 6.2.37 7.2.37 8.2.37 9.2.37 10.2.37 11.2.37 12.2.37 13.2.37 14.2.37 15.2.37 16.2.37 17.2.37 18.2.37 19.2.37 20.2.37 21.2.37 22.2.37 23.2.37 24.2.37 25.2.37 26.2.37 27.2.37 28.2.37 29.2.37 30.2.37 31.2.37 1.3.37 2.3.37 3.3.37 4.3.37 5.3.37 6.3.37 7.3.37 8.3.37 9.3.37 10.3.37 11.3.37 12.3.37 13.3.37 14.3.37 15.3.37 16.3.37 17.3.37 18.3.37 19.3.37 20.3.37 21.3.37 22.3.37 23.3.37 24.3.37 25.3.37 26.3.37 27.3.37 28.3.37 29.3.37 30.3.37 31.3.37 1.4.37 2.4.37 3.4.37 4.4.37 5.4.37 6.4.37 7.4.37 8.4.37 9.4.37 10.4.37 11.4.37 12.4.37 13.4.37 14.4.37 15.4.37 16.4.37 17.4.37 18.4.37 19.4.37 20.4.37 21.4.37 22.4.37 23.4.37 24.4.37 25.4.37 26.4.37 27.4.37 28.4.37 29.4.37 30.4.37 31.4.37 1.5.37 2.5.37 3.5.37 4.5.37 5.5.37 6.5.37 7.5.37 8.5.37 9.5.37 10.5.37 11.5.37 12.5.37 13.5.37 14.5.37 15.5.37 16.5.37 17.5.37 18.5.37 19.5.37 20.5.37 21.5.37 22.5.37 23.5.37 24.5.37 25.5.37 26.5.37 27.5.37 28.5.37 29.5.37 30.5.37 31.5.37 1.6.37 2.6.37 3.6.37 4.6.37 5.6.37 6.6.37 7.6.37 8.6.37 9.6.37 10.6.37 11.6.37 12.6.37 13.6.37 14.6.37 15.6.37 16.6.37 17.6.37 18.6.37 19.6.37 20.6.37 21.6.37 22.6.37 23.6.37 24.6.37 25.6.37 26.6.37 27.6.37 28.6.37 29.6.37 30.6.37 31.6.37 1.7.37 2.7.37 3.7.37 4.7.37 5.7.37 6.7.37 7.7.37 8.7.37 9.7.37 10.7.37 11.7.37 12.7.37 13.7.37 14.7.37 15.7.37 16.7.37 17.7.37 18.7.37 19.7.37 20.7.37 21.7.37 22.7.37 23.7.37 24.7.37 25.7.37 26.7.37 27.7.37 28.7.37 29.7.37 30.7.37 31.7.37 1.8.37 2.8.37 3.8.37 4.8.37 5.8.37 6.8.37 7.8.37 8.8.37 9.8.37 10.8.37 11.8.37 12.8.37 13.8.37 14.8.37 15.8.37 16.8.37 17.8.37 18.8.37 19.8.37 20.8.37 21.8.37 22.8.37 23.8.37 24.8.37 25.8.37 26.8.37 27.8.37 28.8.37 29.8.37 30.8.37 31.8.37 1.9.37 2.9.37 3.9.37 4.9.37 5.9.37 6.9.37 7.9.37 8.9.37 9.9.37 10.9.37 11.9.37 12.9.37 13.9.37 14.9.37 15.9.37 16.9.37 17.9.37 18.9.37 19.9.37 20.9.37 21.9.37 22.9.37 23.9.37 24.9.37 25.9.37 26.9.37 27.9.37 28.9.37 29.9.37 30.9.37 31.9.37 1.10.37 2.10.37 3.10.37 4.10.37 5.10.37 6.10.37 7.10.37 8.10.37 9.10.37 10.10.37 11.10.37 12.10.37 13.10.37 14.10.37 15.10.37 16.10.37 17.10.37 18.10.37 19.10.37 20.10.37 21.10.37 22.10.37 23.10.37 24.10.37 25.10.37 26.10.37 27.10.37 28.10.37 29.10.37 30.10.37 31.10.37 1.11.37 2.11.37 3.11.37 4.11.37 5.11.37 6.11.37 7.11.37 8.11.37 9.11.37 10.11.37 11.11.37 12.11.37 13.11.37 14.11.37 15.11.37 16.11.37 17.11.37 18.11.37 19.11.37 20.11.37 21.11.37 22.11.37 23.11.37 24.11.37 25.11.37 26.11.37 27.11.37 28.11.37 29.11.37 30.11.37 31.11.37 1.12.37 2.12.37 3.12.37 4.12.37 5.12.37 6.12.37 7.12.37 8.12.37 9.12.37 10.12.37 11.12.37 12.12.37 13.12.37 14.12.37 15.12.37 16.12.37 17.12.37 18.12.37 19.12.37 20.12.37 21.12.37 22.12.37 23.12.37 24.12.37 25.12.37 26.12.37 27.12.37 28.12.37 29.12.37 30.12.37 31.12.37 1.1.38 2.1.38 3.1.38 4.1.38 5.1.38 6.1.38 7.1.38 8.1.38 9.1.38 10.1.38 11.1.38 12.1.38 13.1.38 14.1.38 15.1.38 16.1.38 17.1.38 18.1.38 19.1.38 20.1.38 21.1.38 22.1.38 23.1.38 24.1.38 25.1.38 26.1.38 27.1.38 28.1.38 29.1.38 30.1.38 31.1.38 1.2.38 2.2.38 3.2.38 4.2.38 5.2.38 6.2.38 7.2.38 8.2.38 9.2.38 10.2.38 11.2.38 12.2.38 13.2.38 14.2.38 15.2.38 16.2.38 17.2.38 18.2.38 19.2.38 20.2.38 21.2.38 22.2.38 23.2.38 24.2.38 25.2.38 26.2.38 27.2.38 28.2.38 29.2.38 30.2.38 31.2.38 1.3.38 2.3.38 3.3.38 4.3.38 5.3.38 6.3.38 7.3.38 8.3.38 9.3.38 10.3.38 11.3.38 12.3.38 13.3.38 14.3.38 15.3.38 16.3.38 17.3.38 18.3.38 19.3.38 20.3.38 21.3.38 22.3.38 23.3.38 24.3.38 25.3.38 26.3.38 27.3.38 28.3.38 29.3.38 30.3.38 31.3.38 1.4.38 2.4.38 3.4.38 4.4.38 5.4.38 6.4.38 7.4.38 8.4.38 9.4.38 10.4.38 11.4.38 12.4.38 13.4.38 14.4.38 15.4.38 16.4.38 17.4.38 18.4.38 19.4.38 20.4.38 21.4.38 22.4.38 23.4.38 24.4.38 25.4.38 26.4.38 27.4.38 28.4.38 29.4.38 30.4.38 31.4.38 1.5.38 2.5.38 3.5.38 4.5.38 5.5.38 6.5.38 7.5.38 8.5.38 9.5.38 10.5.38 11.5.38 12.5.38 13.5.38 14.5.38 15.5.38 16.5.38 17.5.38 18.5.38 19.5.38 20.5.38 21.5.38 22.5.38 23.5.38 24.5.38 25.5.38 26.5.38 27.5.38 28.5.38 29.5.38 30.5.38 31.5.38 1.6.38 2.6.38 3.6.38 4.6.38 5.6.38 6.6.38 7.6.38 8.6.38 9.6.38 10.6.38 11.6.38 12.6.38 13.6.38 14.6.38 15.6.38 16.6.38 17.6.38 18.6.38 19.6.38 20.6.38 21.6.38 22.6.38 23.6.38 24.6.38 25.6.38 26.6.38 27.6.38 28.6.38 29.6.38 30.6.38 31.6.38 1.7.38 2.7.38 3.7.38 4.7.38 5.7.38 6.7.38 7.7.38 8.7.38 9.7.38 10.7.38 11.7.38 12.7.38 13.7.38 14.7.38 15.7.38 16.7.38 17.7.38 18.7.38 19.7.38 20.7.38 21.7.38 22.7.38 23.7.38 24.7.38 25.7.38 26.7.38 27.7.38 28.7.38 29.7.38 30.7.38 31.7.38 1.8.38 2.8.38 3.8.38 4.8.38 5.8.38 6.8.38 7.8.38 8.8.38 9.8.38 10.8.38 11.8.38 12.8.38 13.8.38 14.8.38 15.8.38 16.8.38 17.8.38 18.8.38 19.8.38 20.8.38 21.8.38 22.8.38 23.8.38 24.8.38 25.8.38 26.8.38 27.8.38 28.8.38 29.8.38 30.8.38 31.8.38 1.9.38 2.9.38 3.9.38 4.9.38 5.9.38 6.9.38 7.9.38 8.9.38 9.9.38 10.9.38 11.9.38 12.9.38 13.9.38 14.9.38 15.9.38 16.9.38 17.9.38 18.9.38 19.9.38 20.9.38 21.9.38 22.9.38 23.9.38 24.9.38 25.9.38 26.9.38 27.9.38 28.9.38 29.9.38 30.9.38 31.9.38 1.10.38 2.10.38 3.10.38 4.10.38 5.10.38 6.10.38 7.10.38 8.10.38 9.10.38 10.10.38 11.10.38 12.10.38 13.10.38 14.10.38 15.10.38 16.10.38 17.10.38 18.10.38 19.10.38 20.10.38 21.10.38 22.10.38 23.10.38 24.10.38 25.10.38 26.10.38 27.10.38 28.10.38 29.10.38 30.10.38 31.10.38 1.11.38 2.11.38 3.11.38 4.11.38 5.11.38 6.11.38 7.11.38 8.11.38 9.11.38 10.11.38 11.11.38 12.11.38 13.11.38 14.11.38 15.11.38 16.11.38 17.11.38 18.11.38 19.11.38 20.11.38 21.11.38 22.11.38 23.11.38 24.11.38 25.11.38 26.11.38 27.11.38 28.11.38 29.11.38 30.11.38 31.11.38 1.12.38 2.12.38 3.12.38 4.12.38 5.12.38 6.12.38 7.12.38 8.12.38 9.12.38 10.12.38 11.12.38 12.12.38 13.12.38 14.12.38 15.12.38 16.12.38 17.12.38 18.12.38 19.12.38 20.12.38 21.12.38 22.12.38 23.12.38 24.12.38 25.12.38 26.12.38 27.12.38 28.12.38 29.12.38 30.12.38 31.12.38 1.1.39 2.1.39 3.1.39 4.1.39 5.1.39 6.1.39 7.1.39 8.1.39 9.1.39 10.1.39 11.1.39 12.1.39 13.1.39 14.1.39 15.1.39 16.1.39 17.1.39 18.1.39 19.1.39 20.1.39 21.1.39 22.1.39 23.1.39 24.1.39 25.1.39 26.1.39 27.1.39 28.1.39 29.1.39 30.1.39 31.1.39 1.2.39 2.2.39 3.2.39 4.2.39 5.2.39 6.2.39 7.2.39 8.2.39 9.2.39 10.2.39 11.2.39 12.2.39 13.2.39 14.2.39 15.2.39 16.2.39 17.2.39 18.2.39 19.2.39 20.2.39 21.2.39 22.2.39 23.2.39 24.2.39 25.2.39 26.2.39 27.2.39 28.2.39 29.2.39 30.2.39 31.2.39 1.3.39 2.3.39 3.3.39 4.3.39 5.3.39 6.3.39 7.3.39 8.3.39 9.3.39 10.3.39 11.3.39 12.3.39 13.3.39 14.3.39 15.3.39 16.3.39 17.3.39 18.3.39 19.3.39 20.3.39 21.3.39 22.3.39 23.3.39 24.3.39 25.3.39 26.3.39 27.3.39 28.3.39 29.3.39 30.3.39 31.3.39 1.4.39 2.4.39 3.4.39 4.4.39 5.4.39 6.4.39 7.4.39 8.4.39 9.4.39 10.4.39 11.4.39 12.4.39 13.4.39 14.4.39 15.4.39 16.4.39 17.4.39 18.4.39 19.4.39 20.4.39 21.4.39 22.4.39 23.4.39 24.4.39 25.4.39 26.4.39 27.4.39 28.4.39 29.4.39 30.4.39 31.4.39 1.5.39 2.5.39 3.5.39 4.5.39 5.5.39 6.5.39 7.5.39 8.5.39 9.5.39 10.5.39 11.5.39 12.5.39 13.5.39 14.5.39 15.5.39 16.5.39 17.5.39 18.5.39 19.5.39 20.5.39 21.5.39 22.5.39 23.5.39 24.5.39 25.5.39 26.5.39 27.5.39 28.5.39 29.5.39 30.5.39 31.5.39 1.6.39 2.6.39 3.6.39 4.6.39 5.6.39 6.6.39 7.6.39 8.6.39 9.6.39 10.6.39 11.6.39 12.6.39 13.6.39 14.6.39 15.6.39 16.6.39 17.6.39 18.6.39 19.6.39 20.6.39 21.6.39 22.6.39 23.6.39 24.6.39 25.6.39 26.6.39 27.6.39 28.6.39 29.6.39 30.6.39 31.6.39 1.7.39 2.7.39 3.7.39 4.7.39 5.7.39 6.7.39 7.7.39 8.7.39 9.7.39 10.7.39 11.7.39 12.7.39 13.7.39 14.7.39 						

GENERAL REMARKS—(The Surveyor should state the Number of Report and Name of any Sister Vessel. Plans showing Vessel as built should be forwarded and a List of the Plans should be embodied.)

The following plans & documents are forwarded with this report:—

- ① Mid-section (as built)
- ② Profile & Decks (.. ..) - 2 sheets
- ③ Forging & Casting Certificates
- ④ Steel Advice notes, relating to this vessel only; the remainder relate to nos 215 & 216 & will be forwarded on completion of the latter.

This vessel is a sister ship to the same builder's no 216 not yet completed: it is similar but not identical with the M.S. Kongo Maru. (Hull no 205)

Particulars of Drop Test of Cast Steel Anchors, viz.:— Weight, Surveyor's Initials, Number of Certificate, Date of Test.	1st Bower	Weight	Surveyor	Cert. No.	Date of Test	
	1st Bower	54.0.2	A.H.E.	1100	27.6.35	} Anchor head
	2nd "	53.3.17	ditto	1199	" ditto	
	3rd "	53.2.18	ditto	1201	" ditto	
		28.2.4	ditto	1202	5.9.35 & 23.9.35	Stream Anchor

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop — ft., R.Q.D. — ft., Bridge — ft., Forecastle 42.2 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (this information is to be given as it should appear in the Register Book) 1 DK. Steel & Shutter DK. Steel; 3rd DK. Steel
except in aftermost hold.

Official No. 41651 ; Signal Letters J.H.O.J. Is bottom of Vessel coated with cement ~~Paint~~ if not give particulars of composition

PARTICULARS OF WATER BALLAST.—

Where Fitted.	Length.	Water Capacity.	Where Fitted.	Length.	Water Capacity.
	Feet.	Tons.		Feet.	Tons.
Double bottom, aft,	12.27 to 65	114	Fore peak tank,	154 - fwd	23" 46
Double bottom, under Engines and Boilers,	65 to 66	3	After peak tank,	10 - aft.	20" 154 46
Double bottom, if under Engines only,	66 to 87	63	Deep tank, aft,	48-56	24" 711
Double bottom, if under Boilers only,			Deep tank, forward,	57-65	24" 690
Double bottom, forward,	87 to 154	179	Other tanks, fitted, aft.	88-93	15" 459
Total capacity of double bottom		1365	17 to 27		30" 144
* The wells are not to be included in the lengths of the tanks.			(If necessary, furnish further information by sketch.)		

Order for Special Survey No. 55

Date 10.5.35

Dates of Surveys held while building

Aug/35-2.9.13.21.26. Sept/35-6.20. Oct/35-1.8.10.15.16.22.28. Nov/35-5.6.9.28. Dec/35-3.5.7.11
A.21.24.27. Jan/36-10.13.14.16.18.20.24.31. Feb/36-4.14.18.28.29. Mar/36-3.6.14.17.18.20.23.
Apr/36-5.10.11.13.18. S. J. 1930.

Total No. of Visits 51