

Received by Chief Engineer Surveyor.....

Received from Chief Engineer Surveyor.....

VESSEL'S NAME "WAZIRISTAN"

REPORT Not. 734
Gls. No. 75217
Grk. 24104

remarks of the Chief Engineer Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

Type of Engine Oil Engine 2 S.C.S.A.

4 Cyl. 26 2/8" - 91 5/16"

MN 895

~~If Boilers fitted with forced draught~~

Tail Shaft. If fitted with a continuous liner Yes

If fitted with an outside gland of approved type No

The torsional vibration characteristics of the main propelling machinery were approved in the Secretary's letter of 8. 4. 48 for a service speed of 116 R.P.M., provided the governor be set so that the engine speed cannot exceed 128 R.P.M.

The Machinery Certificate should be endorsed accordingly and a suitable entry made in the S.R.L.

This vessel's machinery appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed * LMC 4.50

"Carrying petroleum in bulk"

2 DB 180 lb.

The Glasgow Surveyors should be informed that the report is awaited.

~~attached~~

The Greenock Surveyors should be asked to state the maximum service B.H.P. & R.P.M. of the main engine, as per Secretary's circular letter of 9/3/50.

Enk
5. 6. 50.



© 2021

Lloyd's Register Foundation

010640 - 010651 - 0051

Auxiliary Air Compressors, No. Two No. of stages Three Diameters 2 5/8 in Stroke Driven by
Small Auxiliary Air Compressors, No. No. of stages Diameters Stroke Driven by